

SAFETY DATA SHEET

Based upon Regulation (EC) No 1907/2006, as amended by Regulation (EU) No 2020/878

Zn Al Mg-alloy

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Registration number REACH Product type REACH : Zn Al Mg-alloy: Not applicable (mixture)

: Mixture/alloy

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant identified uses

Metal industry: continuous galvanizing of iron and steel products

1.2.2 Uses advised against

No uses advised against known

1.3. Details of the supplier of the safety data sheet

Supplier of the safety data sheet

Nyrstar Belgium N.V. on behalf of Nyrstar Sales & Marketing A.G. Zinkstraat 1 B-2490 Balen **3** + 32 14 44 95 00 ♣ +32 14 81 05 31 infoSDS@nyrstar.com Nyrstar Budel B.V. on behalf of Nyrstar Sales & Marketing A.G. Hoofdstraat 1 6024 AA Budel-Dorplein +32 14 44 96 80 ₲ +32 14 44 95 52 infoSDS@nyrstar.com Nyrstar France S.A.S. on behalf of Nyrstar Sales & Marketing A.G. Rue Jean Jacques Rousseau F-59950 Auby **2** +32 14 44 96 80 **▲** +33 3 27 88 39 48 infoSDS@nvrstar.com

Manufacturer of the product

Nyrstar Sales & Marketing SA 1 Rue de Jargonnant CH-1207 Geneva infoSDS@nyrstar.com

1.4. Emergency telephone number

24h/24h (Telephone advice: English, French, German, Dutch) :

+32 14 58 45 45 (BIG)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

2.2. Label elements

Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

2.3. Other hazards

The criteria of PBT and vPvB as listed in Annex XIII of Regulation (EC) No 1907/2006 do not apply to inorganic substances The melting down of moist metal leads to explosion risk

Heated product causes burns

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Created by: Brandweerinformatiecentrum voor gevaarlijke stoffen vzw (BIG) Technische Schoolstraat 43 A, B-2440 Geel http://www.big.be © BIG vzw Reason for revision: 2020/878 Revision number: 0100

Name REACH Registration No	CAS No EC No	Conc. (C)	Classification according to CLP	Note	Remark	M-factors and ATE	
zinc 01-2119467174-37	7440-66-6 231-175-3	92% ≤C≤98.5%		(2)(10)	Constituent		
aluminium	7429-90-5 231-072-3	1%≤C≤8%		(2)	Constituent		
magnesium, powder or turnings	7439-95-4 231-104-6	0.5%≤C<3%	Flam. Sol. 1; H228 Water-react. 2; H261 Self-heat. 1; H251	(1)(10)	Constituent		

(1) For H- and EUH-statements in full: see section 16

(2) Substance with a Community workplace exposure limit

(10) Subject to restrictions of Annex XVII of Regulation (EC) No. 1907/2006

SECTION 4: First aid measures

4.1. Description of first aid measures

General:

If you feel unwell, consult a doctor/medical service.

After inhalation:

After inhalation of fume: Remove victim into fresh air. In case of respiratory problems, consult a doctor/medical service.

After skin contact:

In case of burns: Wash immediately with plenty of water for 30 minutes or shower. Cut clothing; never remove burnt clothing from the wound. Do not give any pain medication. Consult a doctor/medical service.

After eye contact: In case of burns: Rinse immediately with plenty of water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Consult a doctor/medical service.

After ingestion:

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

4.2.1 Acute symptoms

After inhalation:

AFTER INHALATION OF DUST: Irritation of the nasal mucous membranes. Dry/sore throat. Coughing. AFTER INHALATION OF FUME: Feeling of weakness. Metal fume fever. Vomiting. Nausea.

After skin contact:

IF MELTING: Burns. After eye contact:

IF MELTING: Burns. After ingestion: Not applicable.

4.2.2 Delayed symptoms No effects known.

4.3. Indication of any immediate medical attention and special treatment needed

If applicable and available it will be listed below.

SECTION 5: Firefighting measures

5.1. Extinguishing media

5.1.1 Suitable extinguishing media:

Small fire: Dry sand, Quick-acting D powder extinguisher.

5.1.2 Unsuitable extinguishing media:

Small fire: Quick-acting CO2 extinguisher, Water, Foam, Quick-acting ABC powder extinguisher, Quick-acting BC powder extinguisher. Major fire: Water, Foam.

5.2. Special hazards arising from the substance or mixture

On burning formation of metal oxides (zinc oxide). In molten state: violent to explosive reaction with water (moisture).

5.3. Advice for firefighters

5.3.1 Instructions:

Dilute toxic gases with water spray. Take account of toxic/corrosive precipitation water. In case of metal bath fire: add metal blocks. When cooling/extinguishing: no water in the substance.

5.3.2 Special protective equipment for fire-fighters:

Gloves (EN 374). Protective clothing (EN 14605 or EN 13034). Heat/fire exposure: self-contained breathing apparatus (EN 136 + EN 137).

Reason for revision: 2020/878

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No naked flames.

- 6.1.1 Protective equipment for non-emergency personnel
- See section 8.2

6.1.2 Protective equipment for emergency responders Gloves (EN 374). Protective clothing (EN 14605 or EN 13034).

Suitable protective clothing

See section 8.2

6.2. Environmental precautions

No data available

6.3. Methods and material for containment and cleaning up

If melted: allow liquid to solidify before taking it up. Pick-up the material. Wash clothing and equipment after handling.

6.4. Reference to other sections

See section 13.

SECTION 7: Handling and storage

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

7.1. Precautions for safe handling

Avoid raising dust. Keep away from naked flames/heat. Observe strict hygiene. On (re)melting down: dry and preheat installation before use. Add only dry material to the metal bath.

7.2. Conditions for safe storage, including any incompatibilities

7.2.1 Safe storage requirements:

Storage temperature: Temperature above dew point. Store in a dry area. Keep at temperature above dew point. Meet the legal requirements.

7.2.2 Keep away from:

Heat sources, (strong) acids.

- 7.2.3 Suitable packaging material:
- No data available
- 7.2.4 Non suitable packaging material:
- No data available

7.3. Specific end use(s)

If applicable and available, exposure scenarios are attached in annex. See information supplied by the manufacturer.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 Occupational exposure

a) Occupational exposure limit values

If limit values are applicable and available these will be listed below.

Belgium

Aluminium (métal et composés insolubles, fraction alvéolaire)	Time-weighted average exposure limit 8 h	1 mg/m ³
Zinc (oxyde de) (fraction alvéolaire)	Time-weighted average exposure limit 8 h	2 mg/m ³
	Short time value	10 mg/m ³
France		
Aluminium (métal)	Time-weighted average exposure limit 8 h (VL: Valeur non réglementaire indicative)	10 mg/m ³
Aluminium (pulvérulent)	Time-weighted average exposure limit 8 h (VL: Valeur non réglementaire indicative)	5 mg/m³
Zinc (oxyde de, fumées)	Time-weighted average exposure limit 8 h (VL: Valeur non réglementaire indicative)	5 mg/m³
Zinc (oxyde de, poussières)	Time-weighted average exposure limit 8 h (VL: Valeur non réglementaire indicative)	10 mg/m ³
UK		
Aluminium metal inhalable dust	Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005))	10 mg/m ³
Aluminium metal respirable dust	Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005))	4 mg/m³
USA (TLV-ACGIH)		
r revision: 2020/878	Publication date: 2017-06-19	
	Date of revision: 2022-02-10	

	le compounds	Time-weighted average expos	sure limit 8 h (TLV - Adopte	ed Value)	1 mg/m³ (
Zinc oxide		Time-weighted average expos	sure limit 8 h (TLV - Adopte	ed Value)	2 mg/m³ (
		Short time value (TLV - Adopt	ed Value)		10 mg/m ³
(R): Respirable fraction					
b) National biological limit value					
If limit values are applicable and	available these will be lis	sted below.			
Germany Aluminium (Aluminium)	Urin: boi langa	eitexposition: am schichtende nach	50 μg/g Kreatinin		
Aluminium (Aluminium)	-	ingegangenen schichten	50 µg/g kreatinin		
2 Sampling methods					
Product name		Test	Number		
Aluminium		NIOSH	7013		
Aluminum (Al)		NIOSH	7302		
Aluminum (Al) Aluminum (Al)		NIOSH NIOSH	7304 7306		
Aluminum (Al)		NIOSH	8310		
Aluminum (Elements)		NIOSH	7300		
Aluminum (Elements, aqua regia	ashing)	NIOSH	7301		
Aluminum (Elements, hot block/	HCI/HNO3 digestion)	NIOSH	7303		
Aluminum		OSHA	ID121		
Magnesium (Elements)		NIOSH	7300		
Magnesium (Elements, aqua regi	6,	NIOSH	7301		
Magnesium (Elements, hot block Magnesium (Mg)	/HCI/HNO3 digestion)	NIOSH NIOSH	7303 7306		
Magnesium (Mg) Magnesium (Mg)		NIOSH	8005		
Magnesium		OSHA	ID 121		
Zinc & Cpds (as Zn)		NIOSH	7030		
Zinc (Elements on wipes)		NIOSH	9102		
Zinc (Elements)		NIOSH	7300		
Zinc (Elements, aqua regia ashing		NIOSH	7301		
Zinc (Elements, hot block/HCl/HI	NO3 digestion)	NIOSH	7303		
Zinc (Zn)		NIOSH	8005		
Zinc (Zn) Zinc Oxide		NIOSH	8310 7030		
Zinc Oxide		NIOSH NIOSH	7502		
Zinc Oxide		OSHA	ID 121		
Zinc Oxide		OSHA	ID 143		
Zinc		NIOSH	7030		
Zinc		OSHA	1006		
Zinc		OSHA	ID 105		
Zinc		OSHA	ID 121		
Zinc 3 Applicable limit values when u	using the substance or m	OSHA ixture as intended	ID 125G		
	and available these w	ill be listed below.			
If limit values are applicable 4 Threshold values DNEL/DMEL - Workers zinc	Type		Value	Remark	
If limit values are applicable 4 Threshold values DNEL/DMEL - Workers	Type Long-term systemi	c effects dermal	Value 83 mg/kg bw/day	Remark	
If limit values are applicable 4 Threshold values DNEL/DMEL - Workers zinc Effect level (DNEL/DMEL)	Long-term systemi	c effects dermal c effects inhalation	Value 83 mg/kg bw/day 5 mg/m ³	Remark	
If limit values are applicable 4 Threshold values DNEL/DMEL - Workers zinc Effect level (DNEL/DMEL) DNEL aluminium	Long-term systemi		83 mg/kg bw/day 5 mg/m³		
If limit values are applicable 4 Threshold values DNEL/DMEL - Workers zinc Effect level (DNEL/DMEL) DNEL aluminium Effect level (DNEL/DMEL)	Long-term systemi Long-term systemi	c effects inhalation	83 mg/kg bw/day 5 mg/m ³ Value	Remark Remark	
If limit values are applicable 4 Threshold values DNEL/DMEL - Workers zinc Effect level (DNEL/DMEL) DNEL aluminium Effect level (DNEL/DMEL) DNEL DNEL	Long-term systemi Long-term systemi Type Long-term systemi		83 mg/kg bw/day 5 mg/m³		
If limit values are applicable 4 Threshold values DNEL/DMEL - Workers Zinc Effect level (DNEL/DMEL) DNEL aluminium Effect level (DNEL/DMEL) DNEL magnesium, powder or turnings	Long-term systemi Long-term systemi Type Long-term systemi	c effects inhalation	83 mg/kg bw/day 5 mg/m ³ Value 3.72 mg/m ³	Remark	
If limit values are applicable 4 Threshold values DNEL/DMEL - Workers zinc Effect level (DNEL/DMEL) DNEL aluminium Effect level (DNEL/DMEL) DNEL DNEL	Long-term systemi Long-term systemi Type Long-term systemi	c effects inhalation	83 mg/kg bw/day 5 mg/m ³ Value		
If limit values are applicable 4 Threshold values DNEL/DMEL - Workers Zinc Effect level (DNEL/DMEL) DNEL aluminium Effect level (DNEL/DMEL) DNEL magnesium, powder or turnings Effect level (DNEL/DMEL) DNEL DNEL DNEL DNEL DNEL DNEL DNEL DNEL	Long-term systemi Long-term systemi Type Long-term systemi Type Long-term systemi	c effects inhalation c effects inhalation	83 mg/kg bw/day 5 mg/m ³ Value 3.72 mg/m ³ Value	Remark	
If limit values are applicable 4 Threshold values DNEL/DMEL - Workers Zinc Effect level (DNEL/DMEL) DNEL aluminium Effect level (DNEL/DMEL) DNEL magnesium, powder or turnings Effect level (DNEL/DMEL) DNEL DNEL DNEL DNEL DNEL DNEL Comparison	Long-term systemi Long-term systemi Type Long-term systemi Type Long-term systemi Dong-term systemi	c effects inhalation c effects inhalation	83 mg/kg bw/day 5 mg/m ³ Value 3.72 mg/m ³ Value 10 mg/m ³	Remark Remark	
If limit values are applicable 4 Threshold values DNEL/DMEL - Workers Zinc Effect level (DNEL/DMEL) DNEL aluminium Effect level (DNEL/DMEL) DNEL magnesium, powder or turnings Effect level (DNEL/DMEL) DNEL DNEL DNEL Effect level (DNEL/DMEL)	Long-term systemi Long-term systemi Type Long-term systemi Type Long-term systemi Dn Type	c effects inhalation c effects inhalation c effects inhalation	83 mg/kg bw/day 5 mg/m ³ Value 3.72 mg/m ³ Value 10 mg/m ³ Value	Remark	
If limit values are applicable 4 Threshold values DNEL/DMEL - Workers Zinc Effect level (DNEL/DMEL) DNEL aluminium Effect level (DNEL/DMEL) DNEL magnesium, powder or turnings Effect level (DNEL/DMEL) DNEL DNEL DNEL DNEL DNEL DNEL Comparison	Long-term systemi Long-term systemi Type Long-term systemi Type Long-term systemi Dubble Type Long-term systemi Dubble Long-term systemi Dubble Long-term systemi Dubble Long-term systemi Long-term systemi	c effects inhalation c effects inhalation c effects inhalation c effects oral	83 mg/kg bw/day 5 mg/m ³ Value 3.72 mg/m ³ Value 10 mg/m ³ Value 0.83 mg/kg bw/day	Remark Remark	
If limit values are applicable 4 Threshold values DNEL/DMEL - Workers Zinc Effect level (DNEL/DMEL) DNEL aluminium Effect level (DNEL/DMEL) DNEL magnesium, powder or turnings Effect level (DNEL/DMEL) DNEL DNEL DNEL Effect level (DNEL/DMEL)	Type Long-term systemi Long-term systemi Long-term systemi Type Long-term systemi Dong-term systemi Long-term systemi Long-term systemi Long-term systemi Long-term systemi	c effects inhalation c effects inhalation c effects inhalation c effects oral c effects oral c effects dermal	83 mg/kg bw/day 5 mg/m ³ Value 3.72 mg/m ³ Value 10 mg/m ³ Value 0.83 mg/kg bw/day 83 mg/kg bw/day	Remark Remark	
If limit values are applicable 4 Threshold values DNEL/DMEL - Workers Zinc Effect level (DNEL/DMEL) DNEL aluminium Effect level (DNEL/DMEL) DNEL magnesium, powder or turnings Effect level (DNEL/DMEL) DNEL DNEL DNEL Effect level (DNEL/DMEL)	Type Long-term systemi Long-term systemi Long-term systemi Type Long-term systemi Dong-term systemi Long-term systemi Long-term systemi Long-term systemi Long-term systemi	c effects inhalation c effects inhalation c effects inhalation c effects oral	83 mg/kg bw/day 5 mg/m ³ Value 3.72 mg/m ³ Value 10 mg/m ³ Value 0.83 mg/kg bw/day	Remark Remark	
If limit values are applicable 4 Threshold values DNEL/DMEL - Workers Zinc Effect level (DNEL/DMEL) DNEL aluminium Effect level (DNEL/DMEL) DNEL magnesium, powder or turnings Effect level (DNEL/DMEL) DNEL DNEL DNEL Effect level (DNEL/DMEL) DNEL Effect level (DNEL/DMEL) DNEL DNEL DNEL DNEL DNEL DNEL DNEL DNEL	Type Long-term systemi Long-term systemi Long-term systemi Type Long-term systemi Dong-term systemi Long-term systemi Long-term systemi Long-term systemi Long-term systemi	c effects inhalation c effects inhalation c effects inhalation c effects oral c effects oral c effects dermal	83 mg/kg bw/day 5 mg/m ³ Value 3.72 mg/m ³ Value 10 mg/m ³ Value 0.83 mg/kg bw/day 83 mg/kg bw/day	Remark Remark	
If limit values are applicable 4 Threshold values DNEL/DMEL - Workers Zinc Effect level (DNEL/DMEL) DNEL aluminium Effect level (DNEL/DMEL) DNEL Magnesium, powder or turnings Effect level (DNEL/DMEL) DNEL DNEL DNEL Effect level (DNEL/DMEL) DNEL DNEL DNEL MEL Magnesium, powder or turnings	Long-term systemi Long-term systemi Type Long-term systemi Ung-term systemi Long-term systemi Long-term systemi Long-term systemi Long-term systemi	c effects inhalation c effects inhalation c effects inhalation c effects oral c effects oral c effects dermal	83 mg/kg bw/day 5 mg/m ³ Value 3.72 mg/m ³ Value 10 mg/m ³ Value 0.83 mg/kg bw/day 83 mg/kg bw/day 2.5 mg/m ³	Remark Remark Remark	
If limit values are applicable 4 Threshold values DNEL/DMEL - Workers Zinc Effect level (DNEL/DMEL) DNEL aluminium Effect level (DNEL/DMEL) DNEL Magnesium, powder or turnings Effect level (DNEL/DMEL) DNEL DNEL DNEL DNEL Effect level (DNEL/DMEL) DNEL Effect level (DNEL/DMEL)	Long-term systemi Long-term systemi Type Long-term systemi Ung-term systemi Long-term systemi Long-term systemi Long-term systemi Long-term systemi	c effects inhalation c effects inhalation c effects inhalation c effects oral c effects dermal c effects inhalation c effects inhalation	83 mg/kg bw/day 5 mg/m ³ Value 3.72 mg/m ³ Value 10 mg/m ³ Value 0.83 mg/kg bw/day 83 mg/kg bw/day 2.5 mg/m ³	Remark Remark Remark	
If limit values are applicable 4 Threshold values DNEL/DMEL - Workers Zinc Effect level (DNEL/DMEL) DNEL aluminium Effect level (DNEL/DMEL) DNEL Magnesium, powder or turnings Effect level (DNEL/DMEL) DNEL DNEL DNEL DNEL Effect level (DNEL/DMEL) DNEL Effect level (DNEL/DMEL)	Long-term systemi Long-term systemi Type Long-term systemi Long-term systemi Long-term systemi Long-term systemi Long-term systemi Long-term systemi	c effects inhalation c effects inhalation c effects inhalation c effects oral c effects dermal c effects inhalation c effects inhalation	83 mg/kg bw/day 5 mg/m ³ Value 3.72 mg/m ³ Value 10 mg/m ³ Value 0.83 mg/kg bw/day 83 mg/kg bw/day 2.5 mg/m ³ Value 10 mg/m ³	Remark Remark Remark	
If limit values are applicable 4 Threshold values DNEL/DMEL - Workers Zinc Effect level (DNEL/DMEL) DNEL aluminium Effect level (DNEL/DMEL) DNEL Magnesium, powder or turnings Effect level (DNEL/DMEL) DNEL DNEL DNEL Effect level (DNEL/DMEL) DNEL DNEL Effect level (DNEL/DMEL) DNEL	Long-term systemi Long-term systemi Type Long-term systemi Long-term systemi Long-term systemi Long-term systemi Long-term systemi Long-term systemi	c effects inhalation c effects inhalation c effects inhalation c effects oral c effects dermal c effects inhalation c effects inhalation	83 mg/kg bw/day 5 mg/m ³ Value 3.72 mg/m ³ Value 10 mg/m ³ Value 0.83 mg/kg bw/day 83 mg/kg bw/day 2.5 mg/m ³ Value 10 mg/m ³	Remark Remark Remark	
If limit values are applicable 4 Threshold values DNEL/DMEL - Workers Zinc Effect level (DNEL/DMEL) DNEL aluminium Effect level (DNEL/DMEL) DNEL magnesium, powder or turnings Effect level (DNEL/DMEL) DNEL DNEL DNEL Effect level (DNEL/DMEL) DNEL DNEL	Long-term systemi Long-term systemi Type Long-term systemi Long-term systemi Long-term systemi Long-term systemi Long-term systemi Long-term systemi	c effects inhalation c effects inhalation c effects inhalation c effects oral c effects dermal c effects inhalation c effects inhalation	83 mg/kg bw/day 5 mg/m ³ Value 3.72 mg/m ³ Value 10 mg/m ³ Value 0.83 mg/kg bw/day 83 mg/kg bw/day 2.5 mg/m ³ Value 10 mg/m ³	Remark Remark Remark	
If limit values are applicable 4 Threshold values DNEL/DMEL - Workers Zinc Effect level (DNEL/DMEL) DNEL aluminium Effect level (DNEL/DMEL) DNEL Magnesium, powder or turnings Effect level (DNEL/DMEL) DNEL DNEL DNEL Effect level (DNEL/DMEL) DNEL DNEL Effect level (DNEL/DMEL) DNEL	Long-term systemi Long-term systemi Type Long-term systemi Long-term systemi Long-term systemi Long-term systemi Long-term systemi Long-term systemi	c effects inhalation c effects inhalation c effects inhalation c effects oral c effects dermal c effects inhalation c effects inhalation	83 mg/kg bw/day 5 mg/m ³ Value 3.72 mg/m ³ Value 10 mg/m ³ Value 0.83 mg/kg bw/day 83 mg/kg bw/day 2.5 mg/m ³ Value 10 mg/m ³	Remark Remark Remark Remark Remark	

· · · · · · · · · · · · · · · · · · ·			
zinc			
Compartments	Value	Remark	
Fresh water	20.6 μg/l		
Marine water	6.1 μg/l		
STP	100 μg/l		
Fresh water sediment	117.8 mg/kg sediment dw		
Marine water sediment	56.5 mg/kg sediment dw		
Soil	35.6 mg/kg soil dw		
aluminium			
Compartments	Value	Remark	
Fresh water	74.9 μg/l		
STP	20 mg/l		
magnesium, powder or turnings			
Compartments	Value	Remark	
Fresh water	0.41 mg/l		
Fresh water (intermittent releases)	1.4 mg/l		
Marine water	0.41 mg/l		
STP	10.8 mg/l		
Fresh water sediment	268 mg/kg sediment dw		
Marine water sediment	268 mg/kg sediment dw		
Soil	268 mg/kg soil dw		

8.1.5 Control banding

If applicable and available it will be listed below.

8.2. Exposure controls

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

8.2.1 Appropriate engineering controls

Avoid raising dust. Keep away from naked flames/heat. Measure the concentration in the air regularly. Carry operations in the open/under local exhaust/ventilation or with respiratory protection.

8.2.2 Individual protection measures, such as personal protective equipment

Observe strict hygiene. Do not eat, drink or smoke during work.

a) Respiratory protection:

Dust production: dust mask with filter type P2.

b) Hand protection:

Protective gloves against chemicals (EN 374), On heating: heat insulating gloves (EN 407).

Materials	Remark
leather	Good resistance

c) Eye protection:

On (re)melting down: face shield.

d) Skin protection:

Protective clothing (EN 14605 or EN 13034). On (re)melting down: heatproof clothing (EN 11612). Protective clothing against molten metal splash (EN 9185). Protective clothing for workers exposed to heat (EN 11612). Safety shoes type S3.

8.2.3 Environmental exposure controls:

See sections 6.2, 6.3 and 13

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical form	Solid
	Metal
	Physical state depending on the production process
Odour	Odourless
Odour threshold	Not applicable
Colour	Grey
Particle size	No data available (test not performed)
Explosion limits	No data available (test not performed)
Flammability	Not classified as flammable
Log Kow	Not applicable (mixture)
Dynamic viscosity	No data available (test not performed)
Kinematic viscosity	No data available (test not performed)
Melting point	375 °C - 485 °C
Boiling point	900 °C - 910 °C
Relative vapour density	Not applicable (solid)
Vapour pressure	No data available (test not performed)
Solubility	Water ; insoluble
Relative density	4.00 - 7.00
Absolute density	4000 kg/m³ - 7000 kg/m³
Decomposition temperature	No data available (test not performed)

Reason for revision: 2020/878

Auto-ignition temperature	No data available (test not performed)
Flash point	Not applicable (solid)
рН	Not applicable (non-soluble in water)

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

In molten state: violent to explosive reaction with water (moisture). Oxidizes slowly in moist air.

10.4. Conditions to avoid

Precautionary measures

Avoid raising dust. Keep away from naked flames/heat.

10.5. Incompatible materials

(strong) acids.

10.6. Hazardous decomposition products

Reacts with (some) acids: release of highly flammable gases/vapours (hydrogen). On burning formation of metal oxides (zinc oxide).

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

11.1.1 Test results

Acute toxicity

Zn Al Mg-alloy

No (test)data on the mixture available zinc

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value determination	Remark
Oral	LD50	Equivalent to OECD 401	> 2000 mg/kg bw		Rat	Experimental value	
Dermal	LD50	Equivalent to OECD 402	> 2000 mg/kg bw	24 weeks (daily, 5 days / week)	Rat	Read-across	
Inhalation	LC50	Equivalent to OECD 403	> 5.41 mg/l	4 weeks (daily, 5 days / week)	Rat	Experimental value	
Inhalation (ZnO, metal oxides)	LC50	Equivalent to OECD 403	> 5.7 mg/l	4 weeks (daily, 5 days / week)	Rat	Experimental value	

aluminium

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value	Remark
						determination	
Oral	LD50	Equivalent to OECD 401	> 15900 mg/kg bw		Rat (male / female)	Read-across	
Dermal						Data waiving	
Inhalation (aerosol)	LC50	Equivalent to OECD 403	> 888 mg/m³ air	4 h	Rat (male)	Experimental value	

magnesium, powder or turnings

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value	Remark
						determination	
Oral	LD50	OECD 423	> 2000 mg/kg bw		Rat (female)	Read-across	
Dermal						Data waiving	
Inhalation						Data waiving	

Conclusion

Not classified for acute toxicity

Corrosion/irritation

Zn Al Mg-alloy

No (test)data on the mixture available

Reason for revision: 2020/878

Route of exposure	Result	Method	Exposure time	Time point	Species	Value determination	Remark
Eye	Moderately irritating	Equivalent to OECD 405			Rabbit	Experimental value	
Eye	Not irritating	Equivalent to OECD 405			Rabbit	Experimental value	
Dermal	Not irritating	Equivalent to OECD 404			Rabbit	Weight of evidence	
Dermal (ZnO, metal oxides)	Not irritating	Equivalent to OECD 404			Guinea pig	Read-across	
Dermal	Not irritating	Human observation			Human	Read-across	
Dermal (ZnO, metal oxides)	Not irritating	Human observation			Human	Literature study	
Inhalation (ZnO, metal oxides)	Not irritating					Literature study	
iminium	•	•	•				
Route of exposure	Result	Method	Exposure time	Time point	Species	Value determination	Remark
Eye	Not irritating	Other		1; 24; 48; 72; 168 hours	Rabbit	Read-across	Single treatment without rinsing
Skin	Not irritating	Equivalent to OECD 404	24 h	24; 48; 72 hours	Rabbit	Read-across	
agnesium, powder o	r turnings	•					
Route of exposure	Result	Method	Exposure time	Time point	Species	Value determination	Remark
Eye	Not irritating	OECD 405		1; 24; 48; 72 hours	Rabbit	Read-across	
Not applicable (in vitro test)	Not irritating	RHE-model test	15 minutes		Reconstructed human epidermis	Read-across	

Conclusion

Not classified as irritating to the skin

Not classified as irritating to the eyes

Not classified as irritating to the respiratory system

Respiratory or skin sensitisation

Zn Al Mg-alloy

No (test)data on the mixture available

Route of exposure	Result	Method	Exposure time	Observation time point	Species	Value determination	Remark
Dermal	Negative	Equivalent to OECD 429			Mouse	Read-across	
Dermal (ZnO, metal oxides)	Negative	Guinea pig maximisation test			Guinea pig	Experimental value	
Dermal (ZnO, metal oxides)	Negative	Human observation			Human		
Inhalation	Negative					Inconclusive, insufficient data	

aluminium

Route of exposure	Result	Method	•	Observation time point	Species	Value determination	Remark
Skin	Not sensitizing			24 hours	Guinea pig (male)	Read-across	
Intratracheal instillation	Not sensitizing				Mouse (male)	Read-across	
nagnesium, powder	or turnings					-	

Route of exposure	Result	Method	 Observation time point	Species	Value determination	Remark
Skin	Not sensitizing	OECD 406		Guinea pig (female)	Experimental value	

Conclusion

Not classified as sensitizing for skin

Not classified as sensitizing for inhalation

Specific target organ toxicity

Zn Al Mg-alloy

No (test)data on the mixture available

Reason for revision: 2020/878

<u>c</u>								
Route of exposure	Parameter	Method	Value	Organ	Effect	Exposure time	Species	Value determination
Oral	NOAEL	Equivalent to OECD 408	13.3 mg/kg bw/day	Blood	No effect	90 weeks (daily, 5 days / week)	Rat (male / female)	Read-across
Oral	NOAEL	Human observation study	50 mg/kg bw/day		No effect		Human (male / female)	Weight of evidence
Inhalation (ZnO, metal oxides)	NOAEL	Equivalent to OECD 409	2.7 mg/m ³	Lungs	No effect	5 day(s)	Guinea pig	Experimental value
Inhalation (ZnO, metal oxides)		Human observation		General	No effect		Human	Literature stud
iminium		-				•		
Route of exposure	Parameter	Method	Value	Organ	Effect	Exposure time	Species	Value determination
Oral (stomach tube)	NOAEL (P/F1)	OECD 422	200 mg/kg bw/day		No effect	28 day(s) - 53 day(s)	Rat (male / female)	Read-across
Inhalation	LOAEC	Equivalent to OECD 413	50 mg/m³ air		Lung tissue affection/deg eneration	15 weeks (6h / day, 5 days / week)	Rat	Experimental value
ignesium, powder or	<u>turnings</u>							
Route of exposure	Parameter	Method	Value	Organ	Effect	Exposure time	Species	Value determination
Oral (diet)	NOAEL	Equivalent to OECD 408	299 mg/kg bw/day - 308 mg/kg bw/day		No effect	13 week(s)	Rat (male / female)	Read-across
Dermal								Data waiving
Inhalation	NOAEC				No effect	4 weeks (6h / day, 5	Rat (male)	Read-across

Conclusion

Not classified for subchronic toxicity

Mutagenicity (in vitro)

Zn Al Mg-alloy

No (test)data on the mixture available

The chronic toxicity of the component(s) relates only to the substance in finely divided state and/or in molten state

<u>zinc</u>

	Result	Method	Test substrate	Effect	Value determination	Remark
	Negative	OECD 471	Bacteria (S.typhimurium)		Read-across	
alur	<u>minium</u>					
	Result	Method	Test substrate	Effect	Value determination	Remark
	Negative with metabolic	OECD 476	Mouse (lymphoma L5178Y		Read-across	
	activation, negative		cells)			
	without metabolic					
	activation					
mag	gnesium, powder or turning	<u>s</u>				
	Result	Method	Test substrate	Effect	Value determination	Remark
	Negative with metabolic	Equivalent to OECD 476	Mouse (lymphoma L5178Y		Experimental value	
	activation, negative		cells)			
	without metabolic					
	activation					

Mutagenicity (in vivo)

Zn Al Mg-alloy

No (test)data on the mixture available

The chronic toxicity of the component(s) relates only to the substance in finely divided state and/or in molten state

 2									
Result	Method	Exposure time	Test substrate	Organ	Value determination				
Negative	Equivalent to OECD 474		Rat		Read-across				
The chronic toxicity of the component(s) relates only to the substance in finely divided state and/or in molten state									

<u>aluminium</u>

R	tesult	Method	Exposure time	Test substrate	Organ	Value determination
Γ	Vegative	OECD 474		Rat (male / female)		Read-across

The chronic toxicity of the component(s) relates only to the substance in finely divided state and/or in molten state

Conclusion

Not classified for mutagenic or genotoxic toxicity

Carcinogenicity

Reason for revision: 2020/878

Publication date: 2017-06-19 Date of revision: 2022-02-10

days / week)

Zn Al Mg-alloy

No (test)data on the mixture available

The chronic toxicity of the component(s) relates only to the substance in finely divided state and/or in molten state

<u>zinc</u>

Route of exposure	Parameter	Method	Value	Exposure time	Species	Effect	Organ	Value determination
Oral		Other		51 weeks (daily, 5 days / week)	Rat	No neoplastic effects	General	Literature study
Oral		Human observation study		204 weeks (daily, 5 days / week)	Human	No neoplastic effects	General	Literature study

The chronic toxicity of the component(s) relates only to the substance in finely divided state and/or in molten state

<u>aluminium</u>

Rout expo	te of osure	Parameter	Method	Value	Exposure time	Species	Effect	Organ	Value determination
Inha	alation	LOAEC	Equivalent to	50 mg/m ³ air	15 weeks (6h / day,		Histopathologica	Lungs	Experimental value
			OECD 413		5 davs / week)		l changes		

The chronic toxicity of the component(s) relates only to the substance in finely divided state and/or in molten state

magnesium, powder or turnings

ì	Route of			Value	/alue Exposure time Specie		Species Effect		Value determination
	exposure								
	Oral (diet)	NOAEL	Carcinogenic toxicity study	> 2810 mg/kg bw/day	96 week(s)	Mouse (male / female)	No carcinogenic effect		Read-across

Conclusion

Not classified for carcinogenicity

Reproductive toxicity

Zn Al Mg-alloy

No (test)data on the mixture available

The chronic toxicity of the component(s) relates only to the substance in finely divided state and/or in molten state <u>zinc</u>

	Parameter	Method	Value	Exposure time	Species	Effect	- 0-	Value determination
Developmental toxicity		Human observation			Human (female)	No effect		Experimental value
	NOAEL	Equivalent to OECD 416	200 mg/kg bw/day	1 days (gestation, daily) - 18 days (gestation, daily)	Rat (female)	No effect		Weight of evidence
Effects on fertility		Human observation			Human (female)	No adverse systemic effects		Experimental value
	NOAEL	Equivalent to OECD 406	200 mg/kg bw/day		Rat (male / female)	No effect		Weight of evidence

The chronic toxicity of the component(s) relates only to the substance in finely divided state and/or in molten state aluminium

	Parameter	Method	Value	Exposure time	Species	Effect	- 0-	Value
								determination
Developmental toxicity	NOAEL	Equivalent to OECD 414	266 mg/kg bw/day	10 day(s)	Rat	No effect		Read-across
Maternal toxicity	NOAEL	Other	3225 mg/kg bw/day	385 day(s)	Rat (female)	No effect		Read-across
Effects on fertility	NOAEL (P/F1)	OECD 422	1000 mg/kg bw	28 day(s) - 53 day (s)	Rat (male / female)	No effect		Read-across

The chronic toxicity of the component(s) relates only to the substance in finely divided state and/or in molten state

magnesium, powder or turnings

	Parameter	Method	Value	Exposure time	Species	Effect	- 0.	Value determination
Developmental toxicity (Oral (stomach tube))	NOAEL	Developmenta I toxicity study	0.0	10 days (1x / day)	Rat	No effect		Read-across
Maternal toxicity (Oral (stomach tube))	NOAEL	Developmenta l toxicity study	0, 0	10 days (1x / day)	Rat	No effect		Read-across
Effects on fertility (Oral (diet))	Dose level		92.87 mg/kg bw/day		Rat (male / female)	No effect		Read-across

Conclusion

Not classified for reprotoxic or developmental toxicity

Toxicity other effects

Reason for revision: 2020/878

Publication date: 2017-06-19 Date of revision: 2022-02-10

Revision number: 0100

Zn Al Mg-alloy

No (test)data on the mixture available

Chronic effects from short and long-term exposure

Zn Al Mg-alloy

No effects known.

11.2. Information on other hazards

No evidence of endocrine disrupting properties

SECTION 12: Ecological information

12.1. Toxicity

Zn Al Mg-alloy No (test)data on the mixture available Judgement of the mixture is based on the relevant ingredients

Reason for revision: 2020/878

Publication date: 2017-06-19 Date of revision: 2022-02-10

Revision number: 0100

nc	-	1						
	Parameter	Method	Value	Duration	Species	Test desig	n Fresh/salt water	Value determinatior
Acute toxicity fishes	LC50	ASTM	0.169 mg/l	96 h	Oncorhynchus mykiss	Static system	Fresh water	Read-across
	LC50	Other	0.330 mg/l · 0.780 mg/l	96 h	Pimephales promelas	Static system		Read-across
Acute toxicity crustacea	EC50	US EPA	0.413 mg/l	48 h	Ceriodaphnia dubia	Static system	Fresh water	Experimental value
	EC50	Equivalent to OECD 202	0.530 mg/l	48 h	Daphnia magna	Static system	Fresh water	Read-across
	EC50	Other	0.095 mg/l · 0.530 mg/l	· 48 h	Ceriodaphnia dubia	Static system	Fresh water	Read-across
	NOEC	Other	201 mg/kg sediment dv	35 day(s) v	Gammarus pulex	Semi-stati system	c Fresh water	Read-across
Toxicity algae and other aquatic plants	IC50	OECD 201	0.136 mg/l	72 h	Pseudokirchneri ella subcapitata	Static system	Fresh water	Experimental value
	EC10	Other	0.0077 mg/	7 day(s)	Ceramium tenuicore	Static system	Salt water	Experimental value
	EC10	Other	0.6708 mg/	10 day(s)			Salt water	Read-across
Acute toxicity other aquatic organisms	NOEC	ASTM	1135 mg/kg sediment dv		Tubifex tubifex	Flow- through system	Fresh water	Read-across
	NOEC	Other	0.400 mg/l	10 week(s)	Dreissena polymorpha	Static system	Fresh water	Read-across
Long-term toxicity fish	NOEC	Other	0.440 mg/l	72 day(s)	Oncorhynchus mykiss	Flow- through system	Fresh water	Read-across
	NOEC	Other	0.530 mg/l	36 month(s)	Salvelinus Flow- fontinalis throug systen		Fresh water	Read-across
	NOEC	Other	0.025 mg/l	27 day(s)	Clupea harengus		c Salt water	Read-across
Long-term toxicity aquatic crustacea	NOEC	Other	0.037 mg/l	3 week(s)	Daphnia magna	Semi-stati system	c Fresh water	Read-across
	NOEC	US EPA	0.0056 mg/	24 day(s)	Invertebrata	Semi-stati system	c Salt water	Read-across
Toxicity aquatic micro- organisms	EC50	Equivalent to OECD 209	5.2 mg/l	3 h		Static system	Fresh water	Read-across
	Parameter	Method	h	alue	Duration	Sn	ecies	Value determinatio
Toxicity soil macro-organisms	NOEC	Other		.634 mg/kg soil c			mbricus terrestris	Read-across
.,	EC10	OECD 220		5.7 mg/kg soil d			chytraeus albidus	Read-across
Toxicity soil micro-organisms	NOEC	Other		.7 mg/kg soil dw		So	il micro- ganisms	Read-across
	EC10	Other	2	:623 mg/kg soil c	lw 6 week(s)	So	il micro- ganisms	Read-across
Toxicity terrestrial plants	EC10	OECD 208	5	855 mg/kg soil c	lw 21 day(s)		ticum aestivum	Read-across
, - p	NOEC	OECD 208		2 mg/kg soil dw			ticum pratense	Read-across
Toxicity birds	NOEC	Other		• 150 mg/kg bw	28 day(s)	An	as athyrhynchos	Experimental value

	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determinati
Acute toxicity fishes	LC50	ASTM E729- 96	> 218.64 mg/l	96 h	Pimephales promelas	Semi-static system	Fresh water	Weight of evidenc GLP
Acute toxicity crustacea	LC50	US EPA	0.72 mg/l - 99.6 mg/l	48 h	Ceriodaphnia dubia	Semi-static system	Fresh water	Weight of evidence GLP
Toxicity algae and other aquatic plants	ErC50	OECD 201	1.05 mg/l	72 h	Pseudokirchneri ella subcapitata	Static system	Fresh water	Weight of evidenc GLP
	NOEC	OECD 201	0.28 mg/l	72 h	Pseudokirchneri ella subcapitata	Static system	Fresh water	Weight of evidend GLP
Long-term toxicity fish	NOEC	US EPA	56.48 mg/l	7 day(s)	Pimephales promelas	Semi-static system	Fresh water	Weight of evidend GLP
Long-term toxicity aquatic crustacea	NOEC	OECD 211	0.076 mg/l	21 day(s)	Daphnia magna	Semi-static system	Fresh water	Weight of evident Reproduction
Toxicity aquatic micro- organisms								Data waiving
	Parameter	Method		Value	Duration	Spec	ies	Value determinat
Toxicity soil micro-organisms								Data waiving
Toxicity terrestrial plants								Data waiving
Toxicity birds								Data waiving

No classification for aquatic toxicity since the toxicity limits are above the water solubility magnesium, powder or turnings

	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes	LC50	US EPA	541 mg/l	96 h	Pimephales promelas	Static system	Fresh water	Read-across
Acute toxicity crustacea	LC50		140 mg/l - 322 mg/l	48 h	Daphnia magna	Static system	Fresh water	Read-across; Nominal concentration
Toxicity algae and other aquatic plants	ErC50	OECD 201	> 12 mg/l	72 h	Desmodesmus subspicatus	Static system	Fresh water	Read-across; GLP
Long-term toxicity fish								Data waiving
Toxicity aquatic micro- organisms	EC10	OECD 209	> 108 mg/l	3 h	Activated sludge	Static system	Fresh water	Read-across; GLP

Conclusion

Not classified as dangerous for the environment according to the criteria of Regulation (EC) No 1272/2008

12.2. Persistence and degradability

<u>aluminium</u>

Biodegradation water			
Method	Value	Duration	Value determination
			Data waiving
Biodegradation soil			
Method	Value	Duration	Value determination
			Data waiving

Conclusion

Water

Biodegradability: not applicable

12.3. Bioaccumulative potential

Zn Al Mg-alloy

Lo	og Kow				
[Method	Remark	Value	Temperature	Value determination
[Not applicable (mixture)			

<u>zinc</u>

	Method	Value	Duration	Species	Value determination
		Not applicable			
CF other aquatic	organisms				
Parameter	Method	Value	Duration	Species	Value determination
		Not applicable			
og Kow	-		-		·
Method	Re	mark	Value	Temperature	Value determination
	No	ot applicable			
			-	·	·
or revision: 2020/	/878			Publication date	2: 2017-06-19
				Date of revision	

<u>aluminium</u>

L	og Kow							
Method		Remark V		Value		Temperature	Value determination	
	No data available							
na	gnesium, powder or	<u>turnings</u>						·
В	CF fishes							
	Parameter	Method		Value	Duration	Species		Value determination
								Data waiving
L	og Kow							
	Method		Remark		Value		Temperature	Value determination
			No data a	available				

Conclusion

Does not contain bioaccumulative component(s)

12.4. Mobility in soil

No (test)data on mobility of the component(s) available

12.5. Results of PBT and vPvB assessment

The criteria of PBT and vPvB as listed in Annex XIII of Regulation (EC) No 1907/2006 do not apply to inorganic substances.

12.6. Endocrine disrupting properties

No evidence of endocrine disrupting properties

12.7. Other adverse effects

<u>Zn Al Mg-alloy</u>

Greenhouse gases

None of the known components is included in the list of fluorinated greenhouse gases (Regulation (EU) No 517/2014)

Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009)

SECTION 13: Disposal considerations

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

13.1. Waste treatment methods

13.1.1 Provisions relating to waste

European Union

Can be considered as non hazardous waste according to Directive 2008/98/EC, as amended by Regulation (EU) No 1357/2014 and Regulation (EU) No 2017/997.

Waste material code (Directive 2008/98/EC, Decision 2000/0532/EC).

11 01 99 (wastes from chemical surface treatment and coating of metals and other materials (for example galvanic processes, zinc coating processes, pickling processes, etching, phosphating, alkaline degreasing, anodising): wastes not otherwise specified). Depending on branch of industry and production process, also other waste codes may be applicable.

13.1.2 Disposal methods

Remove waste in accordance with local and/or national regulations. Do not discharge into drains or the environment. Dispose of at authorized waste collection point.

13.1.3 Packaging/Container

No data available

SECTION 14: Transport information

Road (ADR), Rail (RID), Inland waterways (ADN), Sea (IMDG/IMSBC), Air (ICAO-TI/IATA-DGR)

Transport	Not subject
14.2. UN proper shipping name	
14.3. Transport hazard class(es)	
Hazard identification number	
Class	
Classification code	
14.4. Packing group	
Packing group	
Labels	
14. <u>5</u> . Environmental hazards	
Environmentally hazardous substance mark	no
14.6. Special precautions for user	
Special provisions	
Limited quantities	
14.7. Maritime transport in bulk according to IMO instrumen	its
Annex II of MARPOL 73/78	Not applicable
n for revision: 2020/878	Publication date: 2017-06-19
	Date of revision: 2022-02-10

С	E,	СТ	-17	<u> </u>	1 🗆	• 0		~ 1	ıla	to	r)	in	f,		m	2	÷i	~	n
С				ν.	LO		ve	gι	lld	ιυ	I V			Л		d	U	U	

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European legislation:

VOC content Directive 2010/75/EU

	VOC content			Remark					
				Not applicable (inorganic)					
Eur	opean drinking water standards (9	8/83/EC and 2020/2184)						
<u>a</u>	luminium								
	Parameter	Parametric value	Note		Reference				
	Aluminium	200 μg/l			Listed in Annex I, Part C, of Directive (EU) 2020/2184 on the quality of water intended for human consumption.				

REACH Annex XVII - Restriction

Contains component(s) subject to restrictions of Annex XVII of Regulation (EC) No 1907/2006: restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles.

and use of certain dangerous:	substances, mixtures and articles.	
	Designation of the substance, of the group of substances or of the mixture	Conditions of restriction
magnesium, powder or turnings	Substances of of the finiture Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to that Regulation or not.	 Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following: metallic glitter intended mainly for decoration, artificial snow and frost, "whoopee" cushions, silly string aerosols, imitation excrement, horns for parties, decorative flakes and foams, artificial cobwebs, stink bombs. Without prejudice to the application of other Community provisions on the classificatic packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legib and indelibly with: "For professional users only". By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/ 324/EEC.
zinc	Substances falling within one or more of the following points: (a) substances classified as any of the	market unless they conform to the requirements indicated. Mixtures for tattooing purposes are subject to the restrictions of Regulation (EU) 2020/20
	following in Part 3 of Annex VI to Regulation (EC) No 1272/2008: — carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, but excluding any such substances classified	
	due to effects only following exposure by inhalation — reproductive toxicant category 1A, 1B or 2 but excluding any such substances classified due to effects only following exposure by	
	inhalation — skin sensitiser category 1, 1A or 1B — skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2 — serious eye damage category 1 or eye	
	irritant category 2 (b) substances listed in Annex II to Regulation (EC) No 1223/2009 of the European Parliament and of the Council (c) substances listed in Annex IV to Regulation	
	(EC) No 1223/2009 for which a condition is specified in at least one of the columns g, h and i of the table in that Annex (d) substances listed in Appendix 13 to this Annex. The ancillary requirements in paragraphs 7	
	and 8 of column 2 of this entry apply to all mixtures for use for tattooing purposes, whether or not they contain a substance falling within points (a) to (d) of this column of	

National legislation Belgium Zn Al Mg-alloy

No data available

Reason for revision: 2020/878

National legislation The Netherlands

Zn Al Mg-alloy Waterbezwaarlijkheid

National legislation France

Zn Al Mg-alloy

No data available

National legislation Germany

	WGK	nwg; Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (AwSV) - 18. April 2017
aluminium		
	TA-Luft	5.2.1
magnesium, powder or turnings		
	TA-Luft	5.2.1

National legislation Austria

<u>Zn Al Mg-alloy</u>

No data available

National legislation United Kingdom

<u>Zn Al Mg-alloy</u>

No data available

Other relevant data

Zn Al Mg-alloy

No data available aluminium

TLV - Carcinogen

Aluminium metal and insoluble compounds; A4

B (4); Algemene Beoordelingsmethodiek (ABM)

15.2. Chemical safety assessment

No chemical safety assessment has been conducted for the mixture.

<u>zinc</u>

A chemical safety assessment has been performed.

SECTION 16: Other information

Full text of any H- and EUH-statements referred to under section 3:

H228 Flammable solid.

H251 Self-heating: may catch fire.

H261 In contact with water releases flammable gases.

(*)	INTERNAL CLASSIFICATION BY BIG
ADI	Acceptable daily intake
AOEL	Acceptable operator exposure level
ATE	Acute Toxicity Estimate
CLP (EU-GHS)	Classification, labelling and packaging (Globally Harmonised System in Europe)
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
EC50	Effect Concentration 50 %
ErC50	EC50 in terms of reduction of growth rate
LC50	Lethal Concentration 50 %
LD50	Lethal Dose 50 %
NOAEL	No Observed Adverse Effect Level
NOEC	No Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent, Bioaccumulative & Toxic
PNEC	Predicted No Effect Concentration
STP	Sludge Treatment Process
vPvB	very Persistent & very Bioaccumulative

The information in this safety data sheet is based on data and samples provided to BIG. The sheet was written to the best of our ability and according to the state of knowledge at that time. The safety data sheet only constitutes a guideline for the safe handling, use, consumption, storage, transport and disposal of the substances/preparations/mixtures mentioned under point 1. New safety data sheets are written from time to time. Only the most recent versions may be used. Unless indicated otherwise word for word on the safety data sheet, the information does not apply to substances/preparations/mixtures in purer form, mixed with other substances or in processes. The safety data sheet offers no quality specification for the substances/preparations/mixtures in question. Compliance with the instructions in this safety data sheet does not release the user from the obligation to take all measures dictated by common sense, regulations and recommendations or which are necessary and/or useful based on the real applicable circumstances. BIG does not guarantee the accuracy or exhaustiveness of the information provided and cannot be held liable for any changes by third parties. This safety data sheet is only to be used within the European Union, Switzerland, Iceland, Norway and Liechtenstein. Any use outside of this area is at your own risk. Use of this safety data sheet is subject to the licence and liability limiting conditions as stated in your BIG licence agreement or when this is failing the general conditions of BIG. All intellectual property rights to this sheet are the property of BIG and its distribution and reproduction are limited. Consult the mentioned agreement/conditions for details.

Reason for revision: 2020/878