

SAFETY DATA SHEET

Based upon Regulation (EC) No 1907/2006, as amended by Regulation (EU) No 2015/830

Budel Zink Gypsum

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : Budel Zink Gypsum

Synonyms : Budel Zink Gips; Budel Zink Gypse; sulfuric acid, calcium salt (1:1)

Registration number REACH : 01-2119444918-26-0131 (Nyrstar Budel BV)

Product type REACH : Substance/mono-constituent

 CAS number
 : 7778-18-9

 EC number
 : 231-900-3

 Molecular mass
 : 136.14 g/mol

 Formula
 : CaSO4

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant identified uses

Chemical raw material

1.2.2 Uses advised against

No uses advised against known

1.3. Details of the supplier of the safety data sheet

Supplier of the safety data sheet

Nyrstar Budel B.V. on behalf of Nyrstar Sales & Marketing A.G.

Hoofdstraat 1

6024 AA Budel-Dorplein

2 +32 14 44 96 80

+32 14 44 95 52

infoSDS@nyrstar.com

Manufacturer of the product

Nyrstar Sales & Marketing SA 1 Rue de Jargonnant CH-1207 Geneva infoSDS@nyrstar.com

1.4. Emergency telephone number

24h/24h (Telephone advice: English, French, German, Dutch): +32 14 58 45 45 (BIG)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

2.2. Label elements

Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

2.3. Other hazards

No other hazards known

SECTION 3: Composition/information on ingredients

3.1. Substances

Name	CAS No	Conc. (C)	Classification according to Cl	.P Note	Remark
REACH Registration No	EC No				
calcium sulfate	7778-18-9	C≥98 %		(2)	Constituent
01-2119444918-26	231-900-3				
zinc hydroxide	20427-58-1	C<0.5 %	Aquatic Acute 1; H400	(1)(9)	Impurity
01-2119484821-33	243-814-3		Aquatic Chronic 2; H411	1	

⁽¹⁾ For H-statements in full: see heading 16

- (2) Substance with a Community workplace exposure limit
- (9) M-factor, see heading 16

Created by: Brandweerinformatiecentrum voor gevaarlijke stoffen vzw (BIG)

Technische Schoolstraat 43 A, B-2440 Geel

http://www.big.be

© BIG vzw

Reason for revision: 8.1, 13, 15.1

Revision number: 0300

Publication date: 2004-09-28 Date of revision: 2020-04-03

1/10

Product number: 40968

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

General:

If you feel unwell, seek medical advice.

After inhalation

Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service.

After skin contact:

Rinse with water. Do not apply (chemical) neutralizing agents without medical advice. Soap may be used. Take victim to a doctor if irritation persists.

After eve contact:

Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing. Do not apply (chemical) neutralizing agents without medical advice. Take victim to an ophthalmologist if irritation persists.

After ingestion:

Rinse mouth with water. Do not apply (chemical) neutralizing agents without medical advice. Immediately after ingestion: give lots of water to drink. Consult a doctor/medical service if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

4.2.1 Acute symptoms

After inhalation:

EXPOSURE TO HIGH CONCENTRATIONS: Coughing. Irritation of the nasal mucous membranes.

After skin contact:

No effects known.

After eye contact:

Slight irritation.

After ingestion:

No effects known.

4.2.2 Delayed symptoms

No effects known.

4.3. Indication of any immediate medical attention and special treatment needed

If applicable and available it will be listed below.

SECTION 5: Firefighting measures

5.1. Extinguishing media

5.1.1 Suitable extinguishing media:

Adapt extinguishing media to the environment for surrounding fires.

5.1.2 Unsuitable extinguishing media:

Not applicable.

5.2. Special hazards arising from the substance or mixture

On burning: release of toxic and corrosive gases/vapours (sulphur oxides) and formation of metal oxides.

5.3. Advice for firefighters

5.3.1 Instructions:

Dilute toxic gases with water spray. Take account of toxic/corrosive precipitation water.

5.3.2 Special protective equipment for fire-fighters:

Gloves (EN 374). Protective clothing (EN 14605 or EN 13034). Heat/fire exposure: compressed air apparatus (EN 136 + EN 137).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No naked flames.

6.1.1 Protective equipment for non-emergency personnel

See heading 8.2

6.1.2 Protective equipment for emergency responders

Gloves (EN 374). Protective clothing (EN 14605 or EN 13034).

Suitable protective clothing

See heading 8.2

6.2. Environmental precautions

Contain released product, pump into suitable containers. Plug the leak, cut off the supply.

6.3. Methods and material for containment and cleaning up

Scoop solid spill into closing containers. Clean contaminated surfaces with an excess of water. Wash clothing and equipment after handling.

6.4. Reference to other sections

Reason for revision: 8.1, 13, 15.1 Publication date: 2004-09-28
Date of revision: 2020-04-03

Revision number: 0300 Product number: 40968 2 / 10

See heading 13.

SECTION 7: Handling and storage

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

7.1. Precautions for safe handling

Keep away from naked flames/heat. Observe normal hygiene standards. Keep container tightly closed.

7.2. Conditions for safe storage, including any incompatibilities

7.2.1 Safe storage requirements:

Storage temperature: < 50 °C. Meet the legal requirements.

7.2.2 Keep away from:

Heat sources, (strong) acids.

7.2.3 Suitable packaging material:

No data available

7.2.4 Non suitable packaging material:

No data available

7.3. Specific end use(s)

If applicable and available, exposure scenarios are attached in annex. See information supplied by the manufacturer.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 Occupational exposure

a) Occupational exposure limit values

If limit values are applicable and available these will be listed below.

Belgium

Calcium (sulfate de) (anh	ydrate, hemihydrate, dihydrate,	Time-weighted average exposure limit 8 h	10 mg/m³
gypse)			
France			
Calcium (sulfato do)		Time weighted average expecure limit 9 h (VI - Valour per	10 mg/m3

calcium (sunate de)	I illie-weighted average exposure illint on (vt. valeur non	10 111g/111
	réglementaire indicative)	
•		•

Calciumsulfat

Germany

USA (TLV-ACGIH)		
Calcium sulfate	Time-weighted average exposure limit 8 h (TLV - Adopted Value)	10 mg/m³ (I)

Time-weighted average exposure limit 8 h (TRGS 900)

Value

5 mg/m³

83 mg/kg bw/day

(I): Inhalable fraction

b) National biological limit values

If limit values are applicable and available these will be listed below.

8.1.2 Sampling methods

Product name	Test	Number
Sulfites, & Sulfates	NIOSH	6004
Zinc & Cpds (as Zn)	NIOSH	7030

8.1.3 Applicable limit values when using the substance or mixture as intended

If limit values are applicable and available these will be listed below.

8.1.4 Threshold values

DNEL/DMEL - Workers calcium sulfate

	Effect level (DNEL/DMEL)	Туре	Value	Remark
	DNEL	Long-term systemic effects inhalation	21.17 mg/m³	
		Acute systemic effects inhalation	5082 mg/m³	
zi	nc hydroxide			

Effect level (DNEL/DMEL)

DNEL/DMEL - General population

Effect level (DNEL/DMEL)	Туре	Value	Remark
DNEL	Long-term systemic effects inhalation	5.29 mg/m³	
	Acute systemic effects inhalation	3811 mg/m³	
	Long-term systemic effects oral	1.52 mg/kg bw/day	
	Acute systemic effects oral	11.4 mg/kg bw/day	

Reason for revision: 8.1, 13, 15.1 Publication date: 2004-09-28

Long-term systemic effects inhalation

Long-term systemic effects dermal

Revision number: 0300 Product number: 40968

6 mg/m³

3 / 10

Remark

zinc hydroxide

Effect level (DNEL/DMEL)	Туре	Value	Remark
DNEL	Long-term systemic effects inhalation	2.5 mg/m ³	
	Long-term systemic effects dermal	83 mg/kg bw/day	
	Long-term systemic effects oral	0.83 mg/m ³	

PNEC

calcium sulfate

	Compartments	Value	Remark
	STP	100 mg/l	
7 i	nc hydroxide		

Compartments	Value	Remark
Fresh water	20.6 μg/l	
Marine water	6.1 μg/l	
STP	100 μg/l	
Fresh water sediment	117.8 mg/kg sediment dw	
Marine water sediment	56.5 mg/kg sediment dw	
Soil	35.6 mg/kg soil dw	

8.1.5 Control banding

If applicable and available it will be listed below.

8.2. Exposure controls

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

8.2.1 Appropriate engineering controls

Keep away from naked flames/heat. Carry operations in the open/under local exhaust/ventilation or with respiratory protection.

${\bf 8.2.2\ Individual\ protection\ measures,\ such\ as\ personal\ protective\ equipment}$

Observe normal hygiene standards. Do not eat, drink or smoke during work.

<u>a) Respiratory protection:</u>

Respiratory protection not required in normal conditions.

b) Hand protection:

Protective gloves against chemicals (EN 374).

	Measured breakthrough time	Thickness	Protection index	Remark
nitrile rubber				Good resistance
PVC				Good resistance

c) Eye protection:

Safety glasses (EN 166).

d) Skin protection:

Protective clothing (EN 14605 or EN 13034).

8.2.3 Environmental exposure controls:

See headings 6.2, 6.3 and 13

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical form	Moist solid
Odour	Odourless
Odour threshold	Not applicable
Colour	White-brown
Particle size	No data available in the literature
Explosion limits	No data available in the literature
Flammability	Not classified as flammable
Log Kow	Not applicable
Dynamic viscosity	Not applicable (solid)
Kinematic viscosity	Not applicable (solid)
Melting point	No data available in the literature
Boiling point	No data available in the literature
Evaporation rate	Not applicable (solid)
Relative vapour density	Not applicable (solid)
Vapour pressure	< 0.1 hPa ; 20 °C
Solubility	Water ; insoluble
Relative density	No data available in the literature
Decomposition temperature	No data available in the literature
Auto-ignition temperature	No data available in the literature
Flash point	Not applicable (solid)
Explosive properties	No chemical group associated with explosive properties
Oxidising properties	No chemical group associated with oxidising properties
рН	3 - 5

9.2. Other information

Reason for revision: 8.1, 13, 15.1 Publication date: 2004-09-28

Date of revision: 2020-04-03

 Revision number: 0300
 Product number: 40968
 4 / 10

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Acid reaction.

10.2. Chemical stability

No data available.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Precautionary measures

Keep away from naked flames/heat.

10.5. Incompatible materials

(strong) acids.

10.6. Hazardous decomposition products

On burning: release of toxic and corrosive gases/vapours (sulphur oxides) and formation of metal oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

11.1.1 Test results

Acute toxicity

Budel Zink Gypsum

No (test)data available

<u>calcium</u> sulfate

Route of exposure	ute of exposure Parameter Method		Value	Exposure time	Species	Value	Remark
						determination	
Oral	LD50	OECD 420	> 1584 mg/kg bw		Rat (female)	Experimental value	
Inhalation (dust)	LC50	OECD 403	> 2.61 mg/l air		Rat (male / female)	Experimental value	

zinc hydroxide

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value	Remark
						determination	
Oral	LD50	Equivalent to OECD 401	> 5000 mg/kg bw		Rat (male / female)	Read-across	
Dermal						Data waiving	
Inhalation (dust)	LC50	OECD 403	> 5.410 mg/l air	1	Rat (male / female)	Read-across	

Conclusion

Not classified for acute toxicity

Corrosion/irritation

Budel Zink Gypsum

No (test)data available

calcium sulfate

Route of exposure	Result	Method	Exposure time	Time point	 Value determination	Remark
Eye	Not irritating	OECD 405		72 hours	Experimental value	
Skin	Not irritating	OECD 404	4 h	72 hours	Experimental value	

zinc hydroxide

Route of exposure	Result	Method	Exposure time	Time point		Value determination	Remark
Eye	Not irritating	OECD 405	24 h	24; 48; 72 hours	Rabbit	Read-across	
Skin	Not irritating	Other	5 day(s)		Rabbit	Read-across	

Conclusion

Not classified as irritating to the skin

Not classified as irritating to the eyes

Not classified as irritating to the respiratory system

Respiratory or skin sensitisation

Budel Zink Gypsum

No (test)data available

Reason for revision: 8.1, 13, 15.1 Publication date: 2004-09-28
Date of revision: 2020-04-03

 Revision number: 0300
 Product number: 40968
 5 / 10

calcium sulfate

Route of exposure	Result	Method	Exposure time	Observation time point	Species	Value determination	Remark
Skin	Not sensitizing	OECD 406	6 h	24; 48 hours	Guinea pig (male)	Experimental value	

zinc hydroxide

Route of exposure	Result	Method	 Observation time point	Species	Value determination	Remark
Skin	Not sensitizing	OECD 406		Guinea pig (female)	Read-across	

Conclusion

Not classified as sensitizing for skin Not classified as sensitizing for inhalation

Specific target organ toxicity

Budel Zink Gypsum

No (test)data available

<u>calcium sulfate</u>

Route of exposure	Parameter	Method	Value	Organ	Effect	Exposure time		Value determination
Oral	NOAEL	OECD 422	79 mg/kg bw/day	Blood	No effect	35 day(s)	Rat (male)	Experimental value
Oral	LOAEL	OECD 422	237 mg/kg bw/day		Change in the haemogramm e/blood composition	1 '''	Rat (male)	Experimental value

zinc hydroxide

Route of exposure	Parameter	Method	Value	Organ	Effect	Exposure time		Value determination
Oral (diet)	NOAEL	OECD 408	31.52 mg/kg bw/day		No effect	13 weeks (daily)	Rat (male / female)	Read-across

Conclusion

Not classified for subchronic toxicity

Mutagenicity (in vitro)

Budel Zink Gypsum

No (test)data available calcium sulfate

Result	Method	Test substrate	Effect	Value determination	Remark
Negative with metabolic activation, negative without metabolic activation	OECD 471	Bacteria (S.typhimurium)	No effect	Experimental value	
Negative with metabolic activation, negative without metabolic activation	OECD 471	Escherichia coli	No effect	Experimental value	
Negative with metabolic activation, negative without metabolic activation	OECD 476	Mouse (lymphoma L5178Y cells)	No effect	Experimental value	

zinc hydroxide

Result	Method	Test substrate	Effect	Value determination	Remark
Negative with metabolic	Equivalent to OECD 471	Bacteria (S.typhimurium)		Read-across	
activation, negative					
without metabolic					
activation					

Mutagenicity (in vivo)

Budel Zink Gypsum

No (test)data available

calcium sulfate

Result	Method	Exposure time	Test substrate	Organ	Value determination
Negative	OECD 474		Mouse (male)	Blood	Experimental value

Conclusion

Not classified for mutagenic or genotoxic toxicity

Carcinogenicity

Budel Zink Gypsum

Reason for revision: 8.1, 13, 15.1 Publication date: 2004-09-28

Date of revision: 2020-04-03

 Revision number: 0300
 Product number: 40968
 6 / 10

No (test)data available

calcium sulfate

Route of	Parameter	Method	Value	Exposure time	Species	Effect	Organ	Value
exposure								determination
Oral	NOAEL	Other	256 mg/kg bw/day	104 weeks (daily)	Rat (male)	No effect		Experimental value
Oral	NOAEL	Other	284 mg/kg bw/day	104 weeks (daily)	Rat (female)	No effect		Experimental value

Conclusion

Not classified for carcinogenicity

Reproductive toxicity

Budel Zink Gypsum

No (test)data available

calcium sulfate

	Parameter	Method	Value	Exposure time	Species	Effect	Organ	Value determination
Developmental toxicity	NOAEL	Equivalent to OECD 414	1600 mg/kg bw/day	10 day(s)	Mouse	No effect	General	Experimental value
	NOAEL	Equivalent to OECD 414	1600 mg/kg bw/day	10 day(s)	Rat	No effect	General	Experimental value
	NOAEL	Equivalent to OECD 414	1600 mg/kg bw/day	13 day(s)	Rabbit	No effect	General	Experimental value
Effects on fertility	NOAEL	OECD 422	790 mg/kg bw/day	2 week(s)	Rat (male / female)	No effect		Experimental value

zinc hydroxide

	Parameter	Method	Value	Exposure time	Species	Effect	0	Value determination
Developmental toxicity (Oral (stomach tube))	NOAEL (F1)	Developmenta I toxicity study	0, 0	10 day(s)	Rat	No effect		Read-across
Maternal toxicity (Oral (stomach tube))	NOAEL	Developmenta I toxicity study	0, 0	10 day(s)	Rat	No effect		Read-across
Effects on fertility (Oral (stomach tube))	NOAEL	Equivalent to OECD 416	7.5 mg/kg bw/day		Rat (male / female)	No effect		Read-across

Conclusion

Not classified for reprotoxic or developmental toxicity

Toxicity other effects

Budel Zink Gypsum

No (test)data available

Chronic effects from short and long-term exposure

Budel Zink Gypsum

No effects known.

SECTION 12: Ecological information

12.1. Toxicity

Budel Zink Gypsum

No (test)data available

calcium sulfate

	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes	LC50		2980 mg/l	96 h	Lepomis macrochirus			

Reason for revision: 8.1, 13, 15.1 Publication date: 2004-09-28

Date of revision: 2020-04-03

 Revision number: 0300
 Product number: 40968
 7 / 10

zinc hydroxide

	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes	LC50		0.50 mg/l - 0.78 mg/l	96 h	Pimephales promelas	Static system	Fresh water	Read-across; Zinc ion
Acute toxicity crustacea	EC50	EPA 600/4- 85/013	0.86 mg/l	48 h	Daphnia magna	Static system	Fresh water	Read-across; Zinc ion
Toxicity algae and other aquatic plants	IC50	OECD 201	0.136 mg/l	72 h	Pseudokirchneri ella subcapitata	Static system	Fresh water	Read-across; Zinc ion
	NOEC	OECD 201	0.024 mg/l	72 h	Pseudokirchneri ella subcapitata	Static system	Fresh water	Read-across; Zinc ion
Long-term toxicity fish	NOEC	OECD 215	0.095 mg/l	30 day(s)	Oncorhynchus mykiss	Flow- through system	Fresh water	Read-across; Zinc ion
Long-term toxicity aquatic crustacea	NOEC	OECD 211	0.082 mg/l	21 day(s)	Daphnia magna	Semi-static system	Fresh water	Read-across; Zinc ion
Toxicity aquatic micro- organisms	IC50	ISO 9509:2006	0.35 mg/l	4 h	Activated sludge	Static system	Fresh water	Experimental value; Zinc ion

<u>Conclusion</u>

Not classified as dangerous for the environment according to the criteria of Regulation (EC) No 1272/2008

12.2. Persistence and degradability

Water

Biodegradability: not applicable

12.3. Bioaccumulative potential

Budel Zink Gypsum

Log Kow

Method	Remark	Value	Temperature	Value determination
	Not applicable			

calcium sulfate

Log Kow

Method	Remark	Value	Temperature	Value determination
	No data available			

zinc hydroxide

BCF other aquatic organisms

Parameter Me	ethod	Value	Duration	Species	Value determination
BCF	<u> </u>	≤ 28960; Dry weight	28 day(s)	Palaemon elegans	Read-across

Log Kow

Method	Remark	Value	Temperature	Value determination
	No data available			

Conclusion

Bioaccumulation: not applicable

12.4. Mobility in soil

zinc hydroxide

Percent distribution

Ci Come and an action									
Method	Fraction air	Fraction biota	Fraction	Fraction soil	Fraction water	Value determination			
			sediment						
Fugacity Model	1.11E-8 %		0.0717 %	73.8 %	26.2 %	Calculated value			
Level III									

Conclusion

No (test)data on mobility of the substance available

12.5. Results of PBT and vPvB assessment

The criteria of PBT and vPvB as listed in Annex XIII of Regulation (EC) No 1907/2006 do not apply to inorganic substances.

12.6. Other adverse effects

Budel Zink Gypsum

Greenhouse gases

Not included in the list of fluorinated greenhouse gases (Regulation (EU) No 517/2014)

Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009)

zinc hydroxide

Groundwater

Groundwater pollutant

Reason for revision: 8.1, 13, 15.1 Publication date: 2004-09-28
Date of revision: 2020-04-03

Revision number: 0300 Product number: 40968 8 / 10

SECTION 13: Disposal considerations

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

13.1. Waste treatment methods

13.1.1 Provisions relating to waste

European Union

Can be considered as non hazardous waste according to Directive 2008/98/EC, as amended by Regulation (EU) No 1357/2014 and Regulation (EU) No 2017/997.

Waste material code (Directive 2008/98/EC, Decision 2000/0532/EC).

17 08 02 (gypsum-based construction material: gypsum-based construction materials other than those mentioned in 17 08 01). Depending on branch of industry and production process, also other waste codes may be applicable.

13.1.2 Disposal methods

Remove waste in accordance with local and/or national regulations. Do not discharge into drains or the environment. Dispose of at authorized waste collection point.

13.1.3 Packaging/Container

No data available

SECTION 14: Transport information

Road (ADR), Rail (RID), Inland waterways (ADN), Sea (IMDG/IMSBC), Air (ICAO-TI/IATA-DGR)

14.	1. UN number	
	Transport	Not subject
14.	2. UN proper shipping name	
14.	3. Transport hazard class(es)	
	Hazard identification number	
	Class	
	Classification code	
14.	4. Packing group	
	Packing group	
	Labels	
14.	5. Environmental hazards	
	Environmentally hazardous substance mark	no
14.	6. Special precautions for user	
	Special provisions	
	Limited quantities	
14.	7. Transport in bulk according to Annex II of Marpol and the IBC Code	
	Annex II of MARPOL 73/78	Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture <u>European legislation:</u>

VOC content Directive 2010/75/EU

VOC content	Remark
	Not applicable (inorganic)

European drinking water standards (Directive 98/83/EC)

<u>calcium sulfate</u>

Parameter	Parametric value	Note	Reference
Sulphate	250 mg/l		Listed in Annex I, Part C, of Directive 98/83/EC on the quality of
			water intended for human consumption.

National legislation Belgium

Budel Zink Gypsum

No data available

National legislation The Netherlands

Budel Zink Gypsum

W	aterbezwaarlijkheid	B (4); Algemene Beoordelingsmethodiek (ABM)

National legislation France

Budel Zink Gypsum

No data available

National legislation Germany

Ru	idel	7ir	٦L	G	.,	no		'n	`
<u> </u>	iuci	<u> </u>	11	<u>U</u>	<u>y</u>	h:	<u>su</u>	ш	ī

	WGK	1; Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (AwSV) - 18. April 2017				
	TA-Luft	5.2.1				
<u>calcium sulfate</u>						
	TA-Luft	5.2.1				

Reason for revision: 8.1, 13, 15.1 Publication date: 2004-09-28
Date of revision: 2020-04-03

 Revision number: 0300
 Product number: 40968
 9 / 10

zinc hydroxide

TA-Luft 5.2.1

National legislation United Kingdom

Budel Zink Gypsum

No data available

Other relevant data

Budel Zink Gypsum

No data available

15.2. Chemical safety assessment

A chemical safety assessment has been performed.

SECTION 16: Other information

Full text of any H-statements referred to under heading 3:

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

(*) INTERNAL CLASSIFICATION BY BIG

ADI Acceptable daily intake

AOEL Acceptable operator exposure level

CLP (EU-GHS) Classification, labelling and packaging (Globally Harmonised System in Europe)

DMEL Derived Minimal Effect Level
DNEL Derived No Effect Level
EC50 Effect Concentration 50 %

ErC50 EC50 in terms of reduction of growth rate

LC50 Lethal Concentration 50 %

LD50 Lethal Dose 50 %

NOAEL No Observed Adverse Effect Level
NOEC No Observed Effect Concentration

OECD Organisation for Economic Co-operation and Development

PBT Persistent, Bioaccumulative & Toxic
PNEC Predicted No Effect Concentration
STP Sludge Treatment Process

vPvB very Persistent & very Bioaccumulative

M-factor

zinc hydroxide 1 Acute ECHA

The information in this safety data sheet is based on data and samples provided to BIG. The sheet was written to the best of our ability and according to the state of knowledge at that time. The safety data sheet only constitutes a guideline for the safe handling, use, consumption, storage, transport and disposal of the substances/preparations/mixtures mentioned under point 1. New safety data sheets are written from time to time. Only the most recent versions may be used. Unless indicated otherwise word for word on the safety data sheet, the information does not apply to substances/preparations/mixtures in purer form, mixed with other substances or in processes. The safety data sheet offers no quality specification for the substances/preparations/mixtures in question. Compliance with the instructions in this safety data sheet does not release the user from the obligation to take all measures dictated by common sense, regulations and recommendations or which are necessary and/or useful based on the real applicable circumstances. BIG does not guarantee the accuracy or exhaustiveness of the information provided and cannot be held liable for any changes by third parties. This safety data sheet is only to be used within the European Union, Switzerland, Iceland, Norway and Liechtenstein. Any use outside of this area is at your own risk. Use of this safety data sheet is subject to the licence and liability limiting conditions as stated in your BIG licence agreement or when this is failing the general conditions of BIG. All intellectual property rights to this sheet are the property of BIG and its distribution and reproduction are limited. Consult the mentioned agreement/conditions for details.

Reason for revision: 8.1, 13, 15.1 Publication date: 2004-09-28
Date of revision: 2020-04-03

 Revision number: 0300
 Product number: 40968
 10 / 10