

Cobalt Nickel cement

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

| | |
|----------------------------------|---|
| Product name | : Cobalt Nickel cement |
| Synonyms | : [leach residues, zinc ore-calcine, zinc cobalt]; Cobalt cement ; Nickel cement; Kobalt-Nikkel cement; leach residues, zinc ore-calcine, zinc cobalt |
| Registration number REACH | : 01-2119467169-28-0000 (Nyrstar Belgium NV/SA) 01-2119467169-28-0005 (Nyrstar Budel BV) |
| Product type REACH | : Substance/UVCB : Transported isolated intermediate : On-site isolated intermediate |
| CAS number | : 69012-72-2 |
| EC number | : 273-769-5 |

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant identified uses

Under Regulation (EC) No 1907/2006 the substance is defined as an on-site and transported isolated intermediate and must be used in correspondence to that status, including the application of strictly controlled conditions

IU1: production of the intermediate - During the hydrometallurgical production of Zinc, redox-potential variations (cementation) result in the selective precipitation of a 'Cobalt-Nickel cement' that concentrate the Co/Ni and Co/Ni-compounds from the feed; it is extracted and isolated for further processing.

IU2: use of the intermediate - The 'Cobalt-Nickel cement' is unloaded, blended with other, primary and/or secondary materials, and loaded in smelting furnaces (ISA, Blast, convertor, ...) or similar, or in hydrometallurgical steps for further processing and extraction of Cobalt and Nickel metal or Cobalt and Nickel compounds

For further details concerning the management measures: see the attached annex

1.2.2 Uses advised against

1.3. Details of the supplier of the safety data sheet

Supplier of the safety data sheet

Nyrstar Belgium N.V. on behalf of Nyrstar Sales & Marketing A.G.
Zinkstraat 1
B-2490 Balen
☎ +32 14 44 95 00
☎ +32 14 81 05 31
infoSDS@nyrstar.com

Nyrstar Budel B.V. on behalf of Nyrstar Sales & Marketing A.G.
Hoofdstraat 1
6024 AA Budel-Dorplein
☎ +32 14 44 96 80
☎ +32 14 44 95 52
infoSDS@nyrstar.com

Nyrstar France S.A.S. on behalf of Nyrstar Sales & Marketing A.G.
Rue Jean Jacques Rousseau
F-59950 Aubry
☎ +32 14 44 96 80
☎ +33 3 27 88 39 48
infoSDS@nyrstar.com

Manufacturer of the product

Nyrstar Sales & Marketing SA
1 Rue de Jargonnant
CH-1207 Geneva
infoSDS@nyrstar.com

1.4. Emergency telephone number

24h/24h (Telephone advice: English, French, German, Dutch) :
+32 14 58 45 45 (BIG)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

| Class | Category | Hazard statements |
|-------|-------------|----------------------------------|
| Carc. | category 1A | H350: May cause cancer. |
| Muta. | category 1B | H340: May cause genetic defects. |

Cobalt Nickel cement

| | | |
|-----------------|-------------|--|
| Repr. | category 1A | H360FD: May damage fertility. May damage the unborn child. |
| Acute Tox. | category 3 | H331: Toxic if inhaled. |
| Resp. Sens. | category 1 | H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
| Skin Sens. | category 1 | H317: May cause an allergic skin reaction. |
| STOT RE | category 1 | H372: Causes damage to organs through prolonged or repeated exposure if swallowed. |
| STOT RE | category 1 | H372: Causes damage to organs through prolonged or repeated exposure if inhaled. |
| Acute Tox. | category 4 | H302: Harmful if swallowed. |
| Eye Dam. | category 1 | H318: Causes serious eye damage. |
| Aquatic Acute | category 1 | H400: Very toxic to aquatic life. |
| Aquatic Chronic | category 1 | H410: Very toxic to aquatic life with long lasting effects. |

2.2. Label elements



Signal word

H-statements

H350

H340

H360FD

H331

H334

H317

H372

H302

H318

H410

P-statements

P280

P304 + P340

P305 + P351 + P338

P330

P310

P403 + P233

Supplemental information

Danger

May cause cancer.

May cause genetic defects.

May damage fertility. May damage the unborn child.

Toxic if inhaled.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

Causes damage to organs through prolonged or repeated exposure if swallowed and if inhaled.

Harmful if swallowed.

Causes serious eye damage.

Very toxic to aquatic life with long lasting effects.

Wear protective gloves, protective clothing and eye protection/face protection.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Rinse mouth.

Immediately call a POISON CENTER/doctor.

Store in a well-ventilated place. Keep container tightly closed.

Restricted to professional users.

2.3. Other hazards

The criteria of PBT and vPvB as listed in Annex XIII of Regulation (EC) No 1907/2006 do not apply to inorganic substances

Pulverization rapidly increases toxic concentration

SECTION 3: Composition/information on ingredients

3.1. Substances

| Name REACH Registration No | CAS No EC No | Conc. (C) | Classification according to CLP | Note | Remark | M-factors and ATE |
|--------------------------------|-------------------------|-----------|---|---------------|------------------------------|--|
| tricopper arsenide | 12005-75-3 234-472-6 | 0%<C<3.5% | Acute Tox. 3; H331 Acute Tox. 3; H301 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 | (1)(2)(10) | Constituent | |
| calcium sulfate, dihydrate | 10101-41-4 231-900-3 | 0%<C<6% | | (2) | Constituent | |
| cadmium (non-pyrophoric) | 7440-43-9 231-152-8 | 0%<C<9% | Carc. 1B; H350 Muta. 2; H341 Repr. 2; H361fd Acute Tox. 2; H330 STOT RE 1; H372 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 | (1)(2)(4)(10) | Total Cd content < 9.55 % | M: 10 (Acute, ECHA) M: 10 (Chronic, ECHA) |
| cadmium oxide (non-pyrophoric) | 1306-19-0 215-146-2 | 0%<C<3% | Carc. 1B; H350 Muta. 2; H341 Repr. 2; H361fd Acute Tox. 2; H330 STOT RE 1; H372 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 | (1)(2)(4)(10) | Total Cd content < 9.55 % | M: 10 (Acute, ECHA (registration dossier)) M: 10 (Chronic, ECHA (registration dossier)) |

Reason for revision: 8, 11, 12

Publication date: 2012-02-27

Date of revision: 2023-05-05

Revision number: 0201

BIG number: 51697

2 / 56

Cobalt Nickel cement

| | | | | | | |
|---------------------------|-------------------------|-----------------|--|---------------|------------------------------|--|
| cadmium sulphate | 10124-36-4 233-331-6 | 0%<C<3% | Carc. 1B; H350 Muta. 1B; H340 Repr. 1B; H360FD Acute Tox. 2; H330 Acute Tox. 3; H301 STOT RE 1; H372 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 Carc. 1B; H350: C≥0,01%, (CLP Annex VI (ATP 0)) STOT RE 1; H372: C≥7%, (CLP Annex VI (ATP 0)) STOT RE 2; H373: 0,1%≤C<7%, (CLP Annex VI (ATP 0)) | (1)(2)(4)(10) | Total Cd content < 9.55 % | M: 10 (Acute, ECHA) M: 10 (Chronic, ECHA) |
| cobalt | 7440-48-4 231-158-0 | 0%<C<7.5% | Carc. 1B; H350 Muta. 2; H341 Repr. 1B; H360F Resp. Sens. 1; H334 Skin Sens. 1; H317 Aquatic Chronic 4; H413 | (1)(2)(10) | Constituent | |
| cobalt oxide | 1307-96-6 215-154-6 | 0%<C<9.5% | Acute Tox. 3; H301 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 | (1)(2)(10) | Constituent | M: 10 |
| copper | 7440-50-8 231-159-6 | 3.5% <C<14% | | (2)(10) | Constituent | |
| copper(II) oxide | 1317-38-0 215-269-1 | 0.9% <C<3.8% | Aquatic Acute 1; H400 Aquatic Chronic 1; H410 | (1)(2) | Constituent | M: 100 (Acute, CLP Annex VI (ATP 17)) M: 10 (Chronic, CLP Annex VI (ATP 17)) |
| copper sulphate | 7758-98-7 231-847-6 | 1.9% <C<7.6% | Acute Tox. 4; H302 Eye Dam. 1; H318 Skin Irrit. 2; H315 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 | (1)(2)(6)(10) | Constituent | |
| nickel | 7440-02-0 231-111-4 | 0%<C<7.5% | Carc. 2; H351 Skin Sens. 1; H317 STOT RE 1; H372 | (1)(2)(10) | Constituent | |
| nickel monoxide | 1313-99-1 215-215-7 | 0%<C<9.5% | Carc. 1A; H350i Skin Sens. 1; H317 STOT RE 1; H372 Aquatic Chronic 4; H413 | (1)(2)(10) | Constituent | |
| lead(II)sulphate | 7446-14-2 231-198-9 | 0%<C<32% | Repr. 1A; H360Df Acute Tox. 4; H332 Acute Tox. 4; H302 STOT RE 2; H373 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 Repr. 2; H361f: C≥2,5%, (CLP Annex VI (ATP 0)) STOT RE 2; H373: C≥0,5%, (CLP Annex VI (ATP 0)) | (1)(2)(10) | Total Pb content ≤ 22 % | M: 1 (Acute, BIG) |
| antimony trioxide | 1309-64-4 215-175-0 | 0%<C<3% | Carc. 2; H351 | (1)(2) | Constituent | |
| zinc | 7440-66-6 231-175-3 | 5% <C<17.5% | | (2)(10) | Total Zn content ≤ 30 % | |
| zinc oxide | 1314-13-2 215-222-5 | 1.2% <C<4.4% | Aquatic Acute 1; H400 Aquatic Chronic 1; H410 | (1)(2) | Total Zn content ≤ 30 % | M: 1 (Acute, ECHA) M: 1 (Chronic, ECHA) |
| zinc sulphate (anhydrous) | 7733-02-0 231-793-3 | 10% <C<35% | Acute Tox. 4; H302 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 | (1)(10) | Total Zn content ≤ 30 % | M: 1 (Acute, ECHA (registration dossier)) M: 1 (Chronic, ECHA (registration dossier)) |

Reason for revision: 8, 11, 12

Publication date: 2012-02-27

Date of revision: 2023-05-05

Revision number: 0201

BIG number: 51697

3 / 56

Cobalt Nickel cement

- (1) For H- and EUH-statements in full: see section 16
- (2) Substance with a Community workplace exposure limit
- (4) Enumerated in candidate list of substances of very high concern (SVHC) for authorisation (Article 59 of Regulation (EC) No. 1907/2006)
- (6) Enumerated in Annex VI of Regulation (EC) No. 1272/2008 but the classification has been adapted after evaluation of available test data
- (10) Subject to restrictions of Annex XVII of Regulation (EC) No. 1907/2006

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

General:

Observe (own) safety. If possible, approach victim and check vital functions. In case of injury and/or intoxication, call the European emergency number 112. Treat symptoms starting with most life-threatening injuries and disorders. Keep victim under observation, possibility of delayed symptoms.

After inhalation:

Remove victim into fresh air. Immediately consult a doctor/medical service.

After skin contact:

If possible, wipe up/dry remove chemical. Then rinse/shower immediately with (lukewarm) water. If irritation persists, consult a doctor/medical service.

After eye contact:

Rinse immediately with plenty of water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Consult a doctor/medical service.

After ingestion:

Rinse mouth with water. Immediately consult a doctor/medical service. Do not wait for symptoms to occur to consult Poison Center.

4.2. Most important symptoms and effects, both acute and delayed

4.2.1 Acute symptoms

After inhalation:

AFTER INHALATION OF DUST: Dry/sore throat. Coughing. Metal taste. Nausea. Vomiting. Feeling of weakness. Headache. FOLLOWING SYMPTOMS MAY APPEAR LATER: Possible inflammation of the respiratory tract. Risk of lung oedema. Risk of pneumonia. Decreased renal function.

After skin contact:

No effects known.

After eye contact:

Inflammation/damage of the eye tissue. Corrosion of the eye tissue.

After ingestion:

Nausea. Vomiting. Abdominal pain. Diarrhoea. Headache. AFTER INGESTION OF HIGH QUANTITIES: Increased salivation. Decreased renal function. Cramps/uncontrolled muscular contractions. Enlargement/affection of the liver.

4.2.2 Delayed symptoms

No effects known.

4.3. Indication of any immediate medical attention and special treatment needed

If applicable and available it will be listed below.

SECTION 5: Firefighting measures

5.1. Extinguishing media

5.1.1 Suitable extinguishing media:

Adapt extinguishing media to the environment for surrounding fires.

5.1.2 Unsuitable extinguishing media:

Not applicable.

5.2. Special hazards arising from the substance or mixture

On burning: release of toxic and corrosive gases/vapours (sulphur oxides) and formation of metal oxides.

5.3. Advice for firefighters

5.3.1 Instructions:

Dilute toxic gases with water spray. Take account of toxic/corrosive precipitation water. Take account of toxic fire-fighting water. Use water moderately and if possible collect or contain it.

5.3.2 Special protective equipment for fire-fighters:

Gloves (EN 374). Safety glasses (EN 166). Protective clothing (EN 14605 or EN 13034). Dust cloud production: self-contained breathing apparatus (EN 136 + EN 137). Heat/fire exposure: self-contained breathing apparatus (EN 136 + EN 137).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Prevent dust cloud formation. No naked flames.

6.1.1 Protective equipment for non-emergency personnel

See section 8.2

6.1.2 Protective equipment for emergency responders

Reason for revision: 8, 11, 12

Publication date: 2012-02-27

Date of revision: 2023-05-05

Revision number: 0201

BIG number: 51697

4 / 56

Cobalt Nickel cement

Gloves (EN 374). Safety glasses (EN 166). Protective clothing (EN 14605 or EN 13034). Dust cloud production: self-contained breathing apparatus (EN 136 + EN 137).

Suitable protective clothing

See section 8.2

6.2. Environmental precautions

Contain released product, collect/pump into suitable containers. Plug the leak, cut off the supply. Dam up the solid spill. Knock down/dilute dust cloud with water spray. Take account of toxic/corrosive precipitation water. Prevent soil and water pollution. Prevent spreading in sewers.

6.3. Methods and material for containment and cleaning up

Stop dust cloud by covering with sand/earth. Scoop solid spill into closing containers. Carefully collect the spill/leftovers. Clean contaminated surfaces with an excess of water. Take collected spill to manufacturer/competent authority. Wash clothing and equipment after handling.

6.4. Reference to other sections

See section 13.

SECTION 7: Handling and storage

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

7.1. Precautions for safe handling

Avoid raising dust. Keep away from naked flames/heat. Observe very strict hygiene - avoid contact. Do not discharge the waste into the drain. Keep container tightly closed.

7.2. Conditions for safe storage, including any incompatibilities

7.2.1 Safe storage requirements:

Meet the legal requirements. Store in a dry area. Store at ambient temperature. Keep out of direct sunlight. Keep locked up. Unauthorized persons are not admitted.

7.2.2 Keep away from:

Heat sources, oxidizing agents, (strong) acids.

7.2.3 Suitable packaging material:

Synthetic material, stoneware/porcelain, steel, tin.

7.2.4 Non suitable packaging material:

No data available

7.3. Specific end use(s)

If applicable and available, exposure scenarios are attached in annex. See information supplied by the manufacturer.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 Occupational exposure

a) Occupational exposure limit values

If limit values are applicable and available these will be listed below.

EU

| | | |
|--|---|------------------------------|
| Arsenic acid and its salts, as well as inorganic arsenic compounds | Time-weighted average exposure limit 8 h (Indicative occupational exposure limit value) | 0.01 mg/m ³ (12) |
| Cadmium and its inorganic compounds | Time-weighted average exposure limit 8 h (Indicative occupational exposure limit value) | 0.001 mg/m ³ (10) |
| Inorganic lead and its compounds | Time-weighted average exposure limit 8 h (Limit value for occupational exposure) | 0.15 mg/m ³ |
| Nickel compounds <i>shall apply from 2025-01-18</i> | Time-weighted average exposure limit 8 h (Limit value for occupational exposure) | 0.01 mg/m ³ (2) |
| | Time-weighted average exposure limit 8 h (Limit value for occupational exposure) | 0.05 mg/m ³ (1) |
| Nickel compounds <i>shall apply until 2025-01-17</i> | Time-weighted average exposure limit 8 h (Limit value for occupational exposure) | 0.1 mg/m ³ (1) |

(12): Inhalable fraction. For the copper smelting sector, the limit value shall apply from 11 July 2023

(10): Inhalable fraction. Limit value 0,004 mg/m³ until 11 July 2027. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine.

(2): Respirable fraction

(1): Inhalable fraction

Belgium

Reason for revision: 8, 11, 12

Publication date: 2012-02-27

Date of revision: 2023-05-05

Revision number: 0201

BIG number: 51697

5 / 56

Cobalt Nickel cement

| | | |
|--|--|-------------------------|
| Antimoine et ses composés (en Sb) | Time-weighted average exposure limit 8 h | 0.5 mg/m ³ |
| Arsenic, acide arsénique et ses sels, ainsi que ses composés inorganiques (en As) | Time-weighted average exposure limit 8 h | 0.01 mg/m ³ |
| Cadmium et ses composés (particules alvéolaires) (en Cd) | Time-weighted average exposure limit 8 h | 0.002 mg/m ³ |
| Cadmium et ses composés (particules inhalables) (en Cd) <i>shall apply from 2027-07-12</i> | Time-weighted average exposure limit 8 h | 0.001 mg/m ³ |
| Cadmium et ses composés (particules inhalables) (en Cd) <i>shall apply until 2027-07-11</i> | Time-weighted average exposure limit 8 h | 0.004 mg/m ³ |
| Calcium (sulfate de) (anhydrate, hemihydrate, dihydrate, gypse) | Time-weighted average exposure limit 8 h | 10 mg/m ³ |
| Cobalt métal (fumées et poussières) (en Co) | Time-weighted average exposure limit 8 h | 0.02 mg/m ³ |
| Cuivre (fumées) (en Cu) | Time-weighted average exposure limit 8 h | 0.2 mg/m ³ |
| Cuivre (poussières et brouillards de) (en Cu) | Time-weighted average exposure limit 8 h | 1 mg/m ³ |
| Nickel (composés insolubles inorganiques) (en Ni) | Time-weighted average exposure limit 8 h | 0.2 mg/m ³ |
| Nickel (métal) | Time-weighted average exposure limit 8 h | 1 mg/m ³ |
| Plomb inorg. (poussières et fumées) (en Pb) | Time-weighted average exposure limit 8 h | 0.15 mg/m ³ |
| Zinc (oxyde de) (fraction alvéolaire) | Time-weighted average exposure limit 8 h | 2 mg/m ³ |
| | Short time value | 10 mg/m ³ |

The Netherlands

| | | |
|---|---|-------------------------|
| Antimoon en -verbindingen (als Sb) | Time-weighted average exposure limit 8 h (Public occupational exposure limit value) | 0.099 ppm |
| | Time-weighted average exposure limit 8 h (Public occupational exposure limit value) | 0.5 mg/m ³ |
| Cadmium en anorganische cadmiumverbindingen (als Cd) <i>shall apply from 2027-07-11</i> | Time-weighted average exposure limit 8 h (Public occupational exposure limit value) | 0.00021 ppm |
| Cadmium en anorganische cadmiumverbindingen (als Cd) <i>shall apply until 2027-07-10</i> | Time-weighted average exposure limit 8 h (Public occupational exposure limit value) | 0.00086 ppm |
| Cadmium en anorganische cadmiumverbindingen (als Cd) <i>shall apply from 2027-07-11</i> | Time-weighted average exposure limit 8 h (Public occupational exposure limit value) | 0.001 mg/m ³ |
| Cadmium en anorganische cadmiumverbindingen (als Cd) <i>shall apply until 2027-07-10</i> | Time-weighted average exposure limit 8 h (Public occupational exposure limit value) | 0.004 mg/m ³ |
| Kobalt (stof en rook) (als Co) | Time-weighted average exposure limit 8 h (Public occupational exposure limit value) | 0.0082 ppm |
| | Time-weighted average exposure limit 8 h (Public occupational exposure limit value) | 0.02 mg/m ³ |
| Koper en anorganische koperverbindingen (inhaleerbaar) | Time-weighted average exposure limit 8 h (Public occupational exposure limit value) | 0.038 ppm |
| | Time-weighted average exposure limit 8 h (Public occupational exposure limit value) | 0.1 mg/m ³ |
| Lood en anorganische loodverbindingen | Time-weighted average exposure limit 8 h (Public occupational exposure limit value) | 0.15 mg/m ³ |
| Overige anorganische arseenverbindingen | Time-weighted average exposure limit 8 h (Public occupational exposure limit value) | 9E-5 ppm |
| | Time-weighted average exposure limit 8 h (Public occupational exposure limit value) | 0.28 µg/m ³ |

France

| | | |
|--|--|-------------------------|
| Antimoine et ses composés, en Sb | Time-weighted average exposure limit 8 h (VL: Valeur non réglementaire indicative) | 0.5 mg/m ³ |
| Cadmium et ses composés inorganiques (fraction inhalable ou alvéolaire) <i>shall apply from 2027-12-07</i> | Time-weighted average exposure limit 8 h (VRC: Valeur réglementaire contraignante) | 0.001 mg/m ³ |
| Cadmium et ses composés inorganiques (fraction inhalable ou alvéolaire) <i>shall apply until 2027-11-07</i> | Time-weighted average exposure limit 8 h (VRC: Valeur réglementaire contraignante) | 0.004 mg/m ³ |
| Calcium (sulfate de) | Time-weighted average exposure limit 8 h (VL: Valeur non réglementaire indicative) | 10 mg/m ³ |
| Cuivre (fumées) | Time-weighted average exposure limit 8 h (VL: Valeur non réglementaire indicative) | 0.2 mg/m ³ |
| Cuivre (poussières), en Cu | Time-weighted average exposure limit 8 h (VL: Valeur non réglementaire indicative) | 1 mg/m ³ |
| | Short time value (VL: Valeur non réglementaire indicative) | 2 mg/m ³ |

Reason for revision: 8, 11, 12

Publication date: 2012-02-27

Date of revision: 2023-05-05

Revision number: 0201

BIG number: 51697

6 / 56

Cobalt Nickel cement

| | | |
|-------------------------------------|--|-----------------------|
| Nickel (métal) | Time-weighted average exposure limit 8 h (VL: Valeur non réglementaire indicative) | 1 mg/m ³ |
| Nickel (oxyde de), en Ni | Time-weighted average exposure limit 8 h (VL: Valeur non réglementaire indicative) | 1 mg/m ³ |
| Plomb métallique et composés, en Pb | Time-weighted average exposure limit 8 h (VRC: Valeur réglementaire contraignante) | 0.1 mg/m ³ |
| Zinc (oxyde de, fumées) | Time-weighted average exposure limit 8 h (VL: Valeur non réglementaire indicative) | 5 mg/m ³ |
| Zinc (oxyde de, poussières) | Time-weighted average exposure limit 8 h (VL: Valeur non réglementaire indicative) | 10 mg/m ³ |

Germany

| | | |
|---|---|-------------------------|
| Blei und anorganischen Bleiverbindungen | Time-weighted average exposure limit 8 h (TRGS 505) | 150 µg/m ³ |
| Cadmium und anorganische Cadmium Verbindungen | Time-weighted average exposure limit 8 h (TRGS 900) | 0.002 mg/m ³ |
| Calciumsulfat | Time-weighted average exposure limit 8 h (TRGS 900) | 6 mg/m ³ |
| Diantimontrioxid | Time-weighted average exposure limit 8 h (TRGS 900) | 0.006 mg/m ³ |
| Nickel und Nickelverbindungen | Time-weighted average exposure limit 8 h (TRGS 900) | 0.030 mg/m ³ |
| Nickelmetall | Time-weighted average exposure limit 8 h (TRGS 900) | 0.006 mg/m ³ |

Austria

| | | |
|---|-------------------------------|-------------------------|
| Antimontrioxid– Herstellung von Antimon- trioxid, Herstellung von Antimontrioxid-Masterbatches und -pasten (Wiegen und Mischen von Antimontrioxid- Pulver) – im übrigen | Tagesmittelwert (TRK) | 0.1 mg/m ³ |
| | Tagesmittelwert (TRK) | 0.3 mg/m ³ |
| | Kurzzeitwert 15(Miw) 4x (TRK) | 0.4 mg/m ³ |
| | Kurzzeitwert 15(Miw) 4x (TRK) | 1.2 mg/m ³ |
| Cadmium und seine Verbindungen | Tagesmittelwert (TRK) | 0.001 mg/m ³ |
| | Tagesmittelwert (TRK) | 0.004 mg/m ³ |
| | Kurzzeitwert 15(Miw) 4x (TRK) | 0.004 mg/m ³ |
| | Kurzzeitwert 15(Miw) 4x (TRK) | 0.016 mg/m ³ |
| Cobalt und seine Verbindungen (Cobalt als Cobaltmetall, Cobaltoxid, Cobaltsulfid und Cobaltsulfat, Staub von Cobaltlegierungen)– Herstellung von Cobaltpulver und Katalysatoren, Hartmetall- und Magnetherstellung (Pulveraufarbeitung, Pressenund mechanische Bearbeitung nicht gesinterter Werkstücke) – im übrigen | Tagesmittelwert (TRK) | 0.1 mg/m ³ |
| | Tagesmittelwert (TRK) | 0.5 mg/m ³ |
| | Kurzzeitwert 15(Miw) 4x (TRK) | 0.4 mg/m ³ |
| | Kurzzeitwert 15(Miw) 4x (TRK) | 2 mg/m ³ |
| Kupfer und seine Verbindungen(als Rauch) | Tagesmittelwert (MAK) | 0.1 mg/m ³ |
| | Kurzzeitwert 15(Miw) 4x (MAK) | 0.4 mg/m ³ |
| Kupfer und seine Verbindungen | Tagesmittelwert (MAK) | 1 mg/m ³ |

Reason for revision: 8, 11, 12

Publication date: 2012-02-27

Date of revision: 2023-05-05

Revision number: 0201

BIG number: 51697

7 / 56

Cobalt Nickel cement

| | | |
|--|-------------------------------|------------------------|
| Kupfer und seine Verbindungen | Kurzzeitwert 15(Miw) 4x (MAK) | 4 mg/m ³ |
| Nickel (Stäube von Nickelmetall, Nickelsulfid und sulfidischen Erzen, Nickeloxide, Nickelchromat und Nickel- carbonat) und Stäube von Nickelverbindungen und Nickellegierungen | Tagesmittelwert (TRK) | 0.5 mg/m ³ |
| | Kurzzeitwert 15(Miw) 4x (TRK) | 2 mg/m ³ |
| Nickelverbindungen in Form einatembare Tröpfchen | Tagesmittelwert (TRK) | 0.05 mg/m ³ |
| | Kurzzeitwert 15(Miw) 4x (TRK) | 0.2 mg/m ³ |
| Zinkoxid-Rauch | Tagesmittelwert (MAK) | 5 mg/m ³ |

UK

| | | |
|---|--|-------------------------|
| Antimony and compounds except stibine (as Sb) | Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005)) | 0.5 mg/m ³ |
| Arsenic and compounds except arsine (as As) | Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005)) | 0.1 mg/m ³ |
| Cadmium compounds except cadmium oxide fume, cadmium sulphide and cadmium sulphide pigments (as Cd) | Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005)) | 0.025 mg/m ³ |
| Cadmium oxide fume (as Cd) | Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005)) | 0.025 mg/m ³ |
| | Short time value (Workplace exposure limit (EH40/2005)) | 0.05 mg/m ³ |
| Cadmium | Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005)) | 0.025 mg/m ³ |
| Cobalt compounds (as Co) | Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005)) | 0.1 mg/m ³ |
| Cobalt | Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005)) | 0.1 mg/m ³ |
| Copper and compounds: dusts and mists (as Cu) | Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005)) | 1 mg/m ³ |
| | Short time value (Workplace exposure limit (EH40/2005)) | 2 mg/m ³ |
| Copper fume | Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005)) | 0.2 mg/m ³ |
| Gypsum inhalable dust | Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005)) | 10 mg/m ³ |
| Gypsum respirable dust | Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005)) | 4 mg/m ³ |
| Lead other than lead alkyls | Time-weighted average exposure limit 8 h (Occupational exposure limit (Control of lead at work)) | 0.15 mg/m ³ |
| Nickel metal | Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005)) | 0.5 mg/m ³ |
| Nickel, insoluble inorganic compounds (as Ni)(except nickel tetracarbonyl) | Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005)) | 0.5 mg/m ³ |

USA (TLV-ACGIH)

| | | |
|--|--|-----------------------------|
| Antimony trioxide | Time-weighted average exposure limit 8 h (TLV - Adopted Value) | 0.02 mg/m ³ (I) |
| Arsenic and inorganic compounds, as As | Time-weighted average exposure limit 8 h (TLV - Adopted Value) | 0.01 mg/m ³ |
| Cadmium and compounds, as Cd | Time-weighted average exposure limit 8 h (TLV - Adopted Value) | 0.002 mg/m ³ (R) |
| | Time-weighted average exposure limit 8 h (TLV - Adopted Value) | 0.01 mg/m ³ |
| Calcium sulfate | Time-weighted average exposure limit 8 h (TLV - Adopted Value) | 10 mg/m ³ (I) |
| Cobalt and inorganic compounds, as Co | Time-weighted average exposure limit 8 h (TLV - Adopted Value) | 0.02 mg/m ³ (I) |
| Copper dusts and mists, as Cu | Time-weighted average exposure limit 8 h (TLV - Adopted Value) | 1 mg/m ³ |
| Copper fume, as Cu | Time-weighted average exposure limit 8 h (TLV - Adopted Value) | 0.2 mg/m ³ |
| Lead and inorganic compounds, as Pb | Time-weighted average exposure limit 8 h (TLV - Adopted Value) | 0.05 mg/m ³ |
| Nickel and inorganic compounds including Nickel subsulfide, as Ni: Elemental | Time-weighted average exposure limit 8 h (TLV - Adopted Value) | 1.5 mg/m ³ (I) |
| Nickel and inorganic compounds including Nickel subsulfide, as Ni: Insoluble inorganic compounds (NOS) | Time-weighted average exposure limit 8 h (TLV - Adopted Value) | 0.2 mg/m ³ (I) |
| Zinc oxide | Time-weighted average exposure limit 8 h (TLV - Adopted Value) | 2 mg/m ³ (R) |
| | Short time value (TLV - Adopted Value) | 10 mg/m ³ (R) |

(I): Inhalable fraction

(R): Respirable fraction

b) National biological limit values

If limit values are applicable and available these will be listed below.

Belgium

| | | | |
|---------------------------------------|------|-------------|--|
| Plomb et ses composés ioniques (Lood) | sang | 70 µg/100ml | |
|---------------------------------------|------|-------------|--|

Germany

Reason for revision: 8, 11, 12

Publication date: 2012-02-27

Date of revision: 2023-05-05

Revision number: 0201

BIG number: 51697

8 / 56

Cobalt Nickel cement

| | | | |
|--|------------------------------|----------|---|
| Blei, anorganischen Bleiverbindungen und bleihaltigen Gemischen (Blei) | Vollblut: keine beschränkung | 150 µg/l | Dieser Wert gilt nicht für Beschäftigte im gebärfähigen Alter. Die Regelungen des Mutterschutzgesetzes bleiben unberührt. Beschäftigungsbeschränkungen sind in Abschnitt 7, Verwendungsverbote in Abschnitt 6 aufgeführt. |
|--|------------------------------|----------|---|

USA (BEI-ACGIH)

| | | | |
|--|--|-------------------|--|
| Cadmium and inorganic compounds (cadmium) | Blood: not critical | 5 µg/L | Background |
| Cadmium and inorganic compounds (Cadmium) | Blood: not critical | 5 µg/L | Background |
| Cadmium and inorganic compounds (cadmium) | urine: not critical | 5 µg/g creatinine | Background |
| Cadmium and inorganic compounds (Cadmium) | urine: not critical | 5 µg/g creatinine | Background |
| Cobalt and inorganic compounds; Cobalt with Tungsten carbide (Cobalt) | Urine: end of shift at end of workweek | - | Nonspecific, Nonquantitative |
| Cobalt and inorganic compounds; including Cobalt oxides but not combined with Tungsten carbide (cobalt) | Urine: end of shift at end of workweek | 15 µg/L | Nonspecific |
| Cobalt and inorganic compounds; including Cobalt oxides but not combined with Tungsten carbide (Cobalt) | Urine: end of shift at end of workweek | 15 µg/L | Nonspecific |
| Lead and inorganic compounds (Lead) | Blood: not critical | 200 µg/L | Persons applying this BEI® are encouraged to counsel female workers of child-bearing age about the risk of delivering a child with a PbB over the current CDC reference value. |
| Nickel and inorganic compounds; after exposure to elemental Nickel and poorly soluble compounds (Nickel) | Urine: post-shift at end of workweek | 5 µg/L | Background |

c) Nationale Akzeptanz- und Toleranzkonzentrationen

Germany

| | | |
|--|--|---------------------|
| Cadmium und Cd-Verbindungen, als Carc.1A, Carc.1B eingestuft | Akzeptanzkonzentration (Risiko 4:100.000) (TRGS 910) | 0.9 µg/m³ (A) |
| | Toleranzkonzentration (Risiko 4:1.000) (TRGS 910) | 2 µg/m³ (A) (ÜF: 8) |
| Cobalt und Cobaltverbindungen, als Carc.1A, Carc.1B eingestuft | Akzeptanzkonzentration (Risiko 4:100.000) (TRGS 910) | 0.5 µg/m³ (A) |
| | Toleranzkonzentration (Risiko 4:1.000) (TRGS 910) | 5 µg/m³ (A) (ÜF: 8) |
| Nickelverbindungen, als Carc. 1A, Carc. 1B eingestuft | Akzeptanzkonzentration (Risiko 4:100.000) (TRGS 910) | 6 µg/m³ (A) |
| | Toleranzkonzentration (Risiko 4:1.000) (TRGS 910) | 6 µg/m³ (A) (ÜF: 8) |

A: Alveolengängige Fraktion

ÜF: Überschreitungsfaktor

8.1.2 Sampling methods

| Product name | Test | Number |
|--|-------|---------|
| Antimony | OSHA | ID 121 |
| Antimony | OSHA | ID 125G |
| Arsenic & Compounds (as As) | NIOSH | 7900 |
| Cadmium & Cpds (as Cd) | NIOSH | 7048 |
| Cadmium (Cd) | NIOSH | 7302 |
| Cadmium (Cd) | NIOSH | 7304 |
| Cadmium (Cd) | NIOSH | 7306 |
| Cadmium (Cd) | NIOSH | 8005 |
| Cadmium (Cd) | NIOSH | 8310 |
| Cadmium (Elements on wipes) | NIOSH | 9102 |
| Cadmium (Elements) | NIOSH | 7300 |
| Cadmium (Elements, aqua regia ashing) | NIOSH | 7301 |
| Cadmium (Elements, hot block/HCl/HNO3 digestion) | NIOSH | 7303 |
| Cadmium Oxide | NIOSH | 7048 |
| Cadmium, inorganic (as Pb) | OSHA | 5003 |
| Cadmium | NIOSH | 7048 |
| Cadmium | OSHA | 1006 |

Reason for revision: 8, 11, 12

Publication date: 2012-02-27

Date of revision: 2023-05-05

Revision number: 0201

BIG number: 51697

9 / 56

Cobalt Nickel cement

| Product name | Test | Number |
|---|-------|---------|
| Cadmium | OSHA | ID 121 |
| Cadmium | OSHA | ID 125G |
| Cadmium | OSHA | ID 206 |
| Cobalt & Cpds (as Co) | NIOSH | 7027 |
| Cobalt (Co) | NIOSH | 7302 |
| Cobalt (Co) | NIOSH | 7304 |
| Cobalt (Co) | NIOSH | 7306 |
| Cobalt (Co) | NIOSH | 8005 |
| Cobalt (Elements on wipes) | NIOSH | 9102 |
| Cobalt (Elements) | NIOSH | 7300 |
| Cobalt (Elements, aqua regia ashing) | NIOSH | 7301 |
| Cobalt (Elements, hot block/HCl/HNO3 digestion) | NIOSH | 7303 |
| Cobalt | OSHA | 1006 |
| Cobalt | OSHA | ID 121 |
| Cobalt | OSHA | ID 125G |
| Cobalt | OSHA | ID 213 |
| Copper (Cu) | NIOSH | 7302 |
| Copper (Cu) | NIOSH | 7304 |
| Copper (Cu) | NIOSH | 7306 |
| Copper (Cu) | NIOSH | 8005 |
| Copper (Cu) | NIOSH | 8200 |
| Copper (Cu) | NIOSH | 8310 |
| Copper (Elements on wipes) | NIOSH | 9102 |
| Copper (Elements) | NIOSH | 7300 |
| Copper (Elements, aqua regia ashing) | NIOSH | 7301 |
| Copper (Elements, hot block/HCl/HNO3 digestion) | NIOSH | 7303 |
| Copper Dust and fume | NIOSH | 7029 |
| Copper | OSHA | 1006 |
| Copper | OSHA | ID 121 |
| Copper | OSHA | ID 125G |
| Copper | OSHA | ID 206 |
| Lead | OSHA | ID 121 |
| Lead | OSHA | ID 125G |
| Nickel (Elements on wipes) | NIOSH | 9102 |
| Nickel (Elements) | NIOSH | 7300 |
| Nickel (Elements, aqua regia ashing) | NIOSH | 7301 |
| Nickel (Elements, hot block/HCl/HNO3 digestion) | NIOSH | 7303 |
| Nickel (Ni) | NIOSH | 7302 |
| Nickel (Ni) | NIOSH | 7304 |
| Nickel (Ni) | NIOSH | 7306 |
| Nickel (Ni) | NIOSH | 8005 |
| Nickel (Ni) | NIOSH | 8200 |
| Nickel (Ni) | NIOSH | 8310 |
| Nickel | OSHA | 1006 |
| Nickel | OSHA | ID 121 |
| Nickel | OSHA | ID 125G |
| Sulfites, & Sulfates | NIOSH | 6004 |
| Tungsten & Cpds (Insol and sol) (as W) | OSHA | ID 213 |
| vary depending upon the compound: Cu2O | NIOSH | 7029 |
| Zinc & Cpds (as Zn) | NIOSH | 7030 |
| Zinc (Elements on wipes) | NIOSH | 9102 |
| Zinc (Elements) | NIOSH | 7300 |
| Zinc (Elements, aqua regia ashing) | NIOSH | 7301 |
| Zinc (Elements, hot block/HCl/HNO3 digestion) | NIOSH | 7303 |
| Zinc (Zn) | NIOSH | 7302 |
| Zinc (Zn) | NIOSH | 7304 |
| Zinc (Zn) | NIOSH | 7306 |
| Zinc (Zn) | NIOSH | 8005 |
| Zinc (Zn) | NIOSH | 8200 |
| Zinc (Zn) | NIOSH | 8310 |
| Zinc Oxide | NIOSH | 7030 |
| Zinc Oxide | NIOSH | 7502 |
| Zinc Oxide | OSHA | ID 121 |
| Zinc Oxide | OSHA | ID 143 |
| Zinc | NIOSH | 7030 |
| Zinc | OSHA | 1006 |
| Zinc | OSHA | ID 121 |

Reason for revision: 8, 11, 12

Publication date: 2012-02-27

Date of revision: 2023-05-05

Revision number: 0201

BIG number: 51697

10 / 56

Cobalt Nickel cement

| Product name | Test | Number |
|--------------|------|---------|
| Zinc | OSHA | ID 125G |

8.1.3 Applicable limit values when using the substance or mixture as intended

If limit values are applicable and available these will be listed below.

8.1.4 Threshold values

DNEL/DMEL - Workers

calcium sulfate, dihydrate

| Effect level (DNEL/DMEL) | Type | Value | Remark |
|--------------------------|---------------------------------------|-------------------------|--------|
| DNEL | Acute systemic effects inhalation | 5082 mg/m ³ | |
| | Long-term systemic effects inhalation | 21.17 mg/m ³ | |

cadmium (non-pyrophoric)

| Effect level (DNEL/DMEL) | Type | Value | Remark |
|--------------------------|------------------------------------|---------------------|--------|
| DNEL | Long-term local effects inhalation | 4 µg/m ³ | |

cadmium oxide (non-pyrophoric)

| Effect level (DNEL/DMEL) | Type | Value | Remark |
|--------------------------|------------------------------------|---------------------|--------|
| DNEL | Long-term local effects inhalation | 4 µg/m ³ | |

cadmium sulphate

| Effect level (DNEL/DMEL) | Type | Value | Remark |
|--------------------------|------------------------------------|---------------------|--------|
| DNEL | Long-term local effects inhalation | 4 µg/m ³ | |

cobalt

| Effect level (DNEL/DMEL) | Type | Value | Remark |
|--------------------------|---------------------------------------|------------------------|--------|
| DNEL | Long-term systemic effects inhalation | 54.1 µg/m ³ | |
| | Long-term local effects inhalation | 40 µg/m ³ | |
| | Long-term systemic effects dermal | 7228.9 µg/kg bw/day | |

cobalt oxide

| Effect level (DNEL/DMEL) | Type | Value | Remark |
|--------------------------|------------------------------------|------------------------|--------|
| DNEL | Long-term local effects inhalation | 50.9 µg/m ³ | |

copper

| Effect level (DNEL/DMEL) | Type | Value | Remark |
|--------------------------|-----------------------------------|-----------------------|--------|
| DNEL | Long-term systemic effects dermal | 137 mg/kg bw/day | |
| | Acute systemic effects dermal | 273 mg/m ³ | |

copper(II) oxide

| Effect level (DNEL/DMEL) | Type | Value | Remark |
|--------------------------|---------------------------------------|---------------------|--------|
| DNEL | Long-term systemic effects inhalation | 1 mg/m ³ | |
| | Long-term local effects inhalation | 1 mg/m ³ | |
| | Long-term systemic effects dermal | 137 mg/kg bw/day | |

copper sulphate

| Effect level (DNEL/DMEL) | Type | Value | Remark |
|--------------------------|---------------------------------------|---------------------|--------|
| DNEL | Long-term systemic effects inhalation | 1 mg/m ³ | |
| | Long-term local effects inhalation | 1 mg/m ³ | |
| | Long-term systemic effects dermal | 137 mg/kg bw/day | |

nickel

| Effect level (DNEL/DMEL) | Type | Value | Remark |
|--------------------------|---------------------------------------|--------------------------|--------|
| DNEL | Long-term systemic effects inhalation | 0.05 mg/m ³ | |
| | Long-term local effects inhalation | 0.05 mg/m ³ | |
| | Acute local effects inhalation | 11.9 mg/m ³ | |
| | Long-term local effects dermal | 0.035 mg/cm ² | |

nickel monoxide

| Effect level (DNEL/DMEL) | Type | Value | Remark |
|--------------------------|---------------------------------------|--------------------------|--------|
| DNEL | Long-term systemic effects inhalation | 0.05 mg/m ³ | |
| | Long-term local effects inhalation | 0.05 mg/m ³ | |
| | Acute local effects inhalation | 18.9 mg/m ³ | |
| | Long-term local effects dermal | 0.012 mg/cm ² | |

antimony trioxide

| Effect level (DNEL/DMEL) | Type | Value | Remark |
|--------------------------|------------------------------------|-------------------------|--------|
| DNEL | Long-term local effects inhalation | 0.315 mg/m ³ | |
| | Long-term systemic effects dermal | 67 mg/kg bw/day | |

zinc oxide

| Effect level (DNEL/DMEL) | Type | Value | Remark |
|--------------------------|---------------------------------------|-----------------------|--------|
| DNEL | Long-term systemic effects inhalation | 5 mg/m ³ | |
| | Long-term local effects inhalation | 0.5 mg/m ³ | |
| | Long-term systemic effects dermal | 83 mg/kg bw/day | |

zinc sulphate (anhydrous)

| Effect level (DNEL/DMEL) | Type | Value | Remark |
|--------------------------|---------------------------------------|---------------------|--------|
| DNEL | Long-term systemic effects inhalation | 1 mg/m ³ | |
| | Long-term systemic effects dermal | 8.3 mg/kg bw/day | |

DNEL/DMEL - General population

Reason for revision: 8, 11, 12

Publication date: 2012-02-27

Date of revision: 2023-05-05

Revision number: 0201

BIG number: 51697

11 / 56

Cobalt Nickel cement

calcium sulfate, dihydrate

| Effect level (DNEL/DMEL) | Type | Value | Remark |
|--------------------------|---------------------------------------|------------------------|--------|
| DNEL | Acute systemic effects inhalation | 3811 mg/m ³ | |
| | Acute systemic effects oral | 11.4 mg/kg bw/day | |
| | Long-term systemic effects inhalation | 5.29 mg/m ³ | |
| | Long-term systemic effects oral | 1.52 mg/kg bw/day | |

cadmium (non-pyrophoric)

| Effect level (DNEL/DMEL) | Type | Value | Remark |
|--------------------------|---------------------------------|----------------|--------|
| DNEL | Long-term systemic effects oral | 1 µg/kg bw/day | |

cadmium oxide (non-pyrophoric)

| Effect level (DNEL/DMEL) | Type | Value | Remark |
|--------------------------|---------------------------------|----------------|--------|
| DNEL | Long-term systemic effects oral | 1 µg/kg bw/day | |

cadmium sulphate

| Effect level (DNEL/DMEL) | Type | Value | Remark |
|--------------------------|---------------------------------|----------------|--------|
| DNEL | Long-term systemic effects oral | 1 µg/kg bw/day | |

cobalt

| Effect level (DNEL/DMEL) | Type | Value | Remark |
|--------------------------|---------------------------------------|-----------------------|--------|
| DNEL | Long-term systemic effects inhalation | 8.1 µg/m ³ | |
| | Long-term local effects inhalation | 6.3 µg/m ³ | |
| | Long-term systemic effects dermal | 3265.2 µg/kg bw/day | |
| | Long-term systemic effects oral | 8.9 µg/kg bw/day | |

cobalt oxide

| Effect level (DNEL/DMEL) | Type | Value | Remark |
|--------------------------|------------------------------------|---------------------|--------|
| DNEL | Long-term local effects inhalation | 8 µg/m ³ | |
| | Long-term systemic effects oral | 38 µg/kg bw/day | |

copper

| Effect level (DNEL/DMEL) | Type | Value | Remark |
|--------------------------|-----------------------------------|-----------------------|--------|
| DNEL | Long-term systemic effects dermal | 137 mg/m ³ | |
| | Acute systemic effects dermal | 273 mg/m ³ | |

copper(II) oxide

| Effect level (DNEL/DMEL) | Type | Value | Remark |
|--------------------------|---------------------------------|--------------------|--------|
| DNEL | Long-term systemic effects oral | 0.041 mg/kg bw/day | |
| | Acute systemic effects oral | 0.082 mg/kg bw/day | |

copper sulphate

| Effect level (DNEL/DMEL) | Type | Value | Remark |
|--------------------------|---------------------------------|--------------------|--------|
| DNEL | Long-term systemic effects oral | 0.041 mg/kg bw/day | |
| | Acute systemic effects oral | 0.082 mg/kg bw/day | |

nickel

| Effect level (DNEL/DMEL) | Type | Value | Remark |
|--------------------------|---------------------------------------|--------------------------|--------|
| DNEL | Long-term systemic effects inhalation | 60 ng/m ³ | |
| | Long-term local effects inhalation | 60 ng/m ³ | |
| | Acute local effects inhalation | 0.8 mg/m ³ | |
| | Long-term local effects dermal | 0.035 mg/cm ² | |
| | Long-term systemic effects oral | 0.011 mg/kg bw/day | |
| | Acute systemic effects oral | 0.37 mg/kg bw/day | |

nickel monoxide

| Effect level (DNEL/DMEL) | Type | Value | Remark |
|--------------------------|---------------------------------------|-----------------------|--------|
| DNEL | Long-term systemic effects inhalation | 60 ng/m ³ | |
| | Long-term local effects inhalation | 60 ng/m ³ | |
| | Acute local effects inhalation | 1.8 mg/m ³ | |
| | Long-term systemic effects oral | 0.013 mg/kg bw/day | |
| | Acute systemic effects oral | 0.37 mg/kg bw/day | |

antimony trioxide

| Effect level (DNEL/DMEL) | Type | Value | Remark |
|--------------------------|------------------------------------|-------------------------|--------|
| DNEL | Long-term local effects inhalation | 0.095 mg/m ³ | |
| | Long-term systemic effects dermal | 33.5 mg/kg bw/day | |
| | Long-term systemic effects oral | 33.5 mg/kg bw/day | |

zinc oxide

| Effect level (DNEL/DMEL) | Type | Value | Remark |
|--------------------------|---------------------------------------|-----------------------|--------|
| DNEL | Long-term systemic effects inhalation | 2.5 mg/m ³ | |
| | Long-term systemic effects dermal | 83 mg/kg bw/day | |
| | Long-term systemic effects oral | 0.83 mg/kg bw/day | |

zinc sulphate (anhydrous)

| Effect level (DNEL/DMEL) | Type | Value | Remark |
|--------------------------|---------------------------------------|------------------------|--------|
| DNEL | Long-term systemic effects inhalation | 1.25 mg/m ³ | |
| | Long-term systemic effects dermal | 8.3 mg/kg bw/day | |
| | Long-term systemic effects oral | 0.83 mg/kg bw/day | |

Reason for revision: 8, 11, 12

Publication date: 2012-02-27

Date of revision: 2023-05-05

Revision number: 0201

BIG number: 51697

12 / 56

Cobalt Nickel cement

PNEC

cadmium (non-pyrophoric)

| Compartments | Value | Remark |
|-----------------------|------------------------|--------|
| Fresh water | 0.19 µg/l | |
| Marine water | 1.14 µg/l | |
| Fresh water sediment | 1.8 mg/kg sediment dw | |
| Marine water sediment | 0.64 mg/kg sediment dw | |
| STP | 20 µg/l | |
| Soil | 0.9 mg/kg soil dw | |
| Oral | 0.16 mg/kg food | |

cadmium oxide (non-pyrophoric)

| Compartments | Value | Remark |
|-----------------------|------------------------|--------|
| Fresh water | 0.19 µg/l | |
| Marine water | 1.14 µg/l | |
| STP | 20 µg/l | |
| Fresh water sediment | 1.8 mg/kg sediment dw | |
| Marine water sediment | 0.64 mg/kg sediment dw | |
| Soil | 0.9 mg/kg soil dw | |
| Oral | 0.16 mg/kg food | |

cadmium sulphate

| Compartments | Value | Remark |
|-----------------------|------------------------|--------|
| Fresh water | 0.19 µg/l | |
| Marine water | 1.14 µg/l | |
| STP | 20 µg/l | |
| Fresh water sediment | 1.8 mg/kg sediment dw | |
| Marine water sediment | 0.64 mg/kg sediment dw | |
| Soil | 0.9 mg/kg soil dw | |
| Oral | 0.16 mg/kg food | |

cobalt

| Compartments | Value | Remark |
|-----------------------|------------------------|--------|
| Fresh water | 1.06 µg/l | |
| Marine water | 2.36 µg/l | |
| STP | 0.37 mg/l | |
| Fresh water sediment | 53.8 mg/kg sediment dw | |
| Marine water sediment | 69.8 mg/kg sediment dw | |
| Soil | 10.9 mg/kg soil dw | |

cobalt oxide

| Compartments | Value | Remark |
|-----------------------|------------------------|--------|
| Fresh water | 0.62 µg/l | |
| Marine water | 2.36 µg/l | |
| STP | 0.37 mg/l | |
| Fresh water sediment | 53.8 mg/kg sediment dw | |
| Marine water sediment | 69.8 mg/kg sediment dw | |
| Soil | 10.9 mg/kg soil dw | |

copper

| Compartments | Value | Remark |
|-----------------------|-----------------------|--------|
| Fresh water | 6.3 µg/l | |
| Marine water | 5.2 µg/l | |
| STP | 230 µg/l | |
| Fresh water sediment | 87 mg/kg sediment dw | |
| Marine water sediment | 676 mg/kg sediment dw | |
| Soil | 65 mg/kg soil dw | |

copper(II) oxide

| Compartments | Value | Remark |
|-----------------------|-----------------------|--------|
| Fresh water | 7.8 µg/l | |
| Marine water | 5.2 µg/l | |
| STP | 230 µg/l | |
| Fresh water sediment | 87 mg/kg sediment dw | |
| Marine water sediment | 676 mg/kg sediment dw | |
| Soil | 65 mg/kg soil dw | |

copper sulphate

| Compartments | Value | Remark |
|-----------------------|-----------------------|--------|
| Fresh water | 7.8 µg/l | |
| Marine water | 5.2 µg/l | |
| STP | 230 µg/l | |
| Fresh water sediment | 87 mg/kg sediment dw | |
| Marine water sediment | 676 mg/kg sediment dw | |
| Soil | 65 mg/kg soil dw | |

Reason for revision: 8, 11, 12

Publication date: 2012-02-27

Date of revision: 2023-05-05

Revision number: 0201

BIG number: 51697

13 / 56

Cobalt Nickel cement

nickel

| Compartments | Value | Remark |
|--------------------------------------|-----------------------|--------|
| Fresh water | 7.1 µg/l | |
| Marine water | 8.6 µg/l | |
| Fresh water (intermittent releases) | < 0.01 µg/l | |
| Marine water (intermittent releases) | < 0.01 µg/l | |
| STP | 0.33 mg/l | |
| Fresh water sediment | 109 mg/kg sediment dw | |
| Marine water sediment | 109 mg/kg sediment dw | |
| Soil | 29.9 mg/kg soil dw | |
| Oral | 0.12 mg/kg food | |

nickel monoxide

| Compartments | Value | Remark |
|--------------------------------------|-----------------------|--------|
| Fresh water | 7.1 µg/l | |
| Fresh water (intermittent releases) | < 0.01 µg/l | |
| Marine water | 8.6 µg/l | |
| Marine water (intermittent releases) | < 0.01 µg/l | |
| STP | 0.33 mg/l | |
| Fresh water sediment | 109 mg/kg sediment dw | |
| Marine water sediment | 109 mg/kg sediment dw | |
| Soil | 29.9 mg/kg soil dw | |
| Oral | 0.12 mg/kg food | |

antimony trioxide

| Compartments | Value | Remark |
|-----------------------|------------------------|--------|
| Fresh water | 0.135 mg/l | |
| Marine water | 0.013 mg/l | |
| STP | 3.05 mg/l | |
| Fresh water sediment | 13.4 mg/kg sediment dw | |
| Marine water sediment | 2.68 mg/kg sediment dw | |
| Soil | 44.3 mg/kg soil dw | |

zinc

| Compartments | Value | Remark |
|-----------------------|-------------------------|----------|
| Fresh water | 14.4 µg/l | Zinc ion |
| Marine water | 7.2 µg/l | Zinc ion |
| STP | 100 µg/l | Zinc ion |
| Fresh water sediment | 146.9 mg/kg sediment dw | Zinc ion |
| Marine water sediment | 162.2 mg/kg sediment dw | Zinc ion |
| Soil | 83.1 mg/kg soil dw | Zinc ion |

zinc oxide

| Compartments | Value | Remark |
|-----------------------|-------------------------|----------|
| Fresh water | 20.6 µg/l | Zinc ion |
| Marine water | 6.1 µg/l | Zinc ion |
| STP | 100 µg/l | Zinc ion |
| Fresh water sediment | 117.8 mg/kg sediment dw | Zinc ion |
| Marine water sediment | 56.5 mg/kg sediment dw | Zinc ion |
| Soil | 35.6 mg/kg soil dw | Zinc ion |

zinc sulphate (anhydrous)

| Compartments | Value | Remark |
|-----------------------|-------------------------|--------|
| Fresh water | 20.6 µg/l | |
| Marine water | 6.1 µg/l | |
| STP | 100 µg/l | |
| Fresh water sediment | 117.8 mg/kg sediment dw | |
| Marine water sediment | 56.5 mg/kg sediment dw | |
| Soil | 35.6 mg/kg soil dw | |

8.1.5 Control banding

If applicable and available it will be listed below.

8.2. Exposure controls

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

8.2.1 Appropriate engineering controls

Avoid raising dust. Keep away from naked flames/heat. Measure the concentration in the air regularly. Carry operations in the open/under local exhaust/ventilation or with respiratory protection.

8.2.2 Individual protection measures, such as personal protective equipment

Observe very strict hygiene - avoid contact. Do not eat, drink or smoke during work.

a) Respiratory protection:

Dust production: dust mask with filter type P3. High dust production: self-contained breathing apparatus (EN 136 + EN 137).

b) Hand protection:

Protective gloves against chemicals (EN 374).

| Materials | Remark |
|-----------|--------|
| | |

Reason for revision: 8, 11, 12

Publication date: 2012-02-27

Date of revision: 2023-05-05

Revision number: 0201

BIG number: 51697

14 / 56

Cobalt Nickel cement

| | |
|-------------------------------|-----------------|
| butyl rubber | Good resistance |
| PVC | Good resistance |
| nitrile rubber | Good resistance |
| neoprene (chloroprene rubber) | Good resistance |

c) Eye protection:

Face shield (EN 166). In case of dust production: protective goggles (EN 166).

d) Skin protection:

Protective clothing (EN 14605 or EN 13034). In case of dust production: head/neck protection. In case of dust production: dustproof clothing (EN 13982).

8.2.3 Environmental exposure controls:

See sections 6.2, 6.3 and 13

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---------------------------|-------------------------------------|
| Physical form | Solid |
| | Powder |
| Odour | Odourless |
| Odour threshold | Not applicable |
| Colour | Grey |
| Particle size | No data available in the literature |
| Explosion limits | Not applicable |
| Flammability | Not classified as flammable |
| Log Kow | Not applicable (inorganic) |
| Dynamic viscosity | Not applicable (solid) |
| Kinematic viscosity | Not applicable (solid) |
| Melting point | 71 °C ; 1013 hPa |
| Boiling point | No data available in the literature |
| Relative vapour density | Not applicable (solid) |
| Vapour pressure | Not applicable (solid) |
| Solubility | Water ; insoluble |
| Relative density | 3.39 ; 20 °C |
| Absolute density | 3390 kg/m ³ ; 20 °C |
| Decomposition temperature | > 71 °C |
| Auto-ignition temperature | Not applicable |
| Flash point | Not applicable (solid) |
| pH | No data available in the literature |

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

No data available.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Precautionary measures

Avoid raising dust. Keep away from naked flames/heat.

10.5. Incompatible materials

Oxidizing agents, (strong) acids.

10.6. Hazardous decomposition products

On burning: release of toxic and corrosive gases/vapours (sulphur oxides) and formation of metal oxides.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

11.1.1 Test results

Acute toxicity

Cobalt Nickel cement

Reason for revision: 8, 11, 12

Publication date: 2012-02-27

Date of revision: 2023-05-05

Revision number: 0201

BIG number: 51697

15 / 56

Cobalt Nickel cement

| Route of exposure | Parameter | Method | Value | Exposure time | Species | Value determination | Remark |
|-------------------|-----------|--------|--------------|---------------|--------------|---------------------|--------|
| Oral | LD50 | Other | 67 mg/kg bw | 8 day(s) | Rat (female) | Read-across | |
| Oral | LD50 | Other | 225 mg/kg bw | 14 day(s) | Rat (male) | Read-across | |

tricopper arsenide

| Route of exposure | Parameter | Method | Value | Exposure time | Species | Value determination | Remark |
|-------------------|-----------|--------|------------|---------------|---------|---------------------|--------|
| Oral | | | category 3 | | | Annex VI | |
| Inhalation | | | category 3 | | | Annex VI | |

calcium sulfate, dihydrate

| Route of exposure | Parameter | Method | Value | Exposure time | Species | Value determination | Remark |
|-------------------|-----------|----------|-----------------|---------------|---------------------|---------------------|--------|
| Oral | LD50 | OECD 420 | > 2000 mg/kg bw | | Rat (female) | Experimental value | |
| Inhalation (dust) | LC50 | OECD 403 | > 3.26 mg/l air | 4 h | Rat (male / female) | Experimental value | |

cadmium (non-pyrophoric)

| Route of exposure | Parameter | Method | Value | Exposure time | Species | Value determination | Remark |
|----------------------|-----------|--------|------------|---------------|---------------------|---------------------|--------|
| Oral | LD50 | | 2330 mg/kg | | Rat | Experimental value | |
| Dermal | | | | | | Data waiving | |
| Inhalation (aerosol) | LC50 | | 0.056 mg/l | 4 h | Rat (male / female) | Read-across | |

cadmium oxide (non-pyrophoric)

| Route of exposure | Parameter | Method | Value | Exposure time | Species | Value determination | Remark |
|----------------------|-----------|--------|-------------------|---------------|---------------------|---------------------|--------|
| Oral | LD50 | | 2330 mg/kg bw | | Rat | Read-across | |
| Dermal | | | | | | Data waiving | |
| Inhalation (aerosol) | LC50 | | 0.056 mg/l(Cd 2+) | 4 h | Rat (male / female) | Read-across | |

cadmium sulphate

| Route of exposure | Parameter | Method | Value | Exposure time | Species | Value determination | Remark |
|----------------------|-----------|--------|---------------------|---------------|---------------------|---------------------|--------|
| Oral | LD50 | | 225 mg/kg bw(Cd 2+) | | Rat (male) | Read-across | |
| Dermal | | | | | | Data waiving | |
| Inhalation (aerosol) | LC50 | | 0.056 mg/l(Cd 2+) | 4 h | Rat (male / female) | Read-across | |

cobalt

| Route of exposure | Parameter | Method | Value | Exposure time | Species | Value determination | Remark |
|-------------------|-----------|----------|-----------------|---------------|---------------------|---------------------------------------|--------|
| Oral | LD50 | OECD 425 | 550 mg/kg bw | | Rat (female) | Experimental value | |
| Dermal | LD50 | OECD 402 | > 2000 mg/kg bw | 24 h | Rat (male / female) | Experimental value of similar product | |
| Inhalation (dust) | LC50 | OECD 436 | ≤ 0.05 mg/l air | 4 h | Rat (male / female) | Experimental value | |

Classification of this substance according to Annex VI is debatable as it does not correspond to the conclusion from the test

cobalt oxide

| Route of exposure | Parameter | Method | Value | Exposure time | Species | Value determination | Remark |
|-------------------|-----------|------------------------|-----------------|---------------|---------------------|---------------------------------------|--------|
| Oral | LD50 | Equivalent to OECD 401 | 202 mg/kg | | Rat (male / female) | Experimental value | |
| Dermal | LD50 | OECD 402 | > 2000 mg/kg bw | 24 h | Rat (male / female) | Experimental value of similar product | |
| Inhalation (dust) | LC50 | OECD 436 | 0.06 mg/l | 4 h | Rat (male / female) | Experimental value | |

Classification of this substance according to Annex VI is debatable as it does not correspond to the conclusion from the test

copper

| Route of exposure | Parameter | Method | Value | Exposure time | Species | Value determination | Remark |
|-------------------|-----------|----------|-----------------|---------------|---------------------|---------------------|--------|
| Oral | LD50 | OECD 401 | 481 mg/kg bw | | Rat (male / female) | Experimental value | |
| Dermal | LD50 | OECD 402 | > 2000 mg/kg bw | 24 h | Rat (male / female) | Experimental value | |
| Inhalation (dust) | LD50 | OECD 436 | > 5.11 mg/l | 4 h | Rat (male / female) | Experimental value | |

Cobalt Nickel cement

copper(II) oxide

| Route of exposure | Parameter | Method | Value | Exposure time | Species | Value determination | Remark |
|-------------------|-----------|----------|-----------------|---------------|---------------------|---------------------|--------|
| Oral | LD50 | OECD 423 | > 2500 mg/kg | | Rat (male) | Experimental value | |
| Dermal | LD50 | OECD 402 | > 2000 mg/kg bw | 24 h | Rat (male / female) | Experimental value | |

copper sulphate

| Route of exposure | Parameter | Method | Value | Exposure time | Species | Value determination | Remark |
|-------------------|-----------|----------|--------------|---------------|---------------------|---------------------|--------|
| Oral | LD50 | OECD 401 | 481 mg/kg | | Rat (male / female) | Experimental value | |
| Dermal | LD50 | OECD 402 | > 2000 mg/kg | 24 h | Rat (male / female) | Experimental value | |
| Inhalation | | | | | | Data waiving | |

nickel

| Route of exposure | Parameter | Method | Value | Exposure time | Species | Value determination | Remark |
|----------------------|-----------|------------------------|--------------|---------------|---------------------|---------------------|--------|
| Oral | LD50 | Equivalent to OECD 401 | > 9000 mg/kg | | Rat (male / female) | Experimental value | |
| Dermal | | | | | | Data waiving | |
| Inhalation (aerosol) | NOAEC | | ≥ 10.2 mg/l | 1 h | Rat (male / female) | Experimental value | |

nickel monoxide

| Route of exposure | Parameter | Method | Value | Exposure time | Species | Value determination | Remark |
|----------------------|-----------|------------------------|---------------|---------------|---------------------|---------------------|--------|
| Oral | LD50 | Equivalent to OECD 425 | 9990 mg/kg bw | | Rat (female) | Experimental value | |
| Dermal | | | | | | Data waiving | |
| Inhalation (aerosol) | LC50 | OECD 403 | > 5.08 mg/l | 4 h | Rat (male / female) | Experimental value | |

lead(II)sulphate

| Route of exposure | Parameter | Method | Value | Exposure time | Species | Value determination | Remark |
|-------------------|-----------|--------|------------|---------------|---------|---------------------|--------|
| Oral | | | category 4 | | | Annex VI | |
| Inhalation (dust) | | | category 4 | | | Annex VI | |

antimony trioxide

| Route of exposure | Parameter | Method | Value | Exposure time | Species | Value determination | Remark |
|----------------------|-----------|----------|-----------------|---------------|---------------------|---------------------|--------|
| Oral | LD50 | | > 20000 mg/kg | | Rat | Experimental value | |
| Dermal | LD50 | | > 8300 mg/kg bw | | Rabbit | Experimental value | |
| Inhalation (aerosol) | LC50 | OECD 403 | > 5.2 mg/l air | 4 h | Rat (male / female) | Experimental value | |

zinc

| Route of exposure | Parameter | Method | Value | Exposure time | Species | Value determination | Remark |
|-------------------|-----------|----------|-----------------|--------------------------------|---------------------|---------------------|--------|
| Oral | LD50 | OECD 401 | > 2000 mg/kg bw | | Rat (male / female) | Experimental value | |
| Dermal | | | | | | Data waiving | |
| Inhalation (dust) | LC50 | OECD 403 | > 5.41 mg/l | 4 weeks (daily, 5 days / week) | Rat (male / female) | Experimental value | |

zinc oxide

| Route of exposure | Parameter | Method | Value | Exposure time | Species | Value determination | Remark |
|-------------------|-----------|------------------------|-----------------|---------------|---------------------|---------------------|--------|
| Oral | LD50 | Equivalent to OECD 401 | > 5000 mg/kg | | Rat (male / female) | Experimental value | |
| Dermal | LD50 | OECD 402 | > 2000 mg/kg bw | 24 h | Rat (male / female) | Experimental value | |
| Inhalation (dust) | LC50 | Equivalent to OECD 403 | > 5.7 mg/l | 4 h | Rat (male / female) | Experimental value | |

zinc sulphate (anhydrous)

| Route of exposure | Parameter | Method | Value | Exposure time | Species | Value determination | Remark |
|-------------------|-----------|----------|-----------------|---------------|---------------------|---------------------|--------|
| Oral | LD50 | OECD 401 | 1710 mg/kg bw | | Rat (male) | Experimental value | |
| Dermal | LD50 | OECD 402 | > 2000 mg/kg bw | 24 h | Rat (male / female) | Experimental value | |

Conclusion

Harmful if swallowed.

Toxic if inhaled.

Not classified as acute toxic in contact with skin

Reason for revision: 8, 11, 12

Publication date: 2012-02-27

Date of revision: 2023-05-05

Revision number: 0201

BIG number: 51697

17 / 56

Cobalt Nickel cement

Corrosion/irritation

Cobalt Nickel cement

No (test) data available

calcium sulfate, dihydrate

| Route of exposure | Result | Method | Exposure time | Time point | Species | Value determination | Remark |
|-------------------|----------------|----------|---------------|------------|---------|---------------------|--------|
| Eye | Not irritating | OECD 405 | | 72 hours | Rabbit | Experimental value | |
| Skin | Not irritating | OECD 404 | 4 h | 72 hours | Rabbit | Experimental value | |

cadmium (non-pyrophoric)

| Route of exposure | Result | Method | Exposure time | Time point | Species | Value determination | Remark |
|--------------------------------|----------------|----------|---------------|------------|-------------------------------|---------------------|--------|
| Not applicable (in vitro test) | Not irritating | OECD 438 | 10 seconds | | Isolated chicken eye | Experimental value | |
| Not applicable (in vitro test) | Not irritating | OECD 431 | | | Reconstructed human epidermis | Experimental value | |

cadmium oxide (non-pyrophoric)

| Route of exposure | Result | Method | Exposure time | Time point | Species | Value determination | Remark |
|--------------------------------|--------------------|----------|---------------|------------|---|---------------------|--------|
| Not applicable (in vitro test) | Serious eye damage | OECD 438 | 10 seconds | | Isolated chicken eye | Experimental value | |
| Not applicable (in vitro test) | Not irritating | OECD 431 | 4 h | | SkinEthic™ reconstructed Human Corneal Epithelium model | Experimental value | |

Classification of this substance according to Annex VI is debatable as it does not correspond to the conclusion from the test

cadmium sulphate

| Route of exposure | Result | Method | Exposure time | Time point | Species | Value determination | Remark |
|--------------------------------|----------------|----------|---------------|------------|-------------------------------|---------------------|--------|
| Not applicable (in vitro test) | Not irritating | OECD 437 | | | Bovine eye (in vitro) | Experimental value | |
| Not applicable (in vitro test) | Not irritating | OECD 439 | 15 minutes | | Reconstructed human epidermis | Experimental value | |

cobalt

| Route of exposure | Result | Method | Exposure time | Time point | Species | Value determination | Remark |
|--------------------------------|----------------|----------------|---------------|------------------|-------------------------------|---------------------|------------------|
| Eye | Irritating | OECD 405 | | 24; 48; 72 hours | Rabbit | Experimental value | Single treatment |
| Not applicable (in vitro test) | Not irritating | EU Method B.46 | 15 minutes | 15 minutes | Reconstructed human epidermis | Experimental value | |

Classification of this substance according to Annex VI is debatable as it does not correspond to the conclusion from the test

cobalt oxide

| Route of exposure | Result | Method | Exposure time | Time point | Species | Value determination | Remark |
|--------------------------------|---------------------|----------|---------------|------------|-------------------------------|---------------------|--------|
| Not applicable (in vitro test) | Slightly irritating | OECD 437 | | 4 hours | Bovine eye (in vitro) | Experimental value | |
| Not applicable (in vitro test) | Not irritating | OECD 439 | 15 minutes | | Reconstructed human epidermis | Experimental value | |

copper

| Route of exposure | Result | Method | Exposure time | Time point | Species | Value determination | Remark |
|-------------------|---------------------|----------|---------------|---------------------|---------|---------------------|------------------|
| Eye | Slightly irritating | OECD 405 | | 24; 48; 72 hours | Rabbit | Experimental value | Single treatment |
| Skin | Not irritating | OECD 404 | 4 h | 1; 24; 48; 72 hours | Rabbit | Experimental value | |

copper(II) oxide

| Route of exposure | Result | Method | Exposure time | Time point | Species | Value determination | Remark |
|-------------------|---------------------|----------|---------------|------------------|---------|---------------------|----------------------------------|
| Eye | Slightly irritating | OECD 405 | | 24; 48; 72 hours | Rabbit | Experimental value | Single treatment without rinsing |
| Skin | Not irritating | OECD 404 | 4 h | 24; 48; 72 hours | Rabbit | Experimental value | |

Reason for revision: 8, 11, 12

Publication date: 2012-02-27

Date of revision: 2023-05-05

Revision number: 0201

BIG number: 51697

18 / 56

Cobalt Nickel cement

copper sulphate

| Route of exposure | Result | Method | Exposure time | Time point | Species | Value determination | Remark |
|-------------------|------------------------|----------|---------------|------------------|---------|---------------------|--------------|
| Eye | Serious eye damage | OECD 405 | | 24; 48; 72 hours | Rabbit | Experimental value | Hydrate form |
| Skin | Not irritating | OECD 404 | 4 h | 24; 48; 72 hours | Rabbit | Read-across | Hydrate form |
| Skin | Irritating; category 2 | | | | | Annex VI | |

Classification and labelling do not correspond to those of Annex VI

nickel

| Route of exposure | Result | Method | Exposure time | Time point | Species | Value determination | Remark |
|-------------------|---------------------|----------|---------------|------------|---------|---------------------|--------|
| Eye | Not irritating | OECD 405 | 168 h | 48 hours | Rabbit | Experimental value | |
| Skin | Slightly irritating | OECD 404 | 4 h | | Rabbit | Experimental value | |

nickel monoxide

| Route of exposure | Result | Method | Exposure time | Time point | Species | Value determination | Remark |
|-------------------|---------------------|----------|---------------|-------------------------------|---------|---------------------|----------------------------------|
| Eye | Slightly irritating | OECD 405 | | 1; 24; 48; 72; 168 hours | Rabbit | Experimental value | Single treatment without rinsing |
| Skin | Slightly irritating | OECD 404 | 4 h | 30-60 minutes; 24; 48; 72 hrs | Rabbit | Experimental value | |

antimony trioxide

| Route of exposure | Result | Method | Exposure time | Time point | Species | Value determination | Remark |
|-------------------|----------------|----------|---------------|------------------|---------|---------------------|------------------|
| Eye | Not irritating | OECD 405 | | 24; 48; 72 hours | Rabbit | Experimental value | Single treatment |
| Skin | Not irritating | | | | Rabbit | Experimental value | |

zinc

| Route of exposure | Result | Method | Exposure time | Time point | Species | Value determination | Remark |
|--------------------------------|----------------|--------|---------------|------------|--|---------------------|--------|
| Eye | Not irritating | | | | Rabbit | Literature study | |
| Not applicable (in vitro test) | Not irritating | | | | In vitro: SkinEthic Reconstituted epithelium model | Experimental value | |
| Inhalation (ZnO, metal oxides) | Not irritating | | | | | Literature study | |

zinc oxide

| Route of exposure | Result | Method | Exposure time | Time point | Species | Value determination | Remark |
|--------------------------------|----------------|----------|---------------|--------------|-------------------------------|---------------------|--------|
| Eye | Not irritating | OECD 405 | 24 h | 24; 72 hours | Rabbit | Experimental value | |
| Skin | Not irritating | OECD 404 | 24 h | 24 hours | Rabbit | Experimental value | |
| Not applicable (in vitro test) | Not corrosive | OECD 431 | 3 minutes | 24; 72 hours | Reconstructed human epidermis | Experimental value | |

zinc sulphate (anhydrous)

| Route of exposure | Result | Method | Exposure time | Time point | Species | Value determination | Remark |
|-------------------|--------------------------------|----------|---------------|---------------------|---------|---------------------------------------|----------------------------------|
| Eye | Highly irritating | OECD 405 | | 24; 48; 72 hours | Rabbit | Experimental value of similar product | Single treatment without rinsing |
| Eye | Serious eye damage; category 1 | | | | | Annex VI | |
| Skin | Not irritating | OECD 404 | 4 h | 1; 24; 48; 72 hours | Rabbit | Experimental value | |

Conclusion

Causes serious eye damage.

Not classified as irritating to the respiratory system

Not classified as irritating to the skin

Respiratory or skin sensitisation

Cobalt Nickel cement

No (test) data available

Reason for revision: 8, 11, 12

Publication date: 2012-02-27

Date of revision: 2023-05-05

Revision number: 0201

BIG number: 51697

19 / 56

Cobalt Nickel cement

calcium sulfate, dihydrate

| Route of exposure | Result | Method | Exposure time | Observation time point | Species | Value determination | Remark |
|-------------------|-----------------|----------|---------------|------------------------|-------------------|---------------------|--------|
| Skin | Not sensitizing | OECD 406 | 6 h | 24; 48 hours | Guinea pig (male) | Experimental value | |

cadmium (non-pyrophoric)

| Route of exposure | Result | Method | Exposure time | Observation time point | Species | Value determination | Remark |
|-------------------|--------|--------|---------------|------------------------|---------|---------------------|--------|
| Skin | | | | | | Data waiving | |
| Inhalation | | | | | | Data waiving | |

cadmium oxide (non-pyrophoric)

| Route of exposure | Result | Method | Exposure time | Observation time point | Species | Value determination | Remark |
|-------------------|-----------------|----------|---------------|------------------------|----------------------------|---------------------------------------|--------|
| Skin | Not sensitizing | OECD 406 | | | Guinea pig (male / female) | Experimental value of similar product | |
| Inhalation (dust) | | | | | | Data waiving | |

cadmium sulphate

| Route of exposure | Result | Method | Exposure time | Observation time point | Species | Value determination | Remark |
|--------------------------------|------------------------------|-----------|---------------|------------------------|---------|---------------------|--------|
| Not applicable (in vitro test) | Limited positive test result | OECD 442D | | | | Experimental value | |
| Inhalation | | | | | | Data waiving | |

cobalt

| Route of exposure | Result | Method | Exposure time | Observation time point | Species | Value determination | Remark |
|-------------------|-------------------------|--------|---------------|------------------------|---------|---------------------|--------|
| Skin | Sensitizing; category 1 | | | | | Annex VI | |
| Inhalation | Sensitizing; category 1 | | | | | Annex VI | |

cobalt oxide

| Route of exposure | Result | Method | Exposure time | Observation time point | Species | Value determination | Remark |
|-------------------|-------------|----------|---------------|------------------------|----------------|---------------------|--------|
| Skin | Sensitizing | OECD 429 | | | Mouse (female) | Experimental value | |

copper

| Route of exposure | Result | Method | Exposure time | Observation time point | Species | Value determination | Remark |
|-------------------|-----------------|----------|---------------|------------------------|-------------------|---------------------|--------|
| Skin | Not sensitizing | OECD 406 | | | Guinea pig (male) | Experimental value | |

copper(II) oxide

| Route of exposure | Result | Method | Exposure time | Observation time point | Species | Value determination | Remark |
|-------------------|-----------------|----------|---------------|------------------------|----------------------------|---------------------|--------|
| Skin | Not sensitizing | OECD 406 | | | Guinea pig (male / female) | Experimental value | |

copper sulphate

| Route of exposure | Result | Method | Exposure time | Observation time point | Species | Value determination | Remark |
|-------------------|-----------------|----------|---------------|------------------------|----------------------------|---------------------|--------------|
| Skin | Not sensitizing | OECD 406 | | | Guinea pig (male / female) | Experimental value | Hydrate form |

nickel

| Route of exposure | Result | Method | Exposure time | Observation time point | Species | Value determination | Remark |
|-------------------|-------------|------------|---------------|------------------------|---------|---------------------|--------|
| Skin | Sensitizing | Patch test | | | Human | Experimental value | |

nickel monoxide

| Route of exposure | Result | Method | Exposure time | Observation time point | Species | Value determination | Remark |
|-------------------|-----------------|------------|---------------|------------------------|---------------------|---------------------|--------|
| Intradermal | Not sensitizing | OECD 406 | | | Guinea pig (female) | Experimental value | |
| Skin | Sensitizing | Patch test | | | Human | Experimental value | |
| Skin | category 1 | | | | | Annex VI | |

antimony trioxide

| Route of exposure | Result | Method | Exposure time | Observation time point | Species | Value determination | Remark |
|-------------------|-----------------|----------|---------------|------------------------|---------------------|---------------------|--------|
| Skin | Not sensitizing | OECD 406 | | | Guinea pig (female) | Experimental value | |

Reason for revision: 8, 11, 12

Publication date: 2012-02-27

Date of revision: 2023-05-05

Revision number: 0201

BIG number: 51697

20 / 56

Cobalt Nickel cement

zinc

| Route of exposure | Result | Method | Exposure time | Observation time point | Species | Value determination | Remark |
|----------------------|-----------------|------------------------|---------------|------------------------|----------------------------|---------------------|--------|
| Dermal (on the ears) | Sensitizing | Equivalent to OECD 429 | | | Mouse (female) | Experimental value | |
| Skin | Not sensitizing | OECD 406 | | | Guinea pig (male / female) | Experimental value | |

zinc oxide

| Route of exposure | Result | Method | Exposure time | Observation time point | Species | Value determination | Remark |
|-------------------|-----------------|-------------------|---------------------|------------------------|---------------------|---------------------|--------|
| Skin | Not sensitizing | OECD 406 | | | Guinea pig (female) | Experimental value | |
| Skin | Not sensitizing | Human observation | 2 days (continuous) | 72 hours | Human | Experimental value | |

zinc sulphate (anhydrous)

| Route of exposure | Result | Method | Exposure time | Observation time point | Species | Value determination | Remark |
|----------------------|-----------------|------------------------|---------------|------------------------|----------------|---------------------|--------|
| Dermal (on the ears) | Not sensitizing | Equivalent to OECD 429 | | | Mouse (female) | Experimental value | |

Conclusion

May cause an allergic skin reaction.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Specific target organ toxicity

Cobalt Nickel cement

No (test) data available

calcium sulfate, dihydrate

| Route of exposure | Parameter | Method | Value | Organ | Effect | Exposure time | Species | Value determination |
|-------------------|-----------|----------|------------------|-------|---|---------------|-------------------|---------------------|
| Oral | NOAEL | OECD 422 | 100 mg/kg bw/day | Blood | No effect | 35 day(s) | Rat (male) | Experimental value |
| Oral | LOAEL | OECD 422 | 300 mg/kg bw/day | Blood | Change in the haemogramme/blood composition | 35 day(s) | Guinea pig (male) | Experimental value |

cadmium (non-pyrophoric)

| Route of exposure | Parameter | Method | Value | Organ | Effect | Exposure time | Species | Value determination |
|----------------------|-----------|--------------------------|-----------------------------|-------------------|-------------------------|------------------------------------|---------------------|---------------------------------------|
| Oral (diet) | NOAEL | Subchronic toxicity test | 3 mg/kg bw/day | | No effect | 3 month(s) | Rat (male / female) | Experimental value |
| Dermal | | | | | | | | Data waiving |
| Inhalation (aerosol) | NOAEL | Equivalent to OECD 413 | 0.025 mg/m ³ air | | No effect | 13 weeks (6h / day, 5 days / week) | Rat (male / female) | Experimental value of similar product |
| Inhalation (aerosol) | LOAEL | Equivalent to OECD 413 | 0.05 mg/m ³ air | Respiratory tract | Impairment/degeneration | 13 weeks (6h / day, 5 days / week) | Rat (male / female) | Experimental value of similar product |

cadmium oxide (non-pyrophoric)

| Route of exposure | Parameter | Method | Value | Organ | Effect | Exposure time | Species | Value determination |
|----------------------|-----------|--------------------------|-----------------------------|-------|------------------------------------|------------------------------------|---------------------|---------------------------------------|
| Oral (diet) | NOAEL | Subchronic toxicity test | 3 mg/kg bw/day | | No effect | 3 month(s) | Rat (male / female) | Experimental value of similar product |
| Dermal | | | | | | | | Data waiving |
| Inhalation (aerosol) | NOAEL | Equivalent to OECD 413 | 0.025 mg/m ³ air | | No effect | 13 weeks (6h / day, 5 days / week) | Rat (male / female) | Experimental value |
| Inhalation (aerosol) | LOAEL | Equivalent to OECD 413 | 0.05 mg/m ³ air | Lungs | Lung tissue affection/degeneration | 13 weeks (6h / day, 5 days / week) | Rat (male / female) | Experimental value |

cadmium sulphate

| Route of exposure | Parameter | Method | Value | Organ | Effect | Exposure time | Species | Value determination |
|-------------------|-----------|--------|---------------|-------|--------|---------------|---------|---------------------|
| Unknown | | | STOT RE cat.1 | | | | | Annex VI |
| Dermal | | | | | | | | Data waiving |

Reason for revision: 8, 11, 12

Publication date: 2012-02-27

Date of revision: 2023-05-05

Revision number: 0201

BIG number: 51697

21 / 56

Cobalt Nickel cement

cobalt

| Route of exposure | Parameter | Method | Value | Organ | Effect | Exposure time | Species | Value determination |
|----------------------|-----------|----------|----------------------------|--------|--------------------------|-------------------------------------|---------------------|---------------------------------------|
| Oral (stomach tube) | NOAEL | OECD 408 | 3 mg/kg bw/day | | No effect | 90 days (1x / day) | Rat (male / female) | Experimental value of similar product |
| Dermal | | | | | | | | Data waiving |
| Inhalation (aerosol) | LOAEC | | 0.31 mg/m ³ air | Larynx | Impairment/d egeneration | 105 weeks (6h / day, 5 days / week) | Rat (male / female) | Experimental value |

cobalt oxide

| Route of exposure | Parameter | Method | Value | Organ | Effect | Exposure time | Species | Value determination |
|----------------------|-----------|------------------------|----------------------------|-------------------|---------------------------------------|------------------------------------|---------------------|---------------------------------------|
| Oral (stomach tube) | NOAEL | OECD 408 | 3 mg/kg bw/day | | No effect | 90 day(s) | Rat (male / female) | Experimental value of similar product |
| Dermal | | | | | | | | Data waiving |
| Inhalation (aerosol) | LOAEC | Equivalent to OECD 413 | 0.61 mg/m ³ air | Respiratory tract | Inflammation of the respiratory tract | 14 weeks (6h / day, 5 days / week) | Rat (male / female) | Experimental value of similar product |

copper

| Route of exposure | Parameter | Method | Value | Organ | Effect | Exposure time | Species | Value determination |
|-------------------|-----------|------------------------------|---------------------------|-------|------------------------------------|-----------------------------------|---------------------|---------------------|
| Oral (diet) | NOAEL | Equivalent to EU Method B.26 | 1000 ppm | | No effect | 92 day(s) | Rat (male / female) | Experimental value |
| Oral (diet) | LOAEL | Equivalent to EU Method B.26 | 2000 ppm | Liver | Enlargement/affection of the liver | 92 day(s) | Rat (male / female) | Experimental value |
| Dermal | | | | | | | | Data waiving |
| Inhalation (dust) | NOAEL | OECD 412 | ≥ 2 mg/m ³ air | Lungs | No effect | 4 weeks (6h / day, 5 days / week) | Rat (male / female) | Experimental value |

copper(II) oxide

| Route of exposure | Parameter | Method | Value | Organ | Effect | Exposure time | Species | Value determination |
|-------------------|-----------|------------------------------|---------------------------|-------|------------------------------------|-----------------------------------|---------------------|---------------------|
| Oral (diet) | NOAEL | Equivalent to EU Method B.26 | 1000 ppm | | No effect | 92 day(s) | Rat (male / female) | Experimental value |
| Oral (diet) | LOAEL | Equivalent to EU Method B.26 | 2000 ppm - 4000 ppm | Liver | Enlargement/affection of the liver | 92 day(s) | Rat (male / female) | Experimental value |
| Inhalation (dust) | NOAEL | OECD 412 | ≥ 2 mg/m ³ air | Lungs | No effect | 4 weeks (6h / day, 5 days / week) | Rat (male / female) | Experimental value |

copper sulphate

| Route of exposure | Parameter | Method | Value | Organ | Effect | Exposure time | Species | Value determination |
|----------------------|-----------|------------------------------|---------------------------|-------|------------------------------------|-----------------------------------|---------------------|---------------------------------------|
| Oral (diet) | NOAEL | Equivalent to EU Method B.26 | 1000 ppm | | No effect | 13 weeks (7 days / week) | Rat (male / female) | Experimental value |
| Oral (diet) | LOAEL | Equivalent to EU Method B.26 | 2000 ppm | Liver | Enlargement/affection of the liver | 13 weeks (7 days / week) | Rat (male / female) | Experimental value |
| Dermal | | | | | | | | Data waiving |
| Inhalation (aerosol) | NOAEL | OECD 412 | ≥ 2 mg/m ³ air | Lungs | No effect | 4 weeks (6h / day, 5 days / week) | Rat (male / female) | Experimental value of similar product |

nickel

| Route of exposure | Parameter | Method | Value | Organ | Effect | Exposure time | Species | Value determination |
|----------------------|-----------|------------------------|---------------------------|-------------------|--------------------------|-------------------------------------|---------------------|---------------------------------------|
| Oral (stomach tube) | NOAEL | OECD 451 | 2.2 mg/kg bw/day | | No effect | 104 weeks (daily) | Rat (male / female) | Experimental value of similar product |
| Oral (stomach tube) | LOAEL | OECD 451 | 6.7 mg/kg bw/day | General | Body weight reduction | 104 weeks (daily) | Rat (male / female) | Experimental value of similar product |
| Dermal | | | | | | | | Data waiving |
| Inhalation (aerosol) | LOAEC | Equivalent to OECD 451 | 0.1 mg/m ³ air | Respiratory tract | Respiratory difficulties | 2 year(s) (6h / day, 5 days / week) | Rat (male / female) | Experimental value |

Reason for revision: 8, 11, 12

Publication date: 2012-02-27

Date of revision: 2023-05-05

Revision number: 0201

BIG number: 51697

22 / 56

Cobalt Nickel cement

nickel monoxide

| Route of exposure | Parameter | Method | Value | Organ | Effect | Exposure time | Species | Value determination |
|----------------------|-----------|------------------------|---------------------|---------|----------------|------------------------------------|---------------------|---------------------|
| Oral (stomach tube) | NOAEL | OECD 451 | 2.2 mg/kg bw/day | | No effect | 104 weeks (daily) | Rat (male / female) | Experimental value |
| Oral (stomach tube) | LOAEL | OECD 451 | 6.7 mg/kg bw/day | General | Loss of weight | 104 weeks (daily) | Rat (male / female) | Experimental value |
| Dermal | | | | | | | | Data waiving |
| Inhalation (aerosol) | NOEC | Equivalent to OECD 413 | 2 mg/m ³ | Lungs | Pneumonia | 13 weeks (6h / day, 5 days / week) | Rat (male / female) | Experimental value |

lead(II)sulphate

| Route of exposure | Parameter | Method | Value | Organ | Effect | Exposure time | Species | Value determination |
|-------------------|------------|--------|---------------|-------|---|-----------------|---------------|---------------------|
| Unknown | | | STOT RE cat.2 | | | | | Annex VI |
| Oral (diet) | Dose level | | 500 ppm | Blood | Change in the haemogramme/blood composition | 7 weeks (daily) | Bovine (male) | Experimental value |

antimony trioxide

| Route of exposure | Parameter | Method | Value | Organ | Effect | Exposure time | Species | Value determination |
|----------------------|------------|------------------------|---------------------------|-------|------------------------------------|-------------------------------------|---------------------|---------------------|
| Oral (diet) | NOAEL | Equivalent to OECD 408 | 1879 mg/kg bw/day | | No effect | 90 day(s) | Rat (female) | Experimental value |
| Oral (diet) | NOAEL | Equivalent to OECD 408 | 1686 mg/kg bw/day | | No effect | 90 day(s) | Rat (male) | Experimental value |
| Dermal | | | | | | | | Data waiving |
| Inhalation (aerosol) | NOAEL | Equivalent to OECD 453 | < 3 mg/m ³ air | | No effect | 104 weeks (6h / day, 5 days / week) | Rat (male / female) | Experimental value |
| Inhalation (aerosol) | Dose level | Equivalent to OECD 453 | 3 mg/l | Lungs | Lung tissue affection/degeneration | 104 weeks (6h / day, 5 days / week) | Rat (male / female) | Experimental value |

zinc

| Route of exposure | Parameter | Method | Value | Organ | Effect | Exposure time | Species | Value determination |
|--------------------------------|-----------|-------------------|----------------------------|-------|-----------|-----------------------------------|---------------------|---------------------|
| Oral (stomach tube) | NOAEL | OECD 408 | 31.25 mg/kg bw/day | Blood | No effect | 90 day(s) | Rat (male / female) | Experimental value |
| Dermal | | OECD 411 | | | No effect | 90 day(s) | Rat (male / female) | Experimental value |
| Inhalation (aerosol) | NOAEC | OECD 412 | 0.47 mg/m ³ air | | No effect | 4 weeks (6h / day, 5 days / week) | Rat (male / female) | Experimental value |
| Inhalation (ZnO, metal oxides) | | Human observation | | | No effect | | Human | Literature study |

zinc oxide

| Route of exposure | Parameter | Method | Value | Organ | Effect | Exposure time | Species | Value determination |
|----------------------|-----------|----------|---------------------------|-------|------------------|------------------------------------|---------------------|---------------------|
| Oral (diet) | NOEL | OECD 408 | 3000 ppm | | No effect | 13 weeks (daily) | Rat (male / female) | Read-across |
| Dermal | LOAEL | OECD 410 | 75 mg/kg bw/day | | Systemic effects | 4 weeks (6h / day, 5 days / week) | Rat (male / female) | Experimental value |
| Inhalation (aerosol) | NOAEL | OECD 413 | 1.5 mg/m ³ air | | No effect | 13 weeks (6h / day, 5 days / week) | Rat (male) | Experimental value |

zinc sulphate (anhydrous)

| Route of exposure | Parameter | Method | Value | Organ | Effect | Exposure time | Species | Value determination |
|----------------------|-----------|--------------------------|---------------------------------------|-------|------------------------|------------------------------------|---------------------|---------------------|
| Oral (diet) | NOEL | OECD 408 | 234 mg/kg bw/day - 243 mg/kg bw/day | | No effect | 13 weeks (daily) | Rat (male / female) | Experimental value |
| Oral (diet) | LOEL | OECD 408 | 2486 mg/kg bw/day - 2514 mg/kg bw/day | Blood | Haematological changes | 13 weeks (daily) | Rat (male / female) | Experimental value |
| Dermal | | | | | | | | Data waiving |
| Inhalation (aerosol) | NOAEL | Subchronic toxicity test | | | No effect | 16 weeks (6h / day, 3 days / week) | Rat (male) | Experimental value |

Conclusion

Causes damage to organs through prolonged or repeated exposure if swallowed and if inhaled.

Mutagenicity (in vitro)

Cobalt Nickel cement

No (test) data available

Reason for revision: 8, 11, 12

Publication date: 2012-02-27

Date of revision: 2023-05-05

Revision number: 0201

BIG number: 51697

23 / 56

Cobalt Nickel cement

calcium sulfate, dihydrate

| Result | Method | Test substrate | Effect | Value determination | Remark |
|---|----------|-------------------------------|-----------|---------------------|--------|
| Negative with metabolic activation, negative without metabolic activation | OECD 471 | Bacteria (S.typhimurium) | No effect | Experimental value | |
| Negative with metabolic activation, negative without metabolic activation | OECD 471 | Escherichia coli | No effect | Experimental value | |
| Negative with metabolic activation, negative without metabolic activation | OECD 476 | Mouse (lymphoma L5178Y cells) | No effect | Experimental value | |

cadmium (non-pyrophoric)

| Result | Method | Test substrate | Effect | Value determination | Remark |
|---|------------------------|-----------------------------|------------------------|---------------------|--------|
| Negative with metabolic activation, negative without metabolic activation | Equivalent to OECD 471 | Bacteria (S.typhimurium) | | Read-across | |
| Positive | Equivalent to OECD 473 | Chinese hamster ovary (CHO) | Chromosome aberrations | Read-across | |

cadmium oxide (non-pyrophoric)

| Result | Method | Test substrate | Effect | Value determination | Remark |
|---|------------------------|--|------------------------|---------------------|--------|
| Positive | Equivalent to OECD 473 | Chinese hamster lung fibroblasts (V79) | Chromosome aberrations | Experimental value | |
| Negative with metabolic activation, negative without metabolic activation | Equivalent to OECD 471 | Bacteria (S.typhimurium) | | Experimental value | |

cadmium sulphate

| Result | Method | Test substrate | Effect | Value determination | Remark |
|---|------------------------|--------------------------|--------|---------------------|--------|
| Positive | | Human lung fibroblasts | | Experimental value | |
| Negative with metabolic activation, negative without metabolic activation | Equivalent to OECD 471 | Bacteria (S.typhimurium) | | Read-across | |

cobalt

| Result | Method | Test substrate | Effect | Value determination | Remark |
|---|----------|-------------------------------|--------|---------------------|--------|
| Negative with metabolic activation, negative without metabolic activation | OECD 471 | Bacteria (S.typhimurium) | | Experimental value | |
| Positive with metabolic activation, positive without metabolic activation | OECD 476 | Mouse (lymphoma L5178Y cells) | | Experimental value | |

cobalt oxide

| Result | Method | Test substrate | Effect | Value determination | Remark |
|---|----------|-------------------------------|--------|---------------------------------------|--------|
| Negative with metabolic activation, negative without metabolic activation | OECD 471 | Bacteria (S.typhimurium) | | Experimental value of similar product | |
| Negative with metabolic activation, negative without metabolic activation | OECD 476 | Mouse (lymphoma L5178Y cells) | | Experimental value of similar product | |

copper

| Result | Method | Test substrate | Effect | Value determination | Remark |
|---|----------|--------------------------|--------|---------------------|--------|
| Negative with metabolic activation, negative without metabolic activation | OECD 471 | Bacteria (S.typhimurium) | | Experimental value | |

copper(II) oxide

| Result | Method | Test substrate | Effect | Value determination | Remark |
|---|----------|--------------------------|--------|---------------------|--------|
| Negative with metabolic activation, negative without metabolic activation | OECD 471 | Bacteria (S.typhimurium) | | Read-across | |

Reason for revision: 8, 11, 12

Publication date: 2012-02-27

Date of revision: 2023-05-05

Revision number: 0201

BIG number: 51697

24 / 56

Cobalt Nickel cement

copper sulphate

| Result | Method | Test substrate | Effect | Value determination | Remark |
|---|----------|--------------------------|--------|---------------------|--------|
| Negative with metabolic activation, negative without metabolic activation | OECD 471 | Bacteria (S.typhimurium) | | Experimental value | |

nickel

| Result | Method | Test substrate | Effect | Value determination | Remark |
|---|----------|--|--------|---------------------|--------|
| Negative with metabolic activation, negative without metabolic activation | OECD 476 | Chinese hamster lung fibroblasts (V79) | | Experimental value | |
| Negative with metabolic activation, negative without metabolic activation | OECD 487 | Chinese hamster lung fibroblasts (V79) | | Experimental value | |

nickel monoxide

| Result | Method | Test substrate | Effect | Value determination | Remark |
|---|----------|-------------------------------|-----------|---------------------|--------|
| Negative with metabolic activation, negative without metabolic activation | OECD 476 | Mouse (lymphoma L5178Y cells) | No effect | Experimental value | |

lead(II)sulphate

| Result | Method | Test substrate | Effect | Value determination | Remark |
|---|------------------------|--------------------------|--------|---------------------|--------|
| Negative with metabolic activation, negative without metabolic activation | Equivalent to OECD 471 | Bacteria (S.typhimurium) | | Experimental value | |

antimony trioxide

| Result | Method | Test substrate | Effect | Value determination | Remark |
|---|----------|---------------------------------------|-----------|---------------------|--------|
| Positive with metabolic activation, positive without metabolic activation | OECD 473 | Human lymphocytes | | Experimental value | |
| Negative with metabolic activation, negative without metabolic activation | OECD 471 | Bacteria (S. typhimurium and E. coli) | No effect | Experimental value | |
| Negative with metabolic activation, negative without metabolic activation | OECD 476 | Mouse (lymphoma L5178Y cells) | No effect | Experimental value | |

zinc

| Result | Method | Test substrate | Effect | Value determination | Remark |
|---|----------|--|--------|---------------------|--------|
| Negative with metabolic activation, negative without metabolic activation | OECD 471 | Bacteria (S. typhimurium and E. coli) | | Experimental value | |
| Negative with metabolic activation, negative without metabolic activation | OECD 473 | Chinese hamster lung fibroblasts (V79) | | Experimental value | |

zinc oxide

| Result | Method | Test substrate | Effect | Value determination | Remark |
|---|----------|-------------------------------|-----------|---------------------|--------|
| Negative with metabolic activation, negative without metabolic activation | OECD 471 | Bacteria (S.typhimurium) | No effect | Experimental value | |
| Ambiguous | OECD 476 | Mouse (lymphoma L5178Y cells) | | Experimental value | |

zinc sulphate (anhydrous)

| Result | Method | Test substrate | Effect | Value determination | Remark |
|---|------------------------|--------------------------|--------|---------------------|--------|
| Negative with metabolic activation, negative without metabolic activation | Equivalent to OECD 471 | Bacteria (S.typhimurium) | | Experimental value | |

Mutagenicity (in vivo)

Cobalt Nickel cement

No (test)data available

Reason for revision: 8, 11, 12

Publication date: 2012-02-27

Date of revision: 2023-05-05

Revision number: 0201

BIG number: 51697

25 / 56

Cobalt Nickel cement

calcium sulfate, dihydrate

| Result | Method | Exposure time | Test substrate | Organ | Value determination |
|----------|----------|---------------|----------------|-------|---------------------|
| Negative | OECD 474 | | Mouse (male) | Blood | Experimental value |

cadmium (non-pyrophoric)

| Result | Method | Exposure time | Test substrate | Organ | Value determination |
|---------------------------------|------------------------|------------------------------------|-----------------------|-------|---------------------------------------|
| Negative (Inhalation (aerosol)) | Equivalent to OECD 474 | 13 weeks (6h / day, 5 days / week) | Mouse (male / female) | | Experimental value of similar product |
| category 2 | | | | | Annex VI |

cadmium oxide (non-pyrophoric)

| Result | Method | Exposure time | Test substrate | Organ | Value determination |
|---------------------------------|------------------------|------------------------------------|-----------------------|-------|---------------------|
| Negative (Inhalation (aerosol)) | Equivalent to OECD 474 | 13 weeks (6h / day, 5 days / week) | Mouse (male / female) | | Experimental value |

cadmium sulphate

| Result | Method | Exposure time | Test substrate | Organ | Value determination |
|----------|--------|---------------|----------------|-------|---------------------|
| Positive | | | | | Annex VI |

cobalt

| Result | Method | Exposure time | Test substrate | Organ | Value determination |
|------------------------------|------------------------|------------------------------------|-----------------------|-------|---------------------|
| Negative (Inhalation (dust)) | Equivalent to OECD 474 | 13 weeks (6h / day, 5 days / week) | Mouse (male / female) | | Experimental value |

cobalt oxide

| Result | Method | Exposure time | Test substrate | Organ | Value determination |
|------------------------------|------------------------|------------------------------------|-----------------------|-------|---------------------------------------|
| Negative (Inhalation (dust)) | Equivalent to OECD 474 | 13 weeks (6h / day, 5 days / week) | Mouse (male / female) | | Experimental value of similar product |

copper

| Result | Method | Exposure time | Test substrate | Organ | Value determination |
|--------------------------------|----------------|----------------------------|-----------------------|-------|---------------------|
| Negative (Oral (stomach tube)) | EU Method B.12 | 2 dose(s)/24-hour interval | Mouse (male / female) | | Experimental value |

copper(II) oxide

| Result | Method | Exposure time | Test substrate | Organ | Value determination |
|--------------------------------|----------------|----------------------------|-----------------------|-------------|---------------------|
| Negative (Oral (stomach tube)) | EU Method B.12 | 2 dose(s)/24-hour interval | Mouse (male / female) | Bone marrow | Read-across |

copper sulphate

| Result | Method | Exposure time | Test substrate | Organ | Value determination |
|--------------------------------|----------------|----------------------------|-----------------------|-------|---------------------|
| Negative (Oral (stomach tube)) | EU Method B.12 | 2 dose(s)/24-hour interval | Mouse (male / female) | | Experimental value |

nickel monoxide

| Result | Method | Exposure time | Test substrate | Organ | Value determination |
|-----------------------|--------|---------------|----------------|-------|---------------------|
| Positive (Inhalation) | | | Rat | Lungs | Experimental value |

antimony trioxide

| Result | Method | Exposure time | Test substrate | Organ | Value determination |
|--------------------------------|----------|---------------|---------------------|-------|---------------------|
| Negative (Oral (stomach tube)) | OECD 483 | | Rat (male / female) | | Experimental value |

zinc

| Result | Method | Exposure time | Test substrate | Organ | Value determination |
|---------------------------------|----------|-----------------------------------|---------------------|-------------|---------------------|
| Negative (Inhalation (aerosol)) | OECD 474 | 2 weeks (6h / day, 5 days / week) | Rat (male / female) | Bone marrow | Experimental value |

The chronic toxicity of the component(s) relates only to the substance in finely divided state and/or in molten state

zinc oxide

| Result | Method | Exposure time | Test substrate | Organ | Value determination |
|----------------------------|----------|---------------|----------------|-------------|---------------------|
| Negative (Intraperitoneal) | OECD 474 | | Mouse (male) | Bone marrow | Experimental value |

zinc sulphate (anhydrous)

| Result | Method | Exposure time | Test substrate | Organ | Value determination |
|----------------------------|-------------------|----------------------------|-----------------------|-------|---------------------|
| Negative (Intraperitoneal) | Micronucleus test | 2 dose(s)/24-hour interval | Mouse (male / female) | | Experimental value |

Conclusion

May cause genetic defects.

Carcinogenicity

Cobalt Nickel cement

No (test)data available

calcium sulfate, dihydrate

| Route of exposure | Parameter | Method | Value | Exposure time | Species | Effect | Organ | Value determination |
|-------------------|-----------|--------|------------------|---------------|--------------|-----------|-------|---------------------|
| Oral | NOAEL | Other | 256 mg/kg bw/day | 104 week(s) | Rat (male) | No effect | | Experimental value |
| Oral | NOAEL | Other | 284 mg/kg bw/day | 104 week(s) | Rat (female) | No effect | | Experimental value |

Cobalt Nickel cement

cadmium (non-pyrophoric)

| Route of exposure | Parameter | Method | Value | Exposure time | Species | Effect | Organ | Value determination |
|-------------------|-----------|--------|-------------|---------------|---------|--------|-------|---------------------|
| Unknown | | | category 1B | | | | | Annex VI |

cadmium oxide (non-pyrophoric)

| Route of exposure | Parameter | Method | Value | Exposure time | Species | Effect | Organ | Value determination |
|----------------------|-----------|-----------------------------|----------------------------|---------------|---------------------|-----------------|-------|---------------------|
| Inhalation (aerosol) | LOAEL | Carcinogenic toxicity study | 0.03 mg/m ³ air | 18 month(s) | Rat (male / female) | Tumor formation | Lungs | Experimental value |

cadmium sulphate

| Route of exposure | Parameter | Method | Value | Exposure time | Species | Effect | Organ | Value determination |
|----------------------|-----------|-----------------------------|----------------------------|------------------------------|---------------------|-----------------|-------|---------------------|
| Inhalation (aerosol) | LOAEL | Carcinogenic toxicity study | 0.09 mg/m ³ air | 18 months (daily, 22h / day) | Rat (male / female) | Tumor formation | Lungs | Experimental value |

cobalt

| Route of exposure | Parameter | Method | Value | Exposure time | Species | Effect | Organ | Value determination |
|----------------------|-----------|------------------------|----------------------------|-------------------------------------|---------------------|-----------------|-------|---------------------|
| Inhalation (aerosol) | LOAEC | Equivalent to OECD 451 | 1.24 mg/m ³ air | 105 weeks (6h / day, 5 days / week) | Rat (male / female) | Carcinogenicity | | Experimental value |

cobalt oxide

| Route of exposure | Parameter | Method | Value | Exposure time | Species | Effect | Organ | Value determination |
|----------------------|-----------|------------------------|----------------------------|-------------------------------------|---------------------|-----------------|-------|---------------------------------------|
| Inhalation (aerosol) | LOAEC | Equivalent to OECD 451 | 1.24 mg/m ³ air | 105 weeks (6h / day, 5 days / week) | Rat (male / female) | Carcinogenicity | | Experimental value of similar product |

nickel

| Route of exposure | Parameter | Method | Value | Exposure time | Species | Effect | Organ | Value determination |
|----------------------|-----------|----------|---------------------------|-------------------------------------|---------------------|------------------------|-------------------|---------------------|
| Inhalation (aerosol) | NOAEC | OECD 451 | 0.4 mg/m ³ air | 2 year(s) (6h / day, 5 days / week) | Rat (male / female) | No carcinogenic effect | Respiratory tract | Experimental value |
| Oral (stomach tube) | NOAEL | OECD 451 | 11 mg/kg bw/day | 104 weeks (daily) | Rat (male / female) | No carcinogenic effect | | Read-across |

nickel monoxide

| Route of exposure | Parameter | Method | Value | Exposure time | Species | Effect | Organ | Value determination |
|----------------------|------------|------------------------|----------------------------|-------------------------------------|---------------------|------------------------|-------|---------------------|
| Inhalation (aerosol) | Dose level | Equivalent to OECD 453 | 0.62 mg/m ³ air | 104 weeks (6h / day, 5 days / week) | Rat (male / female) | Neoplastic effects | Lungs | Experimental value |
| Oral (stomach tube) | NOAEL | OECD 451 | 11 mg/kg bw/day | 104 weeks (daily) | Rat (male / female) | No carcinogenic effect | | Experimental value |

antimony trioxide

| Route of exposure | Parameter | Method | Value | Exposure time | Species | Effect | Organ | Value determination |
|-------------------|-----------|-----------------------------|---------------------------|------------------------------------|--------------|------------------------|-------|---------------------|
| Inhalation (dust) | NOAEC | Carcinogenic toxicity study | 1.9 mg/m ³ air | 52 weeks (6h / day, 5 days / week) | Rat (female) | No carcinogenic effect | | Experimental value |
| Inhalation (dust) | LOAEC | Carcinogenic toxicity study | 5 mg/m ³ air | 52 weeks (6h / day, 5 days / week) | Rat (female) | Carcinogenicity | | Experimental value |
| | | Carcinogenic toxicity study | | | | | | |

zinc

| Route of exposure | Parameter | Method | Value | Exposure time | Species | Effect | Organ | Value determination |
|-----------------------|-----------|-----------------------------|--------------|---------------|-----------------------|------------------------|-------|---------------------|
| Oral (drinking water) | NOAEL | Carcinogenic toxicity study | > 22000 mg/l | 52 week(s) | Mouse (male / female) | No carcinogenic effect | | Experimental value |

The chronic toxicity of the component(s) relates only to the substance in finely divided state and/or in molten state

zinc oxide

| Route of exposure | Parameter | Method | Value | Exposure time | Species | Effect | Organ | Value determination |
|-----------------------|-----------|-----------------------------|--------------|---------------|-----------------------|------------------------|-------|---------------------|
| Oral (drinking water) | NOAEL | Carcinogenic toxicity study | > 22000 mg/l | 52 week(s) | Mouse (male / female) | No carcinogenic effect | | Read-across |

zinc sulphate (anhydrous)

| Route of exposure | Parameter | Method | Value | Exposure time | Species | Effect | Organ | Value determination |
|-----------------------|-----------|-----------------------------|--------------|------------------|-----------------------|------------------------|-------|---------------------|
| Oral (drinking water) | NOAEL | Carcinogenic toxicity study | > 22000 mg/l | 52 weeks (daily) | Mouse (male / female) | No carcinogenic effect | | Experimental value |

Conclusion

May cause cancer.

Reason for revision: 8, 11, 12

Publication date: 2012-02-27

Date of revision: 2023-05-05

Revision number: 0201

BIG number: 51697

27 / 56

Cobalt Nickel cement

Reproductive toxicity

Cobalt Nickel cement

No (test) data available
calcium sulfate, dihydrate

| | Parameter | Method | Value | Exposure time | Species | Effect | Organ | Value determination |
|------------------------|-----------|------------------------|-------------------|---------------|---------------------|-----------|---------|---------------------|
| Developmental toxicity | NOAEL | Equivalent to OECD 414 | 1600 mg/kg bw/day | 10 day(s) | Mouse | No effect | General | Experimental value |
| | NOAEL | Equivalent to OECD 414 | 1600 mg/kg bw/day | 10 day(s) | Rat | No effect | General | Experimental value |
| | NOAEL | Equivalent to OECD 414 | 1600 mg/kg bw/day | 13 day(s) | Rabbit | No effect | General | Experimental value |
| Effects on fertility | NOAEL | OECD 422 | 1000 mg/kg bw/day | 2 week(s) | Rat (male / female) | No effect | | Experimental value |

cadmium (non-pyrophoric)

| | Parameter | Method | Value | Exposure time | Species | Effect | Organ | Value determination |
|---|-----------|------------------------|---------------------------|------------------------------------|---------------------|--|--------|---------------------|
| Developmental toxicity (Inhalation (dust)) | NOAEL | OECD 414 | 0.5 mg/m ³ air | 16 days (gestation, daily) | Rat | No effect | | Read-across |
| | LOAEL | OECD 414 | 2 mg/m ³ air | 16 days (gestation, daily) | Rat | Minor skeletal variations | Foetus | Read-across |
| Maternal toxicity (Inhalation (dust)) | NOAEL | OECD 414 | 0.5 mg/m ³ air | 16 days (gestation, daily) | Rat | No effect | | Read-across |
| | LOAEL | OECD 414 | 2 mg/m ³ air | 16 days (gestation, daily) | Rat | Maternal toxicity | | Read-across |
| Effects on fertility (Inhalation (aerosol)) | NOAEL | Equivalent to OECD 413 | 0.1 mg/m ³ air | 13 weeks (6h / day, 5 days / week) | Rat (male / female) | No effect | | Read-across |
| | LOAEL | Equivalent to OECD 413 | 1 mg/m ³ air | 13 weeks (6h / day, 5 days / week) | Rat (male / female) | Adverse effect on sperm. Prolonged oestrus stages. | | Read-across |

cadmium oxide (non-pyrophoric)

| | Parameter | Method | Value | Exposure time | Species | Effect | Organ | Value determination |
|---|-----------|------------------------|---------------------------|------------------------------------|---------------------|--|-----------------------------------|---------------------|
| Developmental toxicity (Inhalation (dust)) | NOAEL | OECD 414 | 0.5 mg/m ³ air | 16 days (gestation, daily) | Rat | No effect | | Experimental value |
| | LOAEL | OECD 414 | 2 mg/m ³ air | 16 days (gestation, daily) | Rat | Reduced skeletal ossification | Foetus | Experimental value |
| Maternal toxicity (Inhalation (dust)) | NOAEL | OECD 414 | 0.5 mg/m ³ air | 16 days (gestation, daily) | Rat | No effect | | Experimental value |
| | LOAEL | OECD 414 | 2 mg/m ³ air | 16 days (gestation, daily) | Rat | Weight changes | Liver; kidney | Experimental value |
| Effects on fertility (Inhalation (aerosol)) | NOAEL | Equivalent to OECD 413 | 0.1 mg/m ³ air | 13 weeks (6h / day, 5 days / week) | Rat (male / female) | No effect | | Experimental value |
| | LOAEL | Equivalent to OECD 413 | 1 mg/m ³ air | 13 weeks (6h / day, 5 days / week) | Rat (male / female) | Adverse effect on sperm. Prolonged oestrus stages. | sperm parameters or estrous cycle | Experimental value |

cadmium sulphate

| | Parameter | Method | Value | Exposure time | Species | Effect | Organ | Value determination |
|--|-----------|------------------------------|-----------------|----------------------------|--------------|--|--------|---------------------|
| Developmental toxicity (Oral (drinking water)) | NOAEL | Developmental toxicity study | 5 ppm | 14 days (gestation, daily) | Rat | No effect | | Read-across |
| | LOAEL | Developmental toxicity study | 50 ppm | 14 days (gestation, daily) | Rat | Fetotoxicity | Foetus | Read-across |
| Maternal toxicity (Oral (drinking water)) | NOAEL | Developmental toxicity study | 5 ppm | 14 days (gestation, daily) | Rat | No effect | | Read-across |
| | LOAEL | Developmental toxicity study | 50 ppm | 14 days (gestation, daily) | Rat | Maternal toxicity | | Read-across |
| Effects on fertility (Oral (stomach tube)) | NOAEL | | 1 mg/kg bw/day | 9 weeks (daily) | Rat (female) | No effect | | Read-across |
| | LOAEL | | 10 mg/kg bw/day | 9 weeks (daily) | Rat (female) | Reduction in the number of pregnancies | | Read-across |

Reason for revision: 8, 11, 12

Publication date: 2012-02-27

Date of revision: 2023-05-05

Revision number: 0201

BIG number: 51697

28 / 56

Cobalt Nickel cement

cobalt

| | Parameter | Method | Value | Exposure time | Species | Effect | Organ | Value determination |
|--|-----------|----------|------------------|--------------------|---------------------|-----------|-------|---------------------------------------|
| Developmental toxicity (Oral (stomach tube)) | NOAEL | OECD 414 | 100 mg/kg bw/day | 14 days (1x / day) | Rat | No effect | | Experimental value of similar product |
| Maternal toxicity (Oral (stomach tube)) | NOAEL | OECD 414 | 25 mg/kg bw/day | 14 days (1x / day) | Rat | No effect | | Experimental value of similar product |
| Effects on fertility | | | category 1B | | | | | Annex VI |
| Effects on fertility (Oral (stomach tube)) | NOAEL | OECD 422 | 30 mg/kg bw/day | | Rat (male / female) | No effect | | Experimental value |
| | NOAEL | OECD 408 | 30 mg/kg bw/day | 90 days (1x / day) | Rat (male / female) | No effect | | Experimental value |

cobalt oxide

| | Parameter | Method | Value | Exposure time | Species | Effect | Organ | Value determination |
|--|-----------|----------|------------------|----------------------------|---------------------|-----------|-------|---------------------------------------|
| Developmental toxicity (Oral (stomach tube)) | NOAEL | OECD 414 | 100 mg/kg bw/day | 14 days (gestation, daily) | Rat | No effect | | Experimental value of similar product |
| Maternal toxicity (Oral (stomach tube)) | NOAEL | OECD 414 | 25 mg/kg bw/day | 14 days (gestation, daily) | Rat | No effect | | Experimental value of similar product |
| Effects on fertility (Oral (stomach tube)) | NOAEL | OECD 422 | 30 mg/kg bw/day | | Rat (male / female) | No effect | | Experimental value of similar product |

copper

| | Parameter | Method | Value | Exposure time | Species | Effect | Organ | Value determination |
|--|-----------|--------------------|---------------------|----------------------------|---------------------|-----------|-------|---------------------|
| Developmental toxicity (Oral (stomach tube)) | NOAEL | OECD 414 | 6 mg/kg bw/day | 22 days (gestation, daily) | Rabbit | No effect | | Experimental value |
| Maternal toxicity (Oral (stomach tube)) | NOAEL | OECD 414 | 6 mg/kg bw/day | 22 days (gestation, daily) | Rabbit | No effect | | Experimental value |
| Effects on fertility (Oral (diet)) | NOAEL | EPA OPPTS 870.3800 | 1000 ppm - 1500 ppm | | Rat (male / female) | No effect | | Experimental value |

copper(II) oxide

| | Parameter | Method | Value | Exposure time | Species | Effect | Organ | Value determination |
|--|-----------|----------|---------------------|----------------------------|---------------------|-----------|-------|---------------------|
| Developmental toxicity (Oral (stomach tube)) | NOAEL | OECD 414 | 6 mg/kg bw/day | 22 days (gestation, daily) | Rabbit | No effect | | Experimental value |
| Maternal toxicity (Oral (stomach tube)) | NOAEL | OECD 414 | 6 mg/kg bw/day | 22 days (gestation, daily) | Rabbit | No effect | | Experimental value |
| Effects on fertility (Oral (diet)) | NOAEL | OECD 416 | 1000 ppm - 1500 ppm | | Rat (male / female) | No effect | | Experimental value |

copper sulphate

| | Parameter | Method | Value | Exposure time | Species | Effect | Organ | Value determination |
|--|-----------|--------------------|---------------------|----------------------------|---------------------|-----------|-------|---------------------------------------|
| Developmental toxicity (Oral (stomach tube)) | NOAEL | OECD 414 | 6 mg/kg bw/day | 22 days (gestation, daily) | Rabbit | No effect | | Experimental value of similar product |
| Maternal toxicity (Oral (stomach tube)) | NOAEL | OECD 414 | 6 mg/kg bw/day | 22 days (gestation, daily) | Rabbit | No effect | | Experimental value of similar product |
| Effects on fertility (Oral (diet)) | NOAEL | EPA OPPTS 870.3800 | 1000 ppm - 1500 ppm | | Rat (male / female) | No effect | | Experimental value |

nickel

| | Parameter | Method | Value | Exposure time | Species | Effect | Organ | Value determination |
|--|-----------|------------------------|--------------------|---------------|---------------------|-----------|-------|---------------------|
| Developmental toxicity (Oral (stomach tube)) | NOAEL | Equivalent to OECD 416 | ≥ 1.1 mg/kg bw/day | | Rat | No effect | | Experimental value |
| Maternal toxicity (Oral (stomach tube)) | NOAEL | Equivalent to OECD 416 | 10 mg/kg bw/day | | Rat | No effect | | Experimental value |
| Effects on fertility (Oral (stomach tube)) | NOAEL | Equivalent to OECD 416 | 10 mg/kg bw/day | | Rat (male / female) | No effect | | Experimental value |

Reason for revision: 8, 11, 12

Publication date: 2012-02-27

Date of revision: 2023-05-05

Revision number: 0201

BIG number: 51697

29 / 56

Cobalt Nickel cement

nickel monoxide

| | Parameter | Method | Value | Exposure time | Species | Effect | Organ | Value determination |
|--|-----------|------------------------|-----------------|---------------|---------------------|---------------------------------|-------|---------------------|
| Developmental toxicity (Oral (drinking water)) | LOAEL | Equivalent to OECD 414 | 42 mg/kg bw/day | | Rat | Embryotoxicity and fetotoxicity | | Experimental value |
| Maternal toxicity (Oral (drinking water)) | NOAEL | Equivalent to OECD 414 | 6 mg/kg bw/day | | Rat | No effect | | Experimental value |
| Effects on fertility (Oral (stomach tube)) | LOAEL | Equivalent to OECD 415 | 75 mg/kg bw/day | | Rat (male / female) | Adverse effects on fertility | | Experimental value |

lead(II)sulphate

| | Parameter | Method | Value | Exposure time | Species | Effect | Organ | Value determination |
|------------------------|-----------|--------|-------------|---------------|---------|--------|-------|---------------------|
| Developmental toxicity | | | category 1A | | | | | Annex VI |
| Effects on fertility | | | category 2 | | | | | Annex VI |

antimony trioxide

| | Parameter | Method | Value | Exposure time | Species | Effect | Organ | Value determination |
|--|-----------|----------|-----------------------------|--------------------|--------------|-------------|---------------------------|---------------------|
| Developmental toxicity (Inhalation (dust)) | NOAEC | OECD 414 | ≥ 6.3 mg/m ³ air | 20 days (6h / day) | Rat | No effect | Foetus | Experimental value |
| Maternal toxicity (Inhalation (dust)) | LOAEC | OECD 414 | 2.6 mg/m ³ air | 20 days (6h / day) | Rat | Weight gain | Lungs | Experimental value |
| Effects on fertility (Oral (stomach tube)) | NOAEL | | 1879 mg/kg bw/day | 90 day(s) | Rat (female) | No effect | Female reproductive organ | Experimental value |
| | NOAEL | | 1686 mg/kg bw/day | 90 day(s) | Rat (male) | No effect | Male reproductive organ | Experimental value |

zinc

| | Parameter | Method | Value | Exposure time | Species | Effect | Organ | Value determination |
|---|-----------|------------------------|---------------------------|--------------------|---------------------|------------------------------|-------|---------------------|
| Developmental toxicity (Inhalation (aerosol)) | NOAEC | OECD 414 | 7.5 mg/m ³ air | 14 days (6h / day) | Rat | No effect | | Experimental value |
| Maternal toxicity (Inhalation (aerosol)) | NOAEC | OECD 414 | 1.5 mg/m ³ air | 14 days (6h / day) | Rat | No effect | | Experimental value |
| Effects on fertility (Oral (stomach tube)) | LOAEL | Equivalent to OECD 416 | 7.5 mg/kg bw/day | | Rat (male / female) | Adverse effects on fertility | | Experimental value |

The chronic toxicity of the component(s) relates only to the substance in finely divided state and/or in molten state

zinc oxide

| | Parameter | Method | Value | Exposure time | Species | Effect | Organ | Value determination |
|---|-----------|------------------------|------------------|--------------------|---------------------|--------------------------|--------|---------------------|
| Developmental toxicity (Inhalation (aerosol)) | NOAEC | OECD 414 | 7.5 mg/kg bw/day | 14 days (6h / day) | Rat | No effect | Foetus | Experimental value |
| Maternal toxicity (Inhalation (aerosol)) | NOAEC | OECD 414 | 1.5 mg/kg bw/day | 14 days (6h / day) | Rat | No effect | | Experimental value |
| Effects on fertility (Oral (stomach tube)) | LOAEL (P) | Equivalent to OECD 416 | 7.5 mg/kg bw/day | 22 weeks (daily) | Rat (male / female) | Reproductive performance | | Read-across |

zinc sulphate (anhydrous)

| | Parameter | Method | Value | Exposure time | Species | Effect | Organ | Value determination |
|--|------------|------------------------------|-------------------|---------------|------------|-------------------------|-------------------------|---------------------|
| Developmental toxicity (Oral (stomach tube)) | NOAEL | Developmental toxicity study | 42.5 mg/kg bw/day | 10 day(s) | Rat | No effect | | Experimental value |
| Maternal toxicity (Oral (stomach tube)) | NOAEL | Developmental toxicity study | 42.5 mg/kg bw/day | 10 day(s) | Rat | No effect | | Experimental value |
| Effects on fertility (Oral (diet)) | Dose level | | 4000 ppm | | Rat (male) | Adverse effect on sperm | Male reproductive organ | Experimental value |

Conclusion

May damage fertility.
May damage the unborn child.

Toxicity other effects

Cobalt Nickel cement

No (test) data available

Chronic effects from short and long-term exposure

Cobalt Nickel cement

Skin rash/inflammation. Possible inflammation of the respiratory tract. Respiratory difficulties. Risk of pneumonia. Affection of the renal tissue. Change in urine composition. Change in the haemogramme/blood composition. Affection/dyscolouration of the teeth. Slowing ossification.

Reason for revision: 8, 11, 12

Publication date: 2012-02-27

Date of revision: 2023-05-05

Revision number: 0201

BIG number: 51697

30 / 56

Cobalt Nickel cement

11.2. Information on other hazards

No evidence of endocrine disrupting properties

SECTION 12: Ecological information

12.1. Toxicity

Cobalt Nickel cement

| | Parameter | Method | Value | Duration | Species | Test design | Fresh/salt water | Value determination |
|---|-----------|------------------|---------|----------|---------------------------------|---------------|------------------|---------------------|
| Acute toxicity crustacea | LC50 | EPA 600/4-78-012 | 38 µg/l | 48 h | Daphnia magna | Static system | Fresh water | Read-across |
| Toxicity algae and other aquatic plants | ErC50 | OECD 201 | 18 µg/l | 72 h | Pseudokirchneriella subcapitata | Static system | Fresh water | Read-across; GLP |

calcium sulfate, dihydrate

| | Parameter | Method | Value | Duration | Species | Test design | Fresh/salt water | Value determination |
|-----------------------|-----------|--------|-----------|----------|---------------------|-------------|------------------|---------------------|
| Acute toxicity fishes | LC50 | | 2980 mg/l | 96 h | Lepomis macrochirus | | | Anhydrous form |

cadmium (non-pyrophoric)

| | Parameter | Method | Value | Duration | Species | Test design | Fresh/salt water | Value determination |
|---|-----------|------------------|------------|-----------|---------------------------------|---------------------|------------------|------------------------------------|
| Acute toxicity fishes | LC50 | | 0.748 mg/l | 96 h | Carassius auratus | Flow-through system | Fresh water | Read-across; Nominal concentration |
| Acute toxicity crustacea | LC50 | EPA 600/4-78-012 | 38 µg/l | 48 h | Daphnia magna | Static system | Fresh water | Read-across; Lethal |
| Toxicity algae and other aquatic plants | ErC50 | OECD 201 | 0.07 mg/l | 72 h | Pseudokirchneriella subcapitata | Static system | Fresh water | Experimental value; GLP |
| | NOEC | OECD 201 | 2.4 µg/l | 72 h | Pseudokirchneriella subcapitata | Static system | Fresh water | Experimental value; Cell numbers |
| Long-term toxicity fish | NOEC | | 8 µg/l | 10 day(s) | Salvelinus fontinalis | Static renewal | Fresh water | Experimental value; Survival |
| Long-term toxicity aquatic crustacea | NOEC | | 2 µg/l | 33 day(s) | Americamysis bahia | Flow-through system | Salt water | Read-across; Growth |
| Toxicity aquatic micro-organisms | NOEC | OECD 209 | 200 µg/l | 3 h | Activated sludge | Static system | Fresh water | Experimental value; GLP |

cadmium oxide (non-pyrophoric)

| | Parameter | Method | Value | Duration | Species | Test design | Fresh/salt water | Value determination |
|---|-----------|----------|-----------------------|-----------|---------------------------------|---------------------|------------------|--------------------------------------|
| Acute toxicity fishes | EC50 | | 34 µg/l | | Salmo salar | | | Literature study; Cadmium ion |
| Acute toxicity crustacea | LC50 | OECD 202 | 750 µg/l | 48 h | Daphnia magna | Static system | Fresh water | Experimental value; Locomotor effect |
| Toxicity algae and other aquatic plants | ErC50 | OECD 201 | 18 µg/l | 72 h | Pseudokirchneriella subcapitata | Static system | Fresh water | Experimental value; GLP |
| | NOEC | OECD 201 | 2.4 µg/l | 3 day(s) | Pseudokirchneriella subcapitata | Static system | Fresh water | Read-across; Cell numbers |
| Long-term toxicity fish | NOEC | | 1.3 µg/l | 27 day(s) | Oncorhynchus kisutch | Flow-through system | Fresh water | Read-across; Biomass |
| Long-term toxicity aquatic crustacea | NOEC | | 2 µg/l | 33 day(s) | Americamysis bahia | Flow-through system | Salt water | Read-across; Growth |
| Toxicity aquatic micro-organisms | NOEC | OECD 209 | 353 µg/l - 27300 µg/l | 3 h | Activated sludge | Static system | Fresh water | Experimental value; Respiration |

Reason for revision: 8, 11, 12

Publication date: 2012-02-27

Date of revision: 2023-05-05

Revision number: 0201

BIG number: 51697

31 / 56

Cobalt Nickel cement

cadmium sulphate

| | Parameter | Method | Value | Duration | Species | Test design | Fresh/salt water | Value determination |
|---|-----------|------------------|----------|-------------|---------------------------------|---------------------|------------------|------------------------------------|
| Acute toxicity fishes | LC50 | Other | 2.5 mg/l | 96 h | Jordanella floridae | Flow-through system | Fresh water | Read-across |
| | LC50 | | 748 µg/l | 4 day(s) | Carassius auratus | Flow-through system | Fresh water | Read-across; Nominal concentration |
| Acute toxicity crustacea | LC50 | EPA 600/4-78-012 | 38 µg/l | 48 h | Daphnia magna | Static system | Fresh water | Read-across; Lethal |
| Toxicity algae and other aquatic plants | EC50 | OECD 201 | 23 µg/l | 72 h | Pseudokirchneriella subcapitata | Static system | Fresh water | Read-across; Biomass |
| | NOEC | OECD 201 | 2.4 µg/l | 3 day(s) | Pseudokirchneriella subcapitata | Static system | Fresh water | Read-across; Cell numbers |
| Long-term toxicity fish | NOEC | | 1.7 µg/l | 36 month(s) | Salvelinus fontinalis | Flow-through system | Fresh water | Read-across; Growth rate |
| Long-term toxicity aquatic crustacea | NOEC | | 10 µg/l | 7 day(s) | Ceriodaphnia dubia | Static renewal | Fresh water | Read-across; Reproduction |
| Toxicity aquatic micro-organisms | NOEC | OECD 209 | 200 µg/l | 3 h | Activated sludge | Static system | Fresh water | Experimental value; Respiration |

cobalt

| | Parameter | Method | Value | Duration | Species | Test design | Fresh/salt water | Value determination |
|----------------------------------|-----------|----------|----------|------------|------------------|---------------|------------------|----------------------------|
| Toxicity aquatic micro-organisms | EC50 | OECD 209 | 120 mg/l | 30 minutes | Activated sludge | Static system | Fresh water | Experimental value; Growth |

cobalt oxide

| | Parameter | Method | Value | Duration | Species | Test design | Fresh/salt water | Value determination |
|---|-----------|--------|-----------|-----------|---------------------|---------------------|------------------|-------------------------|
| Acute toxicity fishes | LC50 | | 1.5 mg/l | | Pisces | | Fresh water | Literature study |
| Acute toxicity crustacea | EC50 | | 0.61 mg/l | | Ceriodaphnia dubia | | Fresh water | Literature study |
| Toxicity algae and other aquatic plants | EC50 | | 197 µg/l | | Algae | | Fresh water | Literature study |
| | EC10 | | 66.9 µg/l | | Algae | | Fresh water | Literature study |
| Long-term toxicity fish | NOEC | ASTM | 0.21 mg/l | 34 day(s) | Pimephales promelas | Flow-through system | Fresh water | Experimental value; GLP |
| Long-term toxicity aquatic crustacea | EC10 | | 7.55 µg/l | | Invertebrata | | Fresh water | Literature study |

copper(II) oxide

| | Parameter | Method | Value | Duration | Species | Test design | Fresh/salt water | Value determination |
|---|-----------|----------|-------------|-----------|---------------------------|---------------------|------------------|---------------------------|
| Acute toxicity fishes | LC50 | | 38.4 µg/l | 96 h | Pimephales promelas | Flow-through system | Fresh water | Read-across |
| Acute toxicity crustacea | EC50 | OECD 202 | 0.109 mg/l | 48 h | Daphnia magna | Static system | Fresh water | Weight of evidence |
| Toxicity algae and other aquatic plants | EC50 | OECD 201 | 0.047 mg/l | 96 h | Chlamydomonas reinhardtii | Flow-through system | Fresh water | Weight of evidence |
| Long-term toxicity fish | NOEC | | 2.2 µg/l | | Oncorhynchus mykiss | | | Literature study; Chronic |
| Long-term toxicity aquatic crustacea | NOEC | | 0.0126 mg/l | 21 day(s) | Daphnia magna | | Fresh water | Weight of evidence |

M-factor of this substance is debatable as it does not correspond to the conclusion from the test

Cobalt Nickel cement

copper sulphate

| | Parameter | Method | Value | Duration | Species | Test design | Fresh/salt water | Value determination |
|---|-----------|------------------------|------------|------------|---------------------------|---------------------|------------------|--------------------------------------|
| Acute toxicity fishes | LC50 | | 38.4 µg/l | 96 h | Pimephales promelas | Flow-through system | Fresh water | Read-across; Cu ion |
| Acute toxicity crustacea | EC50 | OECD 202 | 109 µg/l | 48 h | Daphnia magna | Static system | Fresh water | Experimental value; Locomotor effect |
| Toxicity algae and other aquatic plants | EC50 | OECD 201 | 0.047 mg/l | 96 h | Chlamydomonas reinhardtii | Flow-through system | Fresh water | Experimental value; Growth |
| | NOEC | Equivalent to OECD 201 | 22 µg/l | 10 day(s) | Chlamydomonas reinhardtii | Flow-through system | Fresh water | Experimental value; Growth rate |
| Long-term toxicity fish | NOEC | Equivalent to OECD 204 | 33 µg/l | 330 day(s) | Pimephales promelas | Flow-through system | Fresh water | Experimental value; Growth rate |
| Long-term toxicity aquatic crustacea | NOEC | | 12.6 µg/l | 21 day(s) | Daphnia magna | Flow-through system | Fresh water | Experimental value; Growth |

nickel monoxide

| | Parameter | Method | Value | Duration | Species | Test design | Fresh/salt water | Value determination |
|---|-----------|----------|-----------|------------|----------------------|--------------------|------------------|---------------------------------|
| Acute toxicity fishes | LC50 | | 15.3 mg/l | 96 h | Oncorhynchus mykiss | Semi-static system | Fresh water | Experimental value; Lethal |
| Toxicity algae and other aquatic plants | IC50 | US EPA | 2.4 mg/l | 48 h | Macrocystis pyrifera | Static system | Salt water | Experimental value |
| Toxicity aquatic micro-organisms | EC50 | ISO 8192 | 33 mg/l | 30 minutes | Activated sludge | | | Experimental value; Respiration |

lead(II)sulphate

| | Parameter | Method | Value | Duration | Species | Test design | Fresh/salt water | Value determination |
|---|-----------|--------|-----------|----------|---------------------------|-------------|------------------|----------------------------|
| Acute toxicity fishes | TLm | | 7.48 mg/l | 96 h | Pimephales promelas | | | Literature study; Lead ion |
| Acute toxicity crustacea | LC50 | | 0.3 mg/l | 48 h | Daphnia magna | | | Literature study; Lead ion |
| Toxicity algae and other aquatic plants | EC50 | | 0.14 mg/l | | Selenastrum capricornutum | | | Literature study; Lead ion |

antimony trioxide

| | Parameter | Method | Value | Duration | Species | Test design | Fresh/salt water | Value determination |
|---|-----------|---------------|-----------------------|-----------|---------------------------------|---------------------|------------------|------------------------------------|
| Acute toxicity fishes | LC50 | | 14.4 mg/l | 96 h | Pimephales promelas | Static system | Fresh water | Experimental value; Lethal |
| Acute toxicity crustacea | LC50 | | 12.1 mg/l - 18.8 mg/l | 48 h | Daphnia magna | Static system | Fresh water | Experimental value; Lethal |
| Toxicity algae and other aquatic plants | ErC50 | OECD 201 | > 36.6 mg/l | 72 h | Pseudokirchneriella subcapitata | Static system | Fresh water | Experimental value; Antimony |
| | NOEC | OECD 201 | 2.11 mg/l | 72 h | Pseudokirchneriella subcapitata | Static system | Fresh water | Experimental value; Growth rate |
| Long-term toxicity fish | NOEC | | 2.31 mg/l | 28 day(s) | Pimephales promelas | Flow-through system | Fresh water | Experimental value; Weight changes |
| Long-term toxicity aquatic crustacea | NOEC | OECD 211 | 1.74 mg/l - 3.13 mg/l | 21 day(s) | Daphnia magna | Semi-static system | Fresh water | Experimental value; Reproduction |
| Toxicity aquatic micro-organisms | EC50 | ISO 9509:2006 | 27 mg/l | 4 h | Activated sludge | Static system | Fresh water | Experimental value |

Cobalt Nickel cement

zinc

| | Parameter | Method | Value | Duration | Species | Test design | Fresh/salt water | Value determination |
|---|-----------|--------|----------------------|----------|---------------------------------|-------------|------------------|----------------------------|
| Acute toxicity crustacea | NOEC | | 154 µg/l | | Daphnia magna | | | Literature study; Zinc ion |
| Toxicity algae and other aquatic plants | NOEC | | 41 µg/l | | Pseudokirchneriella subcapitata | | | Literature study; Acute |
| | NOEC | | 11 µg/l - 99 µg/l | | Pseudokirchneriella subcapitata | | | Literature study; Chronic |
| Toxicity sediment organisms | NOEC | | 218 µg/l - 1101 µg/l | | | | | Literature study; Zinc ion |

| | Parameter | Method | Value | Duration | Species | Value determination |
|-------------------------------|-----------|--------|---|----------|---------|---------------------|
| Toxicity soil micro-organisms | NOEC | | 31.2 mg/kg soil dw - 8003.5 mg/kg soil dw | | | Literature study |
| Toxicity terrestrial plants | NOEC | | 31.2 mg/kg soil dw - 8003.5 mg/kg soil dw | | | Literature study |

zinc oxide

| | Parameter | Method | Value | Duration | Species | Test design | Fresh/salt water | Value determination |
|---|-----------|--------------|-------------|-----------|---------------------------------|--------------------|------------------|------------------------------|
| Acute toxicity fishes | LC50 | ASTM E729-88 | 0.169 mg/l | 96 h | Oncorhynchus mykiss | Static system | Fresh water | Read-across; Zinc ion |
| Acute toxicity crustacea | EC50 | OECD 202 | 1 mg/l | 48 h | Daphnia magna | Static system | Fresh water | Experimental value; Zinc ion |
| Toxicity algae and other aquatic plants | IC50 | OECD 201 | 0.136 mg/l | 72 h | Pseudokirchneriella subcapitata | Static system | Fresh water | Experimental value; Zinc ion |
| | NOEC | OECD 201 | 0.024 mg/l | 72 h | Pseudokirchneriella subcapitata | Static system | Fresh water | Experimental value; Zinc ion |
| Long-term toxicity fish | NOEC | | 0.044 mg/l | | Pisces | | | Literature study; Zinc ion |
| Long-term toxicity aquatic crustacea | NOEC | OECD 211 | 0.04 mg/l | 21 day(s) | Daphnia magna | Semi-static system | Fresh water | Read-across; Zinc ion |
| Toxicity aquatic micro-organisms | EC50 | OECD 209 | > 1000 mg/l | 3 h | Activated sludge | Static system | Fresh water | Experimental value; Zinc ion |

zinc sulphate (anhydrous)

| | Parameter | Method | Value | Duration | Species | Test design | Fresh/salt water | Value determination |
|---|-----------|------------------------|---------------------|------------|---------------------------------|---------------------|------------------|--------------------------------------|
| Acute toxicity fishes | LC50 | | 330 µg/l - 780 µg/l | 95 h | Pimephales promelas | Static system | Fresh water | Experimental value; Lethal |
| Acute toxicity crustacea | EC50 | OECD 202 | 1.4 mg/l - 2.5 mg/l | 48 h | Daphnia magna | Static system | Fresh water | Experimental value; Locomotor effect |
| Toxicity algae and other aquatic plants | IC50 | OECD 201 | 136 µg/l | 72 h | Pseudokirchneriella subcapitata | Static system | Fresh water | Experimental value; Growth rate |
| | NOEC | OECD 201 | 24 µg/l | 72 h | Pseudokirchneriella subcapitata | Static system | Fresh water | Experimental value; Growth rate |
| Long-term toxicity fish | NOEC | OECD 210 | 56 µg/l - 61 µg/l | 116 day(s) | Salmo trutta | Flow-through system | Fresh water | Experimental value |
| Long-term toxicity aquatic crustacea | NOEC | | 31 µg/l - 208 µg/l | 50 day(s) | Daphnia magna | Semi-static system | Fresh water | Experimental value; Reproduction |
| Toxicity aquatic micro-organisms | EC50 | Equivalent to OECD 209 | 5.2 mg/l | 3 h | Activated sludge | Static system | Fresh water | Experimental value; Respiration |

Conclusion

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

Water

Biodegradability: not applicable

12.3. Bioaccumulative potential

Cobalt Nickel cement

Log Kow

| Method | Remark | Value | Temperature | Value determination |
|--------|----------------------------|-------|-------------|---------------------|
| | Not applicable (inorganic) | | | |

Cobalt Nickel cement

tricopper arsenide

Log Kow

| Method | Remark | Value | Temperature | Value determination |
|--------|-------------------|-------|-------------|---------------------|
| | No data available | | | |

calcium sulfate, dihydrate

Log Kow

| Method | Remark | Value | Temperature | Value determination |
|--------|-------------------|-------|-------------|---------------------|
| | No data available | | | |

cadmium (non-pyrophoric)

Log Kow

| Method | Remark | Value | Temperature | Value determination |
|--------|-------------------|-------|-------------|---------------------|
| | No data available | | | |

cadmium oxide (non-pyrophoric)

BCF fishes

| Parameter | Method | Value | Duration | Species | Value determination |
|-----------|--------|-------------------------|-----------|-------------|---------------------|
| BCF | | 50 - 1385; Fresh weight | 92 day(s) | Salmo salar | Read-across |

Log Kow

| Method | Remark | Value | Temperature | Value determination |
|--------|--|-------|-------------|---------------------|
| | No data available (test not performed) | | | |

cadmium sulphate

BCF fishes

| Parameter | Method | Value | Duration | Species | Value determination |
|-----------|--------|--------------------|-----------|-------------|---------------------|
| BCF | | 1385; Fresh weight | 92 day(s) | Salmo salar | Read-across |

Log Kow

| Method | Remark | Value | Temperature | Value determination |
|--------|-------------------|-------|-------------|---------------------|
| | No data available | | | |

cobalt

BCF fishes

| Parameter | Method | Value | Duration | Species | Value determination |
|-----------|--------|---------------|------------|-----------------|---------------------|
| BCF | | 0.007 - 0.013 | 225 day(s) | Cyprinus carpio | Read-across |

Log Kow

| Method | Remark | Value | Temperature | Value determination |
|--------|-------------------|-------|-------------|---------------------|
| | No data available | | | |

cobalt oxide

Log Kow

| Method | Remark | Value | Temperature | Value determination |
|--------|----------------------------|-------|-------------|---------------------|
| | Not applicable (inorganic) | | | |

copper

Log Kow

| Method | Remark | Value | Temperature | Value determination |
|--------|-------------------------------------|-------|-------------|---------------------|
| | No data available in the literature | | | |

copper(II) oxide

Log Kow

| Method | Remark | Value | Temperature | Value determination |
|--------|-------------------------------------|-------|-------------|---------------------|
| | No data available in the literature | | | |

copper sulphate

Log Kow

| Method | Remark | Value | Temperature | Value determination |
|--------|-------------------------------------|-------|-------------|---------------------|
| | No data available in the literature | | | |

nickel

BCF other aquatic organisms

| Parameter | Method | Value | Duration | Species | Value determination |
|-----------|--------|----------------------|-------------|--------------|---------------------|
| BCF | | 8 - 45; Fresh weight | ≤ 4 week(s) | Cambarus sp. | Experimental value |

Log Kow

| Method | Remark | Value | Temperature | Value determination |
|--------|----------------------------|-------|-------------|---------------------|
| | Not applicable (inorganic) | | | |

nickel monoxide

BCF fishes

| Parameter | Method | Value | Duration | Species | Value determination |
|-----------|--------|------------------|------------|---------------------|---------------------|
| BCF | | 0.8 - 4; Cinetic | 180 day(s) | Oncorhynchus mykiss | Experimental value |

Log Kow

| Method | Remark | Value | Temperature | Value determination |
|--------|----------------------------|-------|-------------|---------------------|
| | Not applicable (inorganic) | | | |

Reason for revision: 8, 11, 12

Publication date: 2012-02-27

Date of revision: 2023-05-05

Revision number: 0201

BIG number: 51697

35 / 56

Cobalt Nickel cement

lead(II)sulphate

Log Kow

| Method | Remark | Value | Temperature | Value determination |
|--------|-------------------------------------|-------|-------------|---------------------|
| | No data available in the literature | | | |

antimony trioxide

BCF other aquatic organisms

| Parameter | Method | Value | Duration | Species | Value determination |
|-----------|--------|-----------------|-----------|----------------|---------------------|
| BCF | | 5.6 l/kg; Fresh | 17 day(s) | Hyaella azteca | Experimental value |

Log Kow

| Method | Remark | Value | Temperature | Value determination |
|--------|-------------------|-------|-------------|---------------------|
| | No data available | | | |

zinc

Log Kow

| Method | Remark | Value | Temperature | Value determination |
|--------|----------------------------|-------|-------------|---------------------|
| | Not applicable (inorganic) | | | |

zinc oxide

Log Kow

| Method | Remark | Value | Temperature | Value determination |
|--------|----------------------------|-------|-------------|---------------------|
| | Not applicable (inorganic) | | | |

zinc sulphate (anhydrous)

BCF fishes

| Parameter | Method | Value | Duration | Species | Value determination |
|-----------|--------|------------|-----------|------------------|---------------------|
| BCF | | 0.4 - 7.51 | 45 day(s) | Channa punctatus | Experimental value |

Log Kow

| Method | Remark | Value | Temperature | Value determination |
|--------|-------------------|-------|-------------|---------------------|
| | No data available | | | |

Conclusion

Contains bioaccumulative component(s)

12.4. Mobility in soil

cadmium sulphate

(log) Koc

| Parameter | Method | Value | Value determination |
|-----------|--------|-------|---------------------|
| | | | Data waiving |

zinc

(log) Koc

| Parameter | Method | Value | Value determination |
|-----------|----------|-------|---------------------|
| | OECD 106 | 3.24 | Literature study |

zinc oxide

(log) Koc

| Parameter | Method | Value | Value determination |
|-----------|--------|-------|---------------------|
| log Koc | | 2.2 | Literature study |

Conclusion

No (test)data on mobility of the component(s) available

12.5. Results of PBT and vPvB assessment

The criteria of PBT and vPvB as listed in Annex XIII of Regulation (EC) No 1907/2006 do not apply to inorganic substances.

12.6. Endocrine disrupting properties

No evidence of endocrine disrupting properties

12.7. Other adverse effects

Cobalt Nickel cement

Greenhouse gases

Not included in the list of fluorinated greenhouse gases (Regulation (EU) No 517/2014)

Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009)

cadmium (non-pyrophoric)

Groundwater

Groundwater pollutant

cadmium oxide (non-pyrophoric)

Groundwater

Groundwater pollutant

Cobalt Nickel cement

cadmium sulphate

Groundwater

Groundwater pollutant

Water ecotoxicity pH

pH shift

cobalt

Groundwater

Groundwater pollutant

copper sulphate

Groundwater

Groundwater pollutant

Water ecotoxicity pH

pH shift

nickel

Groundwater

Groundwater pollutant

zinc oxide

Groundwater

Groundwater pollutant

zinc sulphate (anhydrous)

Water ecotoxicity pH

pH shift

SECTION 13: Disposal considerations

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

13.1. Waste treatment methods

13.1.1 Provisions relating to waste

European Union

Hazardous waste according to Directive 2008/98/EC, as amended by Regulation (EU) No 1357/2014 and Regulation (EU) No 2017/997. The waste code must be assigned by the user, preferably in consultation with the (environmental) authorities concerned.

13.1.2 Disposal methods

Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Do not discharge into surface water (Directive 2000/60/EC, Council Decision 2455/2001/EC). Do not discharge into drains or the environment. Dispose of at authorized waste collection point.

13.1.3 Packaging/Container

European Union

Waste material code packaging (Directive 2008/98/EC).
15 01 10* (packaging containing residues of or contaminated by dangerous substances).

SECTION 14: Transport information

Road (ADR)

14.1. UN number

| | |
|-----------|------|
| UN number | 3288 |
|-----------|------|


14.2. UN proper shipping name

| | |
|----------------------|---|
| Proper shipping name | toxic solid, inorganic, n.o.s. (cadmium (non-pyrophoric)) |
|----------------------|---|

14.3. Transport hazard class(es)

| | |
|------------------------------|-----|
| Hazard identification number | 60 |
| Class | 6.1 |
| Classification code | T5 |

14.4. Packing group

| | |
|---------------|---|
| Packing group | III |
| Labels |  |

14.5. Environmental hazards

Cobalt Nickel cement

Environmentally hazardous substance mark



yes

14.6. Special precautions for user

| | |
|--------------------|--|
| Special provisions | 274 |
| Limited quantities | Combination packagings: not more than 5 kg per inner packaging for solids. A package shall not weigh more than 30 kg. (gross mass) |

Rail (RID)

14.1. UN number

| | |
|-----------|------|
| UN number | 3288 |
|-----------|------|

14.2. UN proper shipping name

| | |
|----------------------|---|
| Proper shipping name | toxic solid, inorganic, n.o.s. (cadmium (non-pyrophoric)) |
|----------------------|---|

14.3. Transport hazard class(es)

| | |
|------------------------------|-----|
| Hazard identification number | 60 |
| Class | 6.1 |
| Classification code | T5 |

14.4. Packing group

| | |
|---------------|-----|
| Packing group | III |
|---------------|-----|

| | |
|--------|--------------|
| Labels | 6 6.1 |
|--------|--------------|

14.5. Environmental hazards

Environmentally hazardous substance mark



yes

14.6. Special precautions for user

| | |
|--------------------|--|
| Special provisions | 274 |
| Limited quantities | Combination packagings: not more than 5 kg per inner packaging for solids. A package shall not weigh more than 30 kg. (gross mass) |

Inland waterways (ADN)

14.1. UN number/ID number

| | |
|---------------------|------|
| UN number/ID number | 3288 |
|---------------------|------|

14.2. UN proper shipping name

| | |
|----------------------|---|
| Proper shipping name | toxic solid, inorganic, n.o.s. (cadmium (non-pyrophoric)) |
|----------------------|---|

14.3. Transport hazard class(es)

| | |
|---------------------|-----|
| Class | 6.1 |
| Classification code | T5 |

14.4. Packing group

| | |
|---------------|-----|
| Packing group | III |
|---------------|-----|

| | |
|--------|--------------|
| Labels | 6 6.1 |
|--------|--------------|

14.5. Environmental hazards

Environmentally hazardous substance mark



yes

14.6. Special precautions for user

| | |
|--------------------|--|
| Special provisions | 274 |
| Special provisions | 802 |
| Limited quantities | Combination packagings: not more than 5 kg per inner packaging for solids. A package shall not weigh more than 30 kg. (gross mass) |

Sea (IMDG/IMSBC)

14.1. UN number

| | |
|-----------|------|
| UN number | 3288 |
|-----------|------|

14.2. UN proper shipping name

Reason for revision: 8, 11, 12

Publication date: 2012-02-27



Date of revision: 2023-05-05

Revision number: 0201



BIG number: 51697

38 / 56

Cobalt Nickel cement

| | |
|--|--|
| Proper shipping name | toxic solid, inorganic, n.o.s. (cadmium (non-pyrophoric)) |
| 14.3. Transport hazard class(es) | |
| Class | 6.1 |
| 14.4. Packing group | |
| Packing group | III |
| Labels |  6.1 |
| 14.5. Environmental hazards | |
| Marine pollutant | P |
| Environmentally hazardous substance mark |  yes |
| 14.6. Special precautions for user | |
| Special provisions | 223 |
| Special provisions | 274 |
| Limited quantities | Combination packagings: not more than 5 kg per inner packaging for solids. A package shall not weigh more than 30 kg. (gross mass) |
| 14.7. Maritime transport in bulk according to IMO instruments | |
| Annex II of MARPOL 73/78 | Not applicable |

Air (ICAO-TI/IATA-DGR)

| | |
|--|--|
| 14.1. UN number/ID number | |
| UN number/ID number | 3288 |
| 14.2. UN proper shipping name | |
| Proper shipping name | toxic solid, inorganic, n.o.s. (cadmium (non-pyrophoric)) |
| 14.3. Transport hazard class(es) | |
| Class | 6.1 |
| 14.4. Packing group | |
| Packing group | III |
| Labels |  6.1 |
| 14.5. Environmental hazards | |
| Environmentally hazardous substance mark |  yes |
| 14.6. Special precautions for user | |
| Special provisions | A3 |
| Special provisions | A5 |
| Passenger and cargo transport | |
| Limited quantities: maximum net quantity per packaging | 10 kg |

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European legislation:

VOC content Directive 2010/75/EU

| VOC content | Remark |
|-------------|----------------------------|
| | Not applicable (inorganic) |

Directive 2012/18/EU (Seveso III)

Threshold values under normal circumstances

| Substance or category | Low tier (tonnes) | Top tier (tonnes) | Group | For this substance or mixture the summation rule has to be applied for: |
|--|-------------------|-------------------|-------|---|
| E1 Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1 | 100 | 200 | None | Eco-toxicity |
| H2 ACUTE TOXIC | 50 | 200 | None | Toxicity |

Reason for revision: 8, 11, 12

Publication date: 2012-02-27

Date of revision: 2023-05-05

Revision number: 0201

BIG number: 51697

39 / 56

Cobalt Nickel cement

Prior informed consent (PIC)

Contains component(s) listed in Annex I of Regulation (EU) No 649/2012: Part 1 - List of chemicals subject to export notification procedure
European drinking water standards (98/83/EC and 2020/2184)

tricopper arsenide

| Parameter | Parametric value | Note | Reference |
|-----------|------------------|------|--|
| Arsenic | 10 µg/l | | Listed in Annex I, Part B, of Directive (EU) 2020/2184 on the quality of water intended for human consumption. |
| Copper | 2 mg/l | | Listed in Annex I, Part B, of Directive (EU) 2020/2184 on the quality of water intended for human consumption. |

calcium sulfate, dihydrate

| Parameter | Parametric value | Note | Reference |
|-----------|------------------|------|--|
| Sulphate | 250 mg/l | | Listed in Annex I, Part C, of Directive (EU) 2020/2184 on the quality of water intended for human consumption. |

cadmium (non-pyrophoric)

| Parameter | Parametric value | Note | Reference |
|-----------|------------------|------|--|
| Cadmium | 5 µg/l | | Listed in Annex I, Part B, of Directive (EU) 2020/2184 on the quality of water intended for human consumption. |

cadmium oxide (non-pyrophoric)

| Parameter | Parametric value | Note | Reference |
|-----------|------------------|------|--|
| Cadmium | 5 µg/l | | Listed in Annex I, Part B, of Directive (EU) 2020/2184 on the quality of water intended for human consumption. |

cadmium sulphate

| Parameter | Parametric value | Note | Reference |
|--------------------|------------------|------|--|
| Cadmium | 5 µg/l | | Listed in Annex I, Part B, of Directive (EU) 2020/2184 on the quality of water intended for human consumption. |
| Pesticides | 0.1 µg/l | | Listed in Annex I, Part B, of Directive (EU) 2020/2184 on the quality of water intended for human consumption. |
| Pesticides — Total | 0.5 µg/l | | Listed in Annex I, Part B, of Directive (EU) 2020/2184 on the quality of water intended for human consumption. |
| Sulphate | 250 mg/l | | Listed in Annex I, Part C, of Directive (EU) 2020/2184 on the quality of water intended for human consumption. |

copper

| Parameter | Parametric value | Note | Reference |
|-----------|------------------|------|--|
| Copper | 2 mg/l | | Listed in Annex I, Part B, of Directive (EU) 2020/2184 on the quality of water intended for human consumption. |

copper(II) oxide

| Parameter | Parametric value | Note | Reference |
|-----------|------------------|------|--|
| Copper | 2 mg/l | | Listed in Annex I, Part B, of Directive (EU) 2020/2184 on the quality of water intended for human consumption. |

copper sulphate

| Parameter | Parametric value | Note | Reference |
|-----------|------------------|------|--|
| Copper | 2 mg/l | | Listed in Annex I, Part B, of Directive (EU) 2020/2184 on the quality of water intended for human consumption. |
| Sulphate | 250 mg/l | | Listed in Annex I, Part C, of Directive (EU) 2020/2184 on the quality of water intended for human consumption. |

nickel monoxide

| Parameter | Parametric value | Note | Reference |
|-----------|------------------|------|--|
| Nickel | 20 µg/l | | Listed in Annex I, Part B, of Directive (EU) 2020/2184 on the quality of water intended for human consumption. |

lead(II)sulphate

| Parameter | Parametric value | Note | Reference |
|-----------|------------------|------|--|
| Lead | 5 µg/l | | Listed in Annex I, Part B, of Directive (EU) 2020/2184 on the quality of water intended for human consumption. |
| Sulphate | 250 mg/l | | Listed in Annex I, Part C, of Directive (EU) 2020/2184 on the quality of water intended for human consumption. |
| Lead | 10 µg/l | | Listed in Annex I, Part D, of Directive (EU) 2020/2184 on the quality of water intended for human consumption. |

antimony trioxide

| Parameter | Parametric value | Note | Reference |
|-----------|------------------|------|--|
| Antimony | 10 µg/l | | Listed in Annex I, Part B, of Directive (EU) 2020/2184 on the quality of water intended for human consumption. |

zinc sulphate (anhydrous)

| Parameter | Parametric value | Note | Reference |
|-----------|------------------|------|--|
| Sulphate | 250 mg/l | | Listed in Annex I, Part C, of Directive (EU) 2020/2184 on the quality of water intended for human consumption. |

Reason for revision: 8, 11, 12

Publication date: 2012-02-27

Date of revision: 2023-05-05

Revision number: 0201

BIG number: 51697

40 / 56

Cobalt Nickel cement

REACH registration

This substance is handled under Strictly Controlled Conditions in accordance with Reach regulation Article 17(3) for on-site isolated intermediates and, in case the substance is transported to other sites for further processing, the substance should be handled at these sites under Strictly Controlled Conditions as specified in Reach regulation Article 18(4). Site documentation to support safe handling arrangements including the selection of engineering, administrative and personal protective equipment controls in accordance with risk based management systems is available at each manufacturing site. Written confirmation of application of Strictly Controlled Conditions should be available at the premises of every affected Distributor and Downstream Processor/User of the Registrants' intermediate.

Information exposure scenarios

This safety data sheet does not contain an exposure scenario; exempted as (isolated) intermediate

REACH Candidate list

Contains component(s) included in candidate list of substances of very high concern (SVHC) for authorisation (Article 59 of Regulation (EC) No 1907/2006)

REACH Annex XVII - Restriction

Contains component(s) subject to restrictions of Annex XVII of Regulation (EC) No 1907/2006: restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles.

| | Designation of the substance, of the group of substances or of the mixture | Conditions of restriction |
|----------------------|--|---|
| · lead(II)sulphate | Lead sulphates; PbSO 4 | Shall not be placed on the market, or used, as substances or in mixtures, where the substance or mixture is intended for use as paint. However, Member States may, in accordance with the provisions of International Labour Organization (ILO) Convention 13, permit the use on their territory of the substance or mixture for the restoration and maintenance of works of art and historic buildings and their interiors, as well as the placing on the market for such use. Where a Member State makes use of this derogation, it shall inform the Commission thereof. |
| · tricopper arsenide | Arsenic compounds | <p>1. Shall not be placed on the market, or used, as substances or in mixtures where the substance or mixture is intended for use to prevent the fouling by micro-organisms, plants or animals of:</p> <ul style="list-style-type: none"> — the hulls of boats, — cages, floats, nets and any other appliances or equipment used for fish or shellfish farming, — any totally or partly submerged appliances or equipment. <p>2. Shall not be placed on the market, or used, as substances or in mixtures where the substance or mixture is intended for use in the treatment of industrial waters, irrespective of their use.</p> <p>3. Shall not be used in the preservation of wood. Furthermore, wood so treated shall not be placed on the market.</p> <p>4. By way of derogation from paragraph 3:</p> <p>a) Relating to the substances and mixtures for the preservation of wood: these may only be used in industrial installations using vacuum or pressure to impregnate wood if they are solutions of inorganic compounds of the copper, chromium, arsenic (CCA) type C and if they are authorised in accordance with Article 5(1) of Directive 98/8/EC. Wood so treated shall not be placed on the market before fixation of the preservative is completed.</p> <p>b) Wood treated with CCA solution in accordance with point (a) may be placed on the market for professional and industrial use provided that the structural integrity of the wood is required for human or livestock safety and skin contact by the general public during its service life is unlikely:</p> <ul style="list-style-type: none"> — as structural timber in public and agricultural buildings, office buildings, and industrial premises, — in bridges and bridgework, — as constructional timber in freshwater areas and brackish waters, for example jetties and bridges, — as noise barriers, — in avalanche control, — in highway safety fencing and barriers, — as debarked round conifer livestock fence posts, — in earth retaining structures, — as electric power transmission and telecommunications poles, — as underground railway sleepers. <p>c) Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that all treated wood placed on the market is individually labelled "For professional and industrial installation and use only, contains arsenic". In addition, all wood placed on the market in packs shall also bear a label stating "Wear gloves when handling this wood. Wear a dust mask and eye protection when cutting or otherwise crafting this wood. Waste from this wood shall be treated as hazardous by an authorised undertaking".</p> <p>d) Treated wood referred to under point a) shall not be used:</p> <ul style="list-style-type: none"> — in residential or domestic constructions, whatever the purpose, — in any application where there is a risk of repeated skin contact, — in marine waters, — for agricultural purposes other than for livestock fence posts and structural uses in accordance with point (b), — in any application where the treated wood may come into contact with intermediate or finished products intended for human and/or animal consumption. <p>5. Wood treated with arsenic compounds that was in use in the Community before 30 September 2007, or that was placed on the market in accordance with paragraph 4 may remain in place and continue to be used until it reaches the end of its service life.</p> |

Reason for revision: 8, 11, 12

Publication date: 2012-02-27

Date of revision: 2023-05-05

Revision number: 0201

BIG number: 51697

41 / 56

Cobalt Nickel cement

| | | |
|--|----------------------------------|--|
| | | <p>6. Wood treated with CCA type C that was in use in the Community before 30 September 2007, or that was placed on the market in accordance with paragraph 4:</p> <ul style="list-style-type: none"> — may be used or reused subject to the conditions pertaining to its use listed under points 4 (b), (c) and (d), — may be placed on the market subject to the conditions pertaining to its use listed under points 4(b), (c) and (d). <p>7. Member States may allow wood treated with other types of CCA solutions that was in use in the Community before 30 September 2007:</p> <ul style="list-style-type: none"> — to be used or reused subject to the conditions pertaining to its use listed under points 4 (b), (c) and (d), — to be placed on the market subject to the conditions pertaining to its use listed under points 4(b), (c) and (d). |
| <ul style="list-style-type: none"> · cadmium (non-pyrophoric) · cadmium oxide (non-pyrophoric) · cadmium sulphate | <p>Cadmium and its compounds</p> | <p>For the purpose of this entry, the codes and chapters indicated in square brackets are the codes and chapters of the tariff and statistical nomenclature of Common Customs Tariff as established by Council Regulation (EEC) No 2658/87 (OJ L 256, 7.9.1987, p. 42).</p> <p>1. Shall not be used in mixtures and articles produced from synthetic organic polymers (hereafter referred to as plastic material) such as:</p> <ul style="list-style-type: none"> — polymers or copolymers of vinyl chloride (PVC) [3904 10] [3904 21] — polyurethane (PUR) [3909 50] — low-density polyethylene (LDPE), with the exception of low-density polyethylene used for the production of coloured masterbatch [3901 10] — cellulose acetate (CA) [3912 11] — cellulose acetate butyrate (CAB) [3912 11] — epoxy resins [3907 30] — melamine-formaldehyde (MF) resins [3909 20] — urea-formaldehyde (UF) resins [3909 10] — unsaturated polyesters (UP) [3907 91] — polyethylene terephthalate (PET) [3907 60] — polybutylene terephthalate (PBT) — transparent/general-purpose polystyrene [3903 11] — acrylonitrile methylmethacrylate (AMMA) — cross-linked polyethylene (VPE) — high-impact polystyrene — polypropylene (PP) [3902 10] — high-density polyethylene (HDPE) [3901 20] — acrylonitrile butadiene styrene (ABS) [3903 30] — poly(methyl methacrylate) (PMMA) [3906 10]. <p>Mixtures and articles produced from plastic material shall not be placed on the market if the concentration of cadmium (expressed as Cd metal) is equal to or greater than 0,01 % by weight of the plastic material.</p> <p>By way of derogation, the second subparagraph shall not apply to articles placed on the market before 10 December 2011.</p> <p>The first and second subparagraphs apply without prejudice to Council Directive 94/62/EC (OJ L 365, 31.12.1994, p. 10) and acts adopted on its basis.</p> <p>By 19 November 2012, in accordance with Article 69, the Commission shall ask the European Chemicals Agency to prepare a dossier conforming to the requirements of Annex XV in order to assess whether the use of cadmium and its compounds in plastic material, other than that listed in subparagraph 1, should be restricted.</p> <p>2. Shall not be used or placed on the market in paints with codes [3208] [3209] in a concentration (expressed as Cd metal) equal to or greater than 0,01 % by weight. For paints with codes [3208] [3209] with a zinc content exceeding 10 % by weight of the paint, the concentration of cadmium (expressed as Cd metal) shall not be equal to or greater than 0,1 % by weight.</p> <p>Painted articles shall not be placed on the market if the concentration of cadmium (expressed as Cd metal) is equal to or greater than 0,1 % by weight of the paint on the painted article.</p> <p>3. By way of derogation, paragraphs 1 and 2 shall not apply to articles coloured with mixtures containing cadmium for safety reasons.</p> <p>4. By way of derogation, paragraph 1, second subparagraph shall not apply to:</p> <ul style="list-style-type: none"> — mixtures produced from PVC waste, hereinafter referred to as “recovered PVC”, — mixtures and articles containing recovered PVC if their concentration of cadmium (expressed as Cd metal) does not exceed 0,1 % by weight of the plastic material in the following rigid PVC applications: <ul style="list-style-type: none"> (a) profiles and rigid sheets for building applications; (b) doors, windows, shutters, walls, blinds, fences, and roof gutters; (c) decks and terraces; (d) cable ducts; (e) pipes for non-drinking water if the recovered PVC is used in the middle layer of a multilayer pipe and is entirely covered with a layer of newly produced PVC in compliance with paragraph 1 above. Suppliers shall ensure, before the placing on the market of mixtures and articles containing recovered PVC for the first time, that these are visibly, legibly and indelibly marked as follows: “Contains recovered PVC” or with the following pictogram: <p>Pictogram recovered PVC</p> <p>In accordance with Article 69 of this Regulation, the derogation granted in paragraph 4 will be reviewed, in particular with a view to reducing the limit value for cadmium and to reassess the derogation for the applications listed in points (a) to (e), by 31 December 2017.</p> <p>5. For the purpose of this entry, “cadmium plating” means any deposit or coating of metallic cadmium on a metallic surface. Shall not be used for cadmium plating metallic articles or components of the articles used in the following sectors/applications:</p> <ul style="list-style-type: none"> a) equipment and machinery for: <ul style="list-style-type: none"> — food production [8210] [8417 20] [8419 81] [8421 11] [8421 22] [8422] [8435] [8437] [8438] [8476 11] — agriculture [8419 31] [8424 81] [8432] [8433] [8434] [8436] |

Reason for revision: 8, 11, 12

Publication date: 2012-02-27

Date of revision: 2023-05-05

Revision number: 0201

BIG number: 51697

42 / 56

Cobalt Nickel cement

| | | |
|---|--|--|
| | | <p>— cooling and freezing [8418] — printing and book-binding [8440] [8442] [8443] (b) equipment and machinery for the production of:</p> <ul style="list-style-type: none"> — household goods [7321] [8421 12] [8450] [8509] [8516] — furniture [8465] [8466] [9401] [9402] [9403] [9404] — sanitary ware [7324] — central heating and air conditioning plant [7322] [8403] [8404] [8415] <p>In any case, whatever their use or intended final purpose, the placing on the market of cadmium-plated articles or components of such articles used in the sectors/applications listed in points (a) and (b) above and of articles manufactured in the sectors listed in point (b) above is prohibited.</p> <p>6. The provisions referred to in paragraph 5 shall also be applicable to cadmium-plated articles or components of such articles when used in the sectors/applications listed in points (a) and (b) below and to articles manufactured in the sectors listed in (b) below:</p> <p>(a) equipment and machinery for the production of:</p> <ul style="list-style-type: none"> — paper and board [8419 32] [8439] [8441] textiles and clothing [8444] [8445] [8447] [8448] [8449] [8451] [8452] <p>(b) equipment and machinery for the production of:</p> <ul style="list-style-type: none"> — industrial handling equipment and machinery [8425] [8426] [8427] [8428] [8429] [8430] [8431] — road and agricultural vehicles [chapter 87] — rolling stock [chapter 86] — vessels [chapter 89]. <p>7. However, the restrictions in paragraphs 5 and 6 shall not apply to:</p> <ul style="list-style-type: none"> — articles and components of the articles used in the aeronautical, aerospace, mining, offshore and nuclear sectors whose applications require high safety standards and in safety devices in road and agricultural vehicles, rolling stock and vessels, — electrical contacts in any sector of use, where that is necessary to ensure the reliability required of the apparatus on which they are installed. <p>8. Shall not be used in brazing fillers in concentration equal to or greater than 0,01 % by weight. Brazing fillers shall not be placed on the market if the concentration of cadmium (expressed as Cd metal) is equal to or greater than 0,01 % by weight. For the purpose of this paragraph brazing shall mean a joining technique using alloys and undertaken at temperatures above 450 °C.</p> <p>9. By way of derogation, paragraph 8 shall not apply to brazing fillers used in defence and aerospace applications and to brazing fillers used for safety reasons.</p> <p>10. Shall not be used or placed on the market if the concentration is equal to or greater than 0,01 % by weight of the metal in:</p> <p>(i) metal beads and other metal components for jewellery making;</p> <p>(ii) metal parts of jewellery and imitation jewellery articles and hair accessories, including:</p> <ul style="list-style-type: none"> — bracelets, necklaces and rings, — piercing jewellery, — wrist-watches and wrist-wear, — brooches and cufflinks. <p>11. By way of derogation, paragraph 10 shall not apply to articles placed on the market before 10 December 2011 and jewellery more than 50 years old on 10 December 2011</p> |
| <ul style="list-style-type: none"> · nickel · nickel monoxide | <p>Nickel and its compounds</p> | <p>1. Shall not be used:</p> <p>(a) in any post assemblies which are inserted into pierced ears and other pierced parts of the human body unless the rate of nickel release from such post assemblies is less than 0,2 µg/cm² /week (migration limit);</p> <p>(b) in articles intended to come into direct and prolonged contact with the skin such as:</p> <ul style="list-style-type: none"> — earrings, — necklaces, bracelets and chains, anklets, finger rings, — wrist-watch cases, watch straps and tighteners, — rivet buttons, tighteners, rivets, zippers and metal marks, when these are used in garments, if the rate of nickel release from the parts of these articles coming into direct and prolonged contact with the skin is greater than 0,5 µg/cm² / week. <p>(c) in articles referred to in point (b) where these have a non-nickel coating unless such coating is sufficient to ensure that the rate of nickel release from those parts of such articles coming into direct and prolonged contact with the skin will not exceed 0,5 µg/cm² / week for a period of at least two years of normal use of the article.</p> <p>2. Articles which are the subject of paragraph 1 shall not be placed on the market unless they conform to the requirements set out in that paragraph.</p> <p>3. The standards adopted by the European Committee for Standardisation (CEN) shall be used as the test methods for demonstrating the conformity of articles to paragraphs 1 and 2.</p> <p>Titles and references of harmonised standards under entry 27 of Annex XVII to REACH (see Commission communication (EU) No 2017/C 011/02)</p> |
| <ul style="list-style-type: none"> · cadmium (non-pyrophoric) · cadmium oxide (non-pyrophoric) · cadmium sulphate · cobalt · nickel monoxide | <p>Substances which are classified as carcinogen category 1A or 1B in Part 3 of Annex VI to Regulation (EC) No 1272/2008 and are listed in Appendix 1 or Appendix 2, respectively.</p> | <p>Without prejudice to the other parts of this Annex the following shall apply to entries 28 to 30:</p> <p>1. Shall not be placed on the market, or used,</p> <ul style="list-style-type: none"> — as substances, — as constituents of other substances, or, — in mixtures, <p>for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than:</p> <ul style="list-style-type: none"> — either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or, — the relevant generic concentration limit specified in Part 3 of Annex I of Regulation (EC) No 1272/2008. <p>Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows: “Restricted to professional users”.</p> <p>2. By way of derogation, paragraph 1 shall not apply to:</p> |

Reason for revision: 8, 11, 12

Publication date: 2012-02-27

Date of revision: 2023-05-05

Revision number: 0201

BIG number: 51697

43 / 56

Cobalt Nickel cement

| | | |
|--|--|--|
| | | <p>(a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC;</p> <p>(b) cosmetic products as defined by Directive 76/768/EEC;</p> <p>(c) the following fuels and oil products:</p> <ul style="list-style-type: none"> — motor fuels which are covered by Directive 98/70/EC, — mineral oil products intended for use as fuel in mobile or fixed combustion plants, — fuels sold in closed systems (e.g. liquid gas bottles); <p>(d) artists' paints covered by Regulation (EC) No 1272/2008;</p> <p>(e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date;</p> <p>(f) devices covered by Regulation (EU) 2017/745.</p> |
| · cadmium sulphate | Substances which are classified as germ cell mutagen category 1A or 1B in Part 3 of Annex VI to Regulation (EC) No 1272/2008 and are listed in Appendix 3 or Appendix 4, respectively. | <p>Without prejudice to the other parts of this Annex the following shall apply to entries 28 to 30:</p> <p>1. Shall not be placed on the market, or used,</p> <ul style="list-style-type: none"> — as substances, — as constituents of other substances, or, — in mixtures, <p>for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than:</p> <ul style="list-style-type: none"> — either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or, — the relevant generic concentration limit specified in Part 3 of Annex I of Regulation (EC) No 1272/2008. <p>Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows: "Restricted to professional users".</p> <p>2. By way of derogation, paragraph 1 shall not apply to:</p> <p>(a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC;</p> <p>(b) cosmetic products as defined by Directive 76/768/EEC;</p> <p>(c) the following fuels and oil products:</p> <ul style="list-style-type: none"> — motor fuels which are covered by Directive 98/70/EC, — mineral oil products intended for use as fuel in mobile or fixed combustion plants, — fuels sold in closed systems (e.g. liquid gas bottles); <p>(d) artists' paints covered by Regulation (EC) No 1272/2008;</p> <p>(e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date;</p> <p>(f) devices covered by Regulation (EU) 2017/745.</p> |
| · cadmium sulphate · cobalt · lead(II)sulphate | Substances which are classified as reproductive toxicant category 1A or 1B in Part 3 of Annex VI to Regulation (EC) No 1272/2008 and are listed in Appendix 5 or Appendix 6, respectively. | <p>Without prejudice to the other parts of this Annex the following shall apply to entries 28 to 30:</p> <p>1. Shall not be placed on the market, or used,</p> <ul style="list-style-type: none"> — as substances, — as constituents of other substances, or, — in mixtures, <p>for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than:</p> <ul style="list-style-type: none"> — either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or, — the relevant generic concentration limit specified in Part 3 of Annex I of Regulation (EC) No 1272/2008. <p>Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows: "Restricted to professional users".</p> <p>2. By way of derogation, paragraph 1 shall not apply to:</p> <p>(a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC;</p> <p>(b) cosmetic products as defined by Directive 76/768/EEC;</p> <p>(c) the following fuels and oil products:</p> <ul style="list-style-type: none"> — motor fuels which are covered by Directive 98/70/EC, — mineral oil products intended for use as fuel in mobile or fixed combustion plants, — fuels sold in closed systems (e.g. liquid gas bottles); <p>(d) artists' paints covered by Regulation (EC) No 1272/2008;</p> <p>(e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date;</p> <p>(f) devices covered by Regulation (EU) 2017/745.</p> |
| · lead(II)sulphate | Lead and its compounds | <p>1. Shall not be placed on the market or used in any individual part of jewellery articles if the concentration of lead (expressed as metal) in such a part is equal to or greater than 0,05 % by weight.</p> <p>2. For the purposes of paragraph 1:</p> <p>(i) "jewellery articles" shall include jewellery and imitation jewellery articles and hair accessories, including:</p> <ul style="list-style-type: none"> (a) bracelets, necklaces and rings; (b) piercing jewellery; (c) wrist watches and wrist-wear; (d) brooches and cufflinks; <p>(ii) "any individual part" shall include the materials from which the jewellery is made, as well as the individual components of the jewellery articles.</p> <p>3. Paragraph 1 shall also apply to individual parts when placed on the market or used for jewellery-making.</p> <p>4. By way of derogation, paragraph 1 shall not apply to:</p> |

Reason for revision: 8, 11, 12

Publication date: 2012-02-27

Date of revision: 2023-05-05

Revision number: 0201

BIG number: 51697

44 / 56

Cobalt Nickel cement

(a) crystal glass as defined in Annex I (categories 1, 2, 3 and 4) to Council Directive 69/493/EEC (*);

(b) internal components of watch timepieces inaccessible to consumers;

(c) non-synthetic or reconstructed precious and semiprecious stones (CN code 7103, as established by Regulation (EEC) No 2658/87), unless they have been treated with lead or its compounds or mixtures containing these substances;

(d) enamels, defined as vitrifiable mixtures resulting from the fusion, vitrification or sintering of minerals melted at a temperature of at least 500 °C. (*) OJ L 326, 29.12.1969, p. 36.

5. By way of derogation, paragraph 1 shall not apply to jewellery articles placed on the market for the first time before 9 October 2013 and jewellery articles produced before 10 December 1961.

6. By 9 October 2017, the Commission shall re-evaluate paragraphs 1 to 5 of this entry in the light of new scientific information, including the availability of alternatives and the migration of lead from the articles referred to in paragraph 1 and, if appropriate, modify this entry accordingly.

7. Shall not be placed on the market or used in articles supplied to the general public, if the concentration of lead (expressed as metal) in those articles or accessible parts thereof is equal to or greater than 0,05 % by weight, and those articles or accessible parts thereof may, during normal or reasonably foreseeable conditions of use, be placed in the mouth by children.

That limit shall not apply where it can be demonstrated that the rate of lead release from such an article or any such accessible part of an article, whether coated or uncoated, does not exceed 0,05 µg/cm² per hour (equivalent to 0,05 µg/g/h), and, for coated articles, that the coating is sufficient to ensure that this release rate is not exceeded for a period of at least two years of normal or reasonably foreseeable conditions of use of the article.

For the purposes of this paragraph, it is considered that an article or accessible part of an article may be placed in the mouth by children if it is smaller than 5 cm in one dimension or has a detachable or protruding part of that size.

8. By way of derogation, paragraph 7 shall not apply to:

(a) jewellery articles covered by paragraph 1;

(b) crystal glass as defined in Annex I (categories 1, 2, 3 and 4) to Directive 69/493/EEC;

(c) non-synthetic or reconstructed precious and semi-precious stones (CN code 7103 as established by Regulation (EEC) No 2658/87) unless they have been treated with lead or its compounds or mixtures containing these substances;

(d) enamels, defined as vitrifiable mixtures resulting from the fusion, vitrification or sintering of mineral melted at a temperature of at least 500 °C;

(e) keys and locks, including padlocks;

(f) musical instruments;

(g) articles and parts of articles comprising brass alloys, if the concentration of lead (expressed as metal) in the brass alloy does not exceed 0,5 % by weight;

(h) the tips of writing instruments;

(i) religious articles;

(j) portable zinc-carbon batteries and button cell batteries;

(k) articles within the scope of:

(i) Directive 94/62/EC;

(ii) Regulation (EC) No 1935/2004;

(iii) Directive 2009/48/EC of the European Parliament and of the Council (*);

(iv) Directive 2011/65/EU of the European Parliament and of the Council (**)

9. By 1 July 2019, the Commission shall re-evaluate paragraphs 7 and 8(e), (f), (i) and (j) of this entry in the light of new scientific information, including the availability of alternatives and the migration of lead from the articles referred to in paragraph 7, including the requirement on coating integrity, and, if appropriate, modify this entry accordingly.

10. By way of derogation paragraph 7 shall not apply to articles placed on the market for the first time before 1 June 2016.

(*) Directive 2009/48/EC of the European Parliament and of the Council of 18 June 2009 on the safety of toys (OJ L 170, 30.6.2009, p. 1).

(**) Directive 2011/65/EU of the European Parliament and of the Council of 8 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment (OJ L 174, 1.7.2011, p. 88).

11. Doing either of the following acts after 15 February 2023 in or within 100 metres of wetlands is prohibited:

(a) discharging gunshot containing a concentration of lead (expressed as metal) equal to or greater than 1 % by weight;

(b) carrying any such gunshot where this occurs while out wetland shooting or as part of going wetland shooting.

For the purposes of the first subparagraph:

(a) "within 100 metres of wetlands" means within 100 metres outward from any outer boundary point of a wetland;

(b) "wetland shooting" means shooting in or within 100 metres of wetlands;

(c) if a person is found carrying gunshot in or within 100 metres of wetlands while out shooting or as part of going shooting, the shooting concerned shall be presumed to be wetland shooting unless that person can demonstrate that it was some other type of shooting.

The restriction laid down in the first subparagraph shall not apply in a Member State if that Member State notifies the Commission in accordance with paragraph 12 that it intends to make use of the option granted by that paragraph.

12. If at least 20 % in total of the territory, excluding the territorial waters, of a Member State are wetlands, that Member State may, in place of the restriction laid down in the first subparagraph of paragraph 11, prohibit the following acts throughout the whole of its territory from 15 February 2024:

(a) the placing on the market of gunshot containing a concentration of lead (expressed as metal) equal to or greater than 1 % by weight;

Reason for revision: 8, 11, 12

Publication date: 2012-02-27

Date of revision: 2023-05-05

Revision number: 0201

BIG number: 51697

45 / 56

Cobalt Nickel cement

| | | |
|--|--|---|
| | | <p>(b) the discharging of any such gunshot; (c) carrying any such gunshot while out shooting or as part of going shooting. Any Member State intending to make use of the option granted by the first subparagraph shall notify the Commission of this intention by 15 August 2021. The Member State shall communicate the text of the national measures adopted by it to the Commission without delay and in any event by 15 August 2023. The Commission shall make publicly available without delay any such notices of intention and texts of national measures received by it. 13. For the purposes of paragraphs 11 and 12: (a) "wetlands" means areas of marsh, fen, peatland or water, whether natural or artificial, permanent or temporary, with water that is static or flowing, fresh, brackish or salt, including areas of marine water the depth of which at low tide does not exceed 6 metres; (b) "gunshot" means pellets used or intended for use in a single charge or cartridge in a shotgun; (c) "shotgun" means a smooth-bore gun, excluding airguns; (d) "shooting" means any shooting with a shotgun; (e) "carrying" means any carrying on the person or carrying or transporting by any other means; (f) in determining whether a person found with gunshot is carrying gunshot "as part of going shooting": (i) regard shall be had to all the circumstances of the case; (ii) the person found with the gunshot need not necessarily be the same person as the person shooting. 14. Member States may maintain national provisions for protection of the environment or human health in force on 15 February 2021 and restricting lead in gunshot more severely than provided for in paragraph 11. The Member State shall communicate the text of those national provisions to the Commission without delay. The Commission shall make publicly available without delay any such texts of national provisions received by it.</p> |
| <ul style="list-style-type: none"> · cadmium (non-pyrophoric) · cadmium oxide (non-pyrophoric) · cadmium sulphate | <p>The substances listed in column 1 of the Table in Appendix 12</p> | <p>1. Shall not be placed on the market after 1 November 2020 in any of the following: (a) clothing or related accessories; (b) textiles other than clothing which, under normal or reasonably foreseeable conditions of use, come into contact with human skin to an extent similar to clothing; (c) footwear; if the clothing, related accessory, textile other than clothing or footwear is for use by consumers and the substance is present in a concentration, measured in homogeneous material, equal to or greater than that specified for that substance in Appendix 12. 2. By way of derogation, in relation to the placing on the market of formaldehyde [CAS No 50-00-0] in jackets, coats or upholstery, the relevant concentration for the purposes of paragraph 1 shall be 300 mg/kg during the period between 1 November 2020 and 1 November 2023. The concentration specified in Appendix 12 shall apply thereafter. 3. Paragraph 1 shall not apply to: (a) clothing, related accessories or footwear, or parts of clothing, related accessories or footwear, made exclusively of natural leather, fur or hide; (b) non-textile fasteners and non-textile decorative attachments; (c) second-hand clothing, related accessories, textiles other than clothing or footwear (d) wall-to-wall carpets and textile floor coverings for indoor use, rugs and runners. 4. Paragraph 1 shall not apply to clothing, related accessories, textiles other than clothing, or footwear within the scope of Regulation (EU) 2016/425 of the European Parliament and of the Council (*) or Regulation (EU) 2017/745 of the European Parliament and of the Council (**). 5. Paragraph 1(b) shall not apply to disposable textiles. 'Disposable textiles' means textiles that are designed to be used only once or for a limited time and are not intended for subsequent use for the same or a similar purpose. 6. Paragraphs 1 and 2 shall apply without prejudice to the application of any stricter restrictions set out in this Annex or in other applicable Union legislation. 7. The Commission shall review the exemption in paragraph 3(d) and, if appropriate, modify that point accordingly. (*) Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC (OJ L 81, 31.3.2016, p. 51). (**) Regulation (EU) 2017/745 of the European Parliament and of the Council of 5 April 2017 on medical devices, amending Directive 2001/83/EC, Regulation (EC) No 178/2002 and Regulation (EC) No 1223/2009 and repealing Council Directives 90/385/EEC and 93/42/EEC (OJ L 117, 5.5.2017, p. 1).</p> |
| <ul style="list-style-type: none"> · lead(II)sulphate | <p>The substances listed in column 1 of the Table in Appendix 12</p> | <p>1. Shall not be placed on the market after 1 November 2020 in any of the following: (a) clothing or related accessories; (b) textiles other than clothing which, under normal or reasonably foreseeable conditions of use, come into contact with human skin to an extent similar to clothing; (c) footwear; if the clothing, related accessory, textile other than clothing or footwear is for use by consumers and the substance is present in a concentration, measured in homogeneous material, equal to or greater than that specified for that substance in Appendix 12. 2. By way of derogation, in relation to the placing on the market of formaldehyde [CAS No 50-00-0] in jackets, coats or upholstery, the relevant concentration for the purposes of paragraph 1 shall be 300 mg/kg during the period between 1 November 2020 and 1 November 2023. The concentration specified in Appendix 12 shall apply thereafter. 3. Paragraph 1 shall not apply to: (a) clothing, related accessories or footwear, or parts of clothing, related accessories or footwear, made exclusively of natural leather, fur or hide; (b) non-textile fasteners and non-textile decorative attachments; (c) second-hand clothing, related accessories, textiles other than clothing or footwear (d) wall-to-wall carpets and textile floor coverings for indoor use, rugs and runners. 4. Paragraph 1 shall not apply to clothing, related accessories, textiles other than clothing, or footwear within the scope of Regulation (EU) 2016/425 of the European Parliament and of the Council (*) or Regulation (EU) 2017/745 of the European Parliament and of the Council (**).</p> |

Reason for revision: 8, 11, 12

Publication date: 2012-02-27

Date of revision: 2023-05-05

Revision number: 0201

BIG number: 51697

46 / 56

Cobalt Nickel cement

| | | |
|---|---|---|
| | | <p>Council (**).</p> <p>5. Paragraph 1(b) shall not apply to disposable textiles. ‘Disposable textiles’ means textiles that are designed to be used only once or for a limited time and are not intended for subsequent use for the same or a similar purpose.</p> <p>6. Paragraphs 1 and 2 shall apply without prejudice to the application of any stricter restrictions set out in this Annex or in other applicable Union legislation.</p> <p>7. The Commission shall review the exemption in paragraph 3(d) and, if appropriate, modify that point accordingly.</p> <p>(*) Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC (OJ L 81, 31.3.2016, p. 51).</p> <p>(**) Regulation (EU) 2017/745 of the European Parliament and of the Council of 5 April 2017 on medical devices, amending Directive 2001/83/EC, Regulation (EC) No 178/2002 and Regulation (EC) No 1223/2009 and repealing Council Directives 90/385/EEC and 93/42/EEC (OJ L 117, 5.5.2017, p. 1).</p> |
| <ul style="list-style-type: none"> · cadmium oxide (non-pyrophoric) · cadmium sulphate · cobalt oxide · copper sulphate · nickel monoxide · zinc sulphate (anhydrous) | <p>Substances falling within one or more of the following points:</p> <p>(a) substances classified as any of the following in Part 3 of Annex VI to Regulation (EC) No 1272/2008:</p> <ul style="list-style-type: none"> — carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, but excluding any such substances classified due to effects only following exposure by inhalation — reproductive toxicant category 1A, 1B or 2 but excluding any such substances classified due to effects only following exposure by inhalation — skin sensitiser category 1, 1A or 1B — skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2 — serious eye damage category 1 or eye irritant category 2 <p>(b) substances listed in Annex II to Regulation (EC) No 1223/2009 of the European Parliament and of the Council</p> <p>(c) substances listed in Annex IV to Regulation (EC) No 1223/2009 for which a condition is specified in at least one of the columns g, h and i of the table in that Annex (d) substances listed in Appendix 13 to this Annex.</p> <p>The ancillary requirements in paragraphs 7 and 8 of column 2 of this entry apply to all mixtures for use for tattooing purposes, whether or not they contain a substance falling within points (a) to (d) of this column of this entry.</p> | <p>Mixtures for tattooing purposes are subject to the restrictions of Regulation (EU) 2020/2081</p> |
| <ul style="list-style-type: none"> · nickel | <p>Substances falling within one or more of the following points:</p> <p>(a) substances classified as any of the following in Part 3 of Annex VI to Regulation (EC) No 1272/2008:</p> <ul style="list-style-type: none"> — carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, but excluding any such substances classified due to effects only following exposure by inhalation — reproductive toxicant category 1A, 1B or 2 but excluding any such substances classified due to effects only following exposure by inhalation — skin sensitiser category 1, 1A or 1B — skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2 — serious eye damage category 1 or eye irritant category 2 <p>(b) substances listed in Annex II to Regulation (EC) No 1223/2009 of the European Parliament and of the Council</p> <p>(c) substances listed in Annex IV to Regulation (EC) No 1223/2009 for which a condition is specified in at least one of the columns g, h and i of the table in that Annex (d) substances listed in Appendix 13 to this Annex.</p> <p>The ancillary requirements in paragraphs 7 and 8 of column 2 of this entry apply to all mixtures for use for tattooing purposes, whether or not they contain a substance falling within points (a) to (d) of this column of this entry.</p> | <p>Mixtures for tattooing purposes are subject to the restrictions of Regulation (EU) 2020/2081</p> |
| <ul style="list-style-type: none"> · cadmium (non-pyrophoric) | <p>Substances falling within one or more of the following points:</p> | <p>Mixtures for tattooing purposes are subject to the restrictions of Regulation (EU) 2020/2081</p> |

Reason for revision: 8, 11, 12

Publication date: 2012-02-27

Date of revision: 2023-05-05

Revision number: 0201

BIG number: 51697

47 / 56

Cobalt Nickel cement

| | | |
|----------|---|--|
| | <p>(a) substances classified as any of the following in Part 3 of Annex VI to Regulation (EC) No 1272/2008:</p> <ul style="list-style-type: none"> — carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, but excluding any such substances classified due to effects only following exposure by inhalation — reproductive toxicant category 1A, 1B or 2 but excluding any such substances classified due to effects only following exposure by inhalation — skin sensitiser category 1, 1A or 1B — skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2 — serious eye damage category 1 or eye irritant category 2 <p>(b) substances listed in Annex II to Regulation (EC) No 1223/2009 of the European Parliament and of the Council</p> <p>(c) substances listed in Annex IV to Regulation (EC) No 1223/2009 for which a condition is specified in at least one of the columns g, h and i of the table in that Annex (d) substances listed in Appendix 13 to this Annex.</p> <p>The ancillary requirements in paragraphs 7 and 8 of column 2 of this entry apply to all mixtures for use for tattooing purposes, whether or not they contain a substance falling within points (a) to (d) of this column of this entry.</p> | |
| · cobalt | <p>Substances falling within one or more of the following points:</p> <p>(a) substances classified as any of the following in Part 3 of Annex VI to Regulation (EC) No 1272/2008:</p> <ul style="list-style-type: none"> — carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, but excluding any such substances classified due to effects only following exposure by inhalation — reproductive toxicant category 1A, 1B or 2 but excluding any such substances classified due to effects only following exposure by inhalation — skin sensitiser category 1, 1A or 1B — skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2 — serious eye damage category 1 or eye irritant category 2 <p>(b) substances listed in Annex II to Regulation (EC) No 1223/2009 of the European Parliament and of the Council</p> <p>(c) substances listed in Annex IV to Regulation (EC) No 1223/2009 for which a condition is specified in at least one of the columns g, h and i of the table in that Annex (d) substances listed in Appendix 13 to this Annex.</p> <p>The ancillary requirements in paragraphs 7 and 8 of column 2 of this entry apply to all mixtures for use for tattooing purposes, whether or not they contain a substance falling within points (a) to (d) of this column of this entry.</p> | Mixtures for tattooing purposes are subject to the restrictions of Regulation (EU) 2020/2081 |
| · copper | <p>Substances falling within one or more of the following points:</p> <p>(a) substances classified as any of the following in Part 3 of Annex VI to Regulation (EC) No 1272/2008:</p> <ul style="list-style-type: none"> — carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, but excluding any such substances classified due to effects only following exposure by inhalation — reproductive toxicant category 1A, 1B or 2 but excluding any such substances classified due to effects only following exposure by inhalation — skin sensitiser category 1, 1A or 1B — skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2 — serious eye damage category 1 or eye irritant category 2 | Mixtures for tattooing purposes are subject to the restrictions of Regulation (EU) 2020/2081 |

Reason for revision: 8, 11, 12

Publication date: 2012-02-27

Date of revision: 2023-05-05

Revision number: 0201

BIG number: 51697

48 / 56

Cobalt Nickel cement

| | | |
|--------|---|--|
| | <p>(b) substances listed in Annex II to Regulation (EC) No 1223/2009 of the European Parliament and of the Council</p> <p>(c) substances listed in Annex IV to Regulation (EC) No 1223/2009 for which a condition is specified in at least one of the columns g, h and i of the table in that Annex (d) substances listed in Appendix 13 to this Annex.</p> <p>The ancillary requirements in paragraphs 7 and 8 of column 2 of this entry apply to all mixtures for use for tattooing purposes, whether or not they contain a substance falling within points (a) to (d) of this column of this entry.</p> | |
| · zinc | <p>Substances falling within one or more of the following points:</p> <p>(a) substances classified as any of the following in Part 3 of Annex VI to Regulation (EC) No 1272/2008:</p> <ul style="list-style-type: none"> — carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, but excluding any such substances classified due to effects only following exposure by inhalation — reproductive toxicant category 1A, 1B or 2 but excluding any such substances classified due to effects only following exposure by inhalation — skin sensitiser category 1, 1A or 1B — skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2 — serious eye damage category 1 or eye irritant category 2 <p>(b) substances listed in Annex II to Regulation (EC) No 1223/2009 of the European Parliament and of the Council</p> <p>(c) substances listed in Annex IV to Regulation (EC) No 1223/2009 for which a condition is specified in at least one of the columns g, h and i of the table in that Annex (d) substances listed in Appendix 13 to this Annex.</p> <p>The ancillary requirements in paragraphs 7 and 8 of column 2 of this entry apply to all mixtures for use for tattooing purposes, whether or not they contain a substance falling within points (a) to (d) of this column of this entry.</p> | Mixtures for tattooing purposes are subject to the restrictions of Regulation (EU) 2020/2081 |

National legislation Belgium

Cobalt Nickel cement

| | |
|---|---|
| Agents cancérigènes, mutagènes et reprotoxiques (Code du bien-être au travail, Livre VI, titre 2) | cancérigène catégorie 1A ou 1B selon CLP, n.s.a. |
| | mutagène catégorie 1A ou 1B selon CLP, n.s.a. |
| | reprotoxique catégorie 1A ou 1B selon CLP, n.s.a. |

tricopper arsenide

| | |
|---------------------------|---|
| Additional classification | Arsenic, acide arsénique et ses sels, ainsi que ses composés inorganiques (en As); C; La mention "C" signifie que l'agent en question relève du champ d'application de l'arrêté royal du 2 décembre 1993 concernant la protection des travailleurs contre les risques liés à l'exposition à des agents cancérigènes et mutagènes et reprotoxiques au travail. |
|---------------------------|---|

Cobalt Nickel cement

cadmium (non-pyrophoric)

| | |
|---|--|
| Additional classification | Cadmium et ses composés (particules alvéolaires) (en Cd); C; La mention "C" signifie que l'agent en question relève du champ d'application de l'arrêté royal du 2 décembre 1993 concernant la protection des travailleurs contre les risques liés à l'exposition à des agents cancérigènes et mutagènes et reprotoxiques au travail. |
| | Cadmium et ses composés (particules inhalables) (en Cd); C; La mention "C" signifie que l'agent en question relève du champ d'application de l'arrêté royal du 2 décembre 1993 concernant la protection des travailleurs contre les risques liés à l'exposition à des agents cancérigènes et mutagènes et reprotoxiques au travail. |
| | Cadmium et ses composés (particules inhalables) (en Cd); C; La mention "C" signifie que l'agent en question relève du champ d'application de l'arrêté royal du 2 décembre 1993 concernant la protection des travailleurs contre les risques liés à l'exposition à des agents cancérigènes et mutagènes et reprotoxiques au travail. |
| Agents cancérigènes, mutagènes et reprotoxiques (Code du bien-être au travail, Livre VI, titre 2) | cancérigène catégorie 1A ou 1B selon CLP, n.s.a. |

cadmium oxide (non-pyrophoric)

| | |
|---|--|
| Additional classification | Cadmium et ses composés (particules alvéolaires) (en Cd); C; La mention "C" signifie que l'agent en question relève du champ d'application de l'arrêté royal du 2 décembre 1993 concernant la protection des travailleurs contre les risques liés à l'exposition à des agents cancérigènes et mutagènes et reprotoxiques au travail. |
| | Cadmium et ses composés (particules inhalables) (en Cd); C; La mention "C" signifie que l'agent en question relève du champ d'application de l'arrêté royal du 2 décembre 1993 concernant la protection des travailleurs contre les risques liés à l'exposition à des agents cancérigènes et mutagènes et reprotoxiques au travail. |
| | Cadmium et ses composés (particules inhalables) (en Cd); C; La mention "C" signifie que l'agent en question relève du champ d'application de l'arrêté royal du 2 décembre 1993 concernant la protection des travailleurs contre les risques liés à l'exposition à des agents cancérigènes et mutagènes et reprotoxiques au travail. |
| Agents cancérigènes, mutagènes et reprotoxiques (Code du bien-être au travail, Livre VI, titre 2) | cancérigène catégorie 1A ou 1B selon CLP, n.s.a. |

cadmium sulphate

| | |
|---|--|
| Additional classification | Cadmium et ses composés (particules alvéolaires) (en Cd); C; La mention "C" signifie que l'agent en question relève du champ d'application de l'arrêté royal du 2 décembre 1993 concernant la protection des travailleurs contre les risques liés à l'exposition à des agents cancérigènes et mutagènes et reprotoxiques au travail. |
| | Cadmium et ses composés (particules inhalables) (en Cd); C; La mention "C" signifie que l'agent en question relève du champ d'application de l'arrêté royal du 2 décembre 1993 concernant la protection des travailleurs contre les risques liés à l'exposition à des agents cancérigènes et mutagènes et reprotoxiques au travail. |
| | Cadmium et ses composés (particules inhalables) (en Cd); C; La mention "C" signifie que l'agent en question relève du champ d'application de l'arrêté royal du 2 décembre 1993 concernant la protection des travailleurs contre les risques liés à l'exposition à des agents cancérigènes et mutagènes et reprotoxiques au travail. |
| Agents cancérigènes, mutagènes et reprotoxiques (Code du bien-être au travail, Livre VI, titre 2) | cancérigène catégorie 1A ou 1B selon CLP, n.s.a. |
| | mutagène catégorie 1A ou 1B selon CLP, n.s.a. |
| | reprotoxique catégorie 1A ou 1B selon CLP, n.s.a. |

cobalt

| | |
|---|--|
| Agents cancérigènes, mutagènes et reprotoxiques (Code du bien-être au travail, Livre VI, titre 2) | Cobalt et ses composés; VI.2.3.; Liste non limitative de substances, mélanges et procédés visés à l'article VI.2-1, alinéa 3 |
|---|--|

nickel

| | |
|---|--|
| Agents cancérigènes, mutagènes et reprotoxiques (Code du bien-être au travail, Livre VI, titre 2) | Nickel; VI.2.3.; Liste non limitative de substances, mélanges et procédés visés à l'article VI.2-1, alinéa 3 |
|---|--|

nickel monoxide

| | |
|---|--|
| Agents cancérigènes, mutagènes et reprotoxiques (Code du bien-être au travail, Livre VI, titre 2) | cancérigène catégorie 1A ou 1B selon CLP, n.s.a. |
|---|--|

Cobalt Nickel cement

lead(II)sulphate

| | |
|---|--|
| Agents cancérigènes, mutagènes et reprotoxiques (Code du bien-être au travail, Livre VI, titre 2) | reprotoxique catégorie 1A ou 1B selon CLP, n.s.a. |
| | Plomb et ses composés inorganiques; VI.2.3.; Liste non limitative de substances, mélanges et procédés visés à l'article VI.2-1, alinéa 3 |

antimony trioxide

| | |
|---|---|
| Agents cancérigènes, mutagènes et reprotoxiques (Code du bien-être au travail, Livre VI, titre 2) | Antimoine (trioxyde de di-); VI.2.3.; Liste non limitative de substances, mélanges et procédés visés à l'article VI.2-1, alinéa 3 |
|---|---|

National legislation The Netherlands

Cobalt Nickel cement

| | |
|----------------------|---|
| Waterbezwaarlijkheid | Z (1); Algemene Beoordelingsmethodiek (ABM) |
|----------------------|---|

tricopper arsenide

| | |
|---|--|
| SZW - Lijst van kankerverwekkende stoffen | anorganische arseen verbindingen; Opgenomen in SZW-lijst van kankerverwekkende stoffen |
|---|--|

cadmium (non-pyrophoric)

| | |
|--|--|
| SZW - Lijst van kankerverwekkende stoffen | Cadmium, zowel gestabiliseerd als pyrofoor; Opgenomen in SZW-lijst van kankerverwekkende stoffen |
| SZW - Lijst van voor de voortplanting giftige stoffen (ontwikkeling) | Cadmium, zowel gestabiliseerd als pyrofoor; Opgenomen in SZW-lijst van voor de voortplanting giftige stoffen (ontwikkeling); 2 |
| SZW - Lijst van voor de voortplanting giftige stoffen (vruchtbaarheid) | Cadmium, zowel gestabiliseerd als pyrofoor; Opgenomen in SZW-lijst van voor de voortplanting giftige stoffen (vruchtbaarheid); 2 |
| SZW - Lijst van voor de voortplanting giftige stoffen (borstvoeding) | Cadmium, zowel gestabiliseerd als pyrofoor; Opgenomen in SZW-lijst van voor de voortplanting giftige stoffen (borstvoeding) |

cadmium oxide (non-pyrophoric)

| | |
|--|---|
| SZW - Lijst van kankerverwekkende stoffen | Cadmiumoxide, gestabiliseerd; Opgenomen in SZW-lijst van kankerverwekkende stoffen |
| SZW - Lijst van voor de voortplanting giftige stoffen (ontwikkeling) | cadmiumoxide; Opgenomen in SZW-lijst van voor de voortplanting giftige stoffen (ontwikkeling); 1B |
| SZW - Lijst van voor de voortplanting giftige stoffen (vruchtbaarheid) | cadmiumoxide; Opgenomen in SZW-lijst van voor de voortplanting giftige stoffen (vruchtbaarheid); 1B |
| SZW - Lijst van voor de voortplanting giftige stoffen (borstvoeding) | cadmiumoxide; Opgenomen in SZW-lijst van voor de voortplanting giftige stoffen (borstvoeding) |

cadmium sulphate

| | |
|--|---|
| SZW - Lijst van kankerverwekkende stoffen | Cadmiumsulfaat; Opgenomen in SZW-lijst van kankerverwekkende stoffen |
| SZW - Lijst van mutagene stoffen | Cadmiumsulfaat; Opgenomen in SZW-lijst van mutagene stoffen |
| SZW - Lijst van voor de voortplanting giftige stoffen (ontwikkeling) | Cadmiumsulfaat; Opgenomen in SZW-lijst van voor de voortplanting giftige stoffen (ontwikkeling); 1B |
| SZW - Lijst van voor de voortplanting giftige stoffen (vruchtbaarheid) | Cadmiumsulfaat; Opgenomen in SZW-lijst van voor de voortplanting giftige stoffen (vruchtbaarheid); 1B |

cobalt

| | |
|--|---|
| SZW - Lijst van kankerverwekkende stoffen | kobalt; Opgenomen in SZW-lijst van kankerverwekkende stoffen |
| SZW - Lijst van voor de voortplanting giftige stoffen (vruchtbaarheid) | kobalt; Opgenomen in SZW-lijst van voor de voortplanting giftige stoffen (vruchtbaarheid); 1B |

nickel monoxide

| | |
|---|--|
| SZW - Lijst van kankerverwekkende stoffen | nikkelmonoxide; Opgenomen in SZW-lijst van kankerverwekkende stoffen |
|---|--|

lead(II)sulphate

| | |
|--|--|
| SZW - Lijst van voor de voortplanting giftige stoffen (ontwikkeling) | loodverbindingen, alle; Opgenomen in SZW-lijst van voor de voortplanting giftige stoffen (ontwikkeling); 1A |
| SZW - Lijst van voor de voortplanting giftige stoffen (vruchtbaarheid) | loodverbindingen, alle; Opgenomen in SZW-lijst van voor de voortplanting giftige stoffen (vruchtbaarheid); 2 |

Reason for revision: 8, 11, 12

Publication date: 2012-02-27

Date of revision: 2023-05-05

Revision number: 0201

BIG number: 51697

51 / 56

Cobalt Nickel cement

National legislation France

Cobalt Nickel cement

No data available

cadmium (non-pyrophoric)

| | |
|--|---|
| Catégorie cancérogène | Cadmium et ses composés inorganiques (fraction inhalable ou alvéolaire) |
| | Cadmium et ses composés inorganiques (fraction inhalable ou alvéolaire) |
| Catégorie mutagène | Cadmium et ses composés inorganiques (fraction inhalable ou alvéolaire) |
| | Cadmium et ses composés inorganiques (fraction inhalable ou alvéolaire) |
| Catégorie toxique pour la reproduction | Cadmium et ses composés inorganiques (fraction inhalable ou alvéolaire) |
| | Cadmium et ses composés inorganiques (fraction inhalable ou alvéolaire) |

cadmium oxide (non-pyrophoric)

| | |
|--|---|
| Catégorie cancérogène | Cadmium et ses composés inorganiques (fraction inhalable ou alvéolaire) |
| | Cadmium et ses composés inorganiques (fraction inhalable ou alvéolaire) |
| Catégorie mutagène | Cadmium et ses composés inorganiques (fraction inhalable ou alvéolaire) |
| | Cadmium et ses composés inorganiques (fraction inhalable ou alvéolaire) |
| Catégorie toxique pour la reproduction | Cadmium et ses composés inorganiques (fraction inhalable ou alvéolaire) |
| | Cadmium et ses composés inorganiques (fraction inhalable ou alvéolaire) |

cadmium sulphate

| | |
|--|---|
| Catégorie cancérogène | Cadmium et ses composés inorganiques (fraction inhalable ou alvéolaire) |
| | Cadmium et ses composés inorganiques (fraction inhalable ou alvéolaire) |
| Catégorie mutagène | Cadmium et ses composés inorganiques (fraction inhalable ou alvéolaire) |
| | Cadmium et ses composés inorganiques (fraction inhalable ou alvéolaire) |
| Catégorie toxique pour la reproduction | Cadmium et ses composés inorganiques (fraction inhalable ou alvéolaire) |
| | Cadmium et ses composés inorganiques (fraction inhalable ou alvéolaire) |

nickel

| | |
|-----------------------|--------------------|
| Catégorie cancérogène | Nickel (métal); C2 |
|-----------------------|--------------------|

nickel monoxide

| | |
|-----------------------|-------------------------------|
| Catégorie cancérogène | Nickel (oxyde de), en Ni; C1A |
|-----------------------|-------------------------------|

lead(II)sulphate

| | |
|--|-------------------------------------|
| Catégorie cancérogène | Plomb métallique et composés, en Pb |
| Catégorie toxique pour la reproduction | Plomb métallique et composés, en Pb |

antimony trioxide

| | |
|-----------------------|----------------------------------|
| Catégorie cancérogène | Antimoine et ses composés, en Sb |
|-----------------------|----------------------------------|

National legislation Germany

Cobalt Nickel cement

| | |
|-----------------------|--|
| Lagerklasse (TRGS510) | 6.1 D: Nichtbrennbare, akut toxische Kat. 3 / giftige oder chronisch wirkende Gefahrstoffe |
| WGK | 3; Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (AwSV) - 18. April 2017 |
| TA-Luft | 5.2.7.1.1/I |

tricopper arsenide

| | |
|---------|-------------|
| TA-Luft | 5.2.7.1.1/I |
|---------|-------------|

calcium sulfate, dihydrate

| | |
|---------|-------|
| TA-Luft | 5.2.1 |
|---------|-------|

cadmium (non-pyrophoric)

| | |
|------------------------------|---|
| TA-Luft | 5.2.7.1.1/I |
| TRGS905 - Krebserzeugend | Cadmium-Verbindungen (in Form atembarer Stäube/Aerosole), ausgenommen: die nachfolgend genannten sowie, die in Anhang VI Teil 3 der CLP-Verordnung namentlich aufgeführten, soweit sie "geringer eingestuft" sind; 1B |
| TRGS900 - Kanzerogener Stoff | Cadmium und anorganische Cadmium Verbindungen |

cadmium oxide (non-pyrophoric)

| | |
|------------------------------|---|
| TRGS900 - Kanzerogener Stoff | Cadmium und anorganische Cadmium Verbindungen |
|------------------------------|---|

cadmium sulphate

| | |
|------------------------------|---|
| TA-Luft | 5.2.7.1.1/I |
| TRGS905 - Krebserzeugend | Cadmium-Verbindungen (in Form atembarer Stäube/Aerosole), ausgenommen: die nachfolgend genannten sowie, die in Anhang VI Teil 3 der CLP-Verordnung namentlich aufgeführten, soweit sie "geringer eingestuft" sind; 1B |
| TRGS900 - Kanzerogener Stoff | Cadmium und anorganische Cadmium Verbindungen |

cobalt

| | |
|---------|-------------|
| TA-Luft | 5.2.7.1.1/I |
|---------|-------------|

cobalt oxide

| | |
|------------------------------------|---|
| TA-Luft | 5.2.2/II |
| TRGS905 - Krebserzeugend | Cobaltoxid (in Form atembarer Stäube/Aerosole); 2 |
| TRGS905 - Erbgutverändernd | Cobaltoxid (in Form atembarer Stäube/Aerosole); - |
| TRGS905 - Fruchtbarkeitsgefährdend | Cobaltoxid (in Form atembarer Stäube/Aerosole); - |
| TRGS905 - Fruchtschädigend | Cobaltoxid (in Form atembarer Stäube/Aerosole); - |

Reason for revision: 8, 11, 12

Publication date: 2012-02-27

Date of revision: 2023-05-05

Revision number: 0201

BIG number: 51697

52 / 56

Cobalt Nickel cement

copper

| | |
|---------|-----------|
| TA-Luft | 5.2.2/III |
|---------|-----------|

copper(II) oxide

| | |
|---------|-----------|
| TA-Luft | 5.2.2/III |
|---------|-----------|

copper sulphate

| | |
|---------|-----------|
| TA-Luft | 5.2.2/III |
|---------|-----------|

nickel

| | |
|---------|--------------|
| TA-Luft | 5.2.7.1.1/II |
|---------|--------------|

| | |
|---------------------------------------|---|
| TRGS900 - Risiko der Fruchtschädigung | Nickelmetall; Y; Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgrenzwertes und des biologischen Grenzwertes nicht befürchtet zu werden |
|---------------------------------------|---|

| | |
|--------------------------|--|
| Sensibilisierende Stoffe | Nickelmetall; Sh; Hautsensibilisierende Stoffe |
|--------------------------|--|

nickel monoxide

| | |
|---------|--------------|
| TA-Luft | 5.2.7.1.1/II |
|---------|--------------|

| | |
|---------------------------------------|--|
| TRGS900 - Risiko der Fruchtschädigung | Nickel und Nickelverbindungen; Y; Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgrenzwertes und des biologischen Grenzwertes nicht befürchtet zu werden |
|---------------------------------------|--|

| | |
|--------------------------|---|
| Sensibilisierende Stoffe | Nickel und Nickelverbindungen; Sh; Hautsensibilisierende Stoffe |
|--------------------------|---|

lead(II)sulphate

| | |
|---------|----------|
| TA-Luft | 5.2.2/II |
|---------|----------|

antimony trioxide

| | |
|---------|-----------|
| TA-Luft | 5.2.2/III |
|---------|-----------|

| | |
|---------------------------------------|---|
| TRGS900 - Risiko der Fruchtschädigung | Diantimontrioxid; Y; Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgrenzwertes und des biologischen Grenzwertes nicht befürchtet zu werden |
|---------------------------------------|---|

zinc oxide

| | |
|---------|-------|
| TA-Luft | 5.2.1 |
|---------|-------|

zinc sulphate (anhydrous)

| | |
|---------|-------|
| TA-Luft | 5.2.1 |
|---------|-------|

National legislation Austria

Cobalt Nickel cement

No data available

cadmium (non-pyrophoric)

| | |
|----------------|--|
| Krebserzeugend | Cadmium und seine Verbindungen; III A2 |
|----------------|--|

| |
|--|
| Cadmium und seine Verbindungen; III A2 |
|--|

| |
|-----------------|
| Cadmium; III A2 |
|-----------------|

| | |
|--|-----------------------------------|
| Fortpflanzungsgefährdend [fruchtschädigend (entwicklungsschädigend)] | Cadmium und seine Verbindungen; d |
|--|-----------------------------------|

| |
|-----------------------------------|
| Cadmium und seine Verbindungen; d |
|-----------------------------------|

| |
|------------|
| Cadmium; d |
|------------|

| | |
|--|-----------------------------------|
| Fortpflanzungsgefährdend [Beeinträchtigung der Fortpflanzungsfähigkeit (Fruchtbarkeit)] | Cadmium und seine Verbindungen; f |
|--|-----------------------------------|

| |
|-----------------------------------|
| Cadmium und seine Verbindungen; f |
|-----------------------------------|

| |
|------------|
| Cadmium; f |
|------------|

cadmium oxide (non-pyrophoric)

| | |
|----------------|---------------------|
| Krebserzeugend | Cadmiumoxid; III A2 |
|----------------|---------------------|

| | |
|--|----------------|
| Fortpflanzungsgefährdend [fruchtschädigend (entwicklungsschädigend)] | Cadmiumoxid; d |
|--|----------------|

| | |
|--|----------------|
| Fortpflanzungsgefährdend [Beeinträchtigung der Fortpflanzungsfähigkeit (Fruchtbarkeit)] | Cadmiumoxid; f |
|--|----------------|

Cobalt Nickel cement

cadmium sulphate

| | |
|--|-----------------------|
| Krebserzeugend | Cadmiumsulfat; III A2 |
| Fortpflanzungsgefährdend [fruchtschädigend (entwicklungsschädigend)] | Cadmiumsulfat; D |
| Fortpflanzungsgefährdend [Beeinträchtigung der Fortpflanzungsfähigkeit (Fruchtbarkeit)] | Cadmiumsulfat; F |

cobalt

| | |
|--|--|
| Krebserzeugend | Cobalt und seine Verbindungen (Cobalt als Cobaltmetall, Cobaltoxid, Cobaltsulfid und Cobaltsulfat, Staub von Cobaltlegierungen)– Herstellung von Cobaltpulver und Katalysatoren, Hartmetall- und Magnetherstellung (Pulveraufarbeitung, Pressenund mechanische Bearbeitung nicht gesinterter Werkstücke)– im übrigen; III A2 Cobalt und seine Verbindungen (Cobalt als Cobaltmetall, Cobaltoxid, Cobaltsulfid und Cobaltsulfat, Staub von Cobaltlegierungen)– Herstellung von Cobaltpulver und Katalysatoren, Hartmetall- und Magnetherstellung (Pulveraufarbeitung, Pressenund mechanische Bearbeitung nicht gesinterter Werkstücke)– im übrigen; III A2 |
| Gefahr der Sensibilisierung der Haut | Cobalt und seine Verbindungen (Cobalt als Cobaltmetall, Cobaltoxid, Cobaltsulfid und Cobaltsulfat, Staub von Cobaltlegierungen)– Herstellung von Cobaltpulver und Katalysatoren, Hartmetall- und Magnetherstellung (Pulveraufarbeitung, Pressenund mechanische Bearbeitung nicht gesinterter Werkstücke)– im übrigen; Sh Cobalt und seine Verbindungen (Cobalt als Cobaltmetall, Cobaltoxid, Cobaltsulfid und Cobaltsulfat, Staub von Cobaltlegierungen)– Herstellung von Cobaltpulver und Katalysatoren, Hartmetall- und Magnetherstellung (Pulveraufarbeitung, Pressenund mechanische Bearbeitung nicht gesinterter Werkstücke)– im übrigen; Sh |
| besondere Gefahr der Hautresorption | Cobalt und seine Verbindungen (Cobalt als Cobaltmetall, Cobaltoxid, Cobaltsulfid und Cobaltsulfat, Staub von Cobaltlegierungen)– Herstellung von Cobaltpulver und Katalysatoren, Hartmetall- und Magnetherstellung (Pulveraufarbeitung, Pressenund mechanische Bearbeitung nicht gesinterter Werkstücke)– im übrigen; H Cobalt und seine Verbindungen (Cobalt als Cobaltmetall, Cobaltoxid, Cobaltsulfid und Cobaltsulfat, Staub von Cobaltlegierungen)– Herstellung von Cobaltpulver und Katalysatoren, Hartmetall- und Magnetherstellung (Pulveraufarbeitung, Pressenund mechanische Bearbeitung nicht gesinterter Werkstücke)– im übrigen; H |
| Gefahr der Sensibilisierung der Atemwege | Cobalt und seine Verbindungen (Cobalt als Cobaltmetall, Cobaltoxid, Cobaltsulfid und Cobaltsulfat, Staub von Cobaltlegierungen)– Herstellung von Cobaltpulver und Katalysatoren, Hartmetall- und Magnetherstellung (Pulveraufarbeitung, Pressenund mechanische Bearbeitung nicht gesinterter Werkstücke)– im übrigen; Sa Cobalt und seine Verbindungen (Cobalt als Cobaltmetall, Cobaltoxid, Cobaltsulfid und Cobaltsulfat, Staub von Cobaltlegierungen)– Herstellung von Cobaltpulver und Katalysatoren, Hartmetall- und Magnetherstellung (Pulveraufarbeitung, Pressenund mechanische Bearbeitung nicht gesinterter Werkstücke)– im übrigen; Sa |

nickel

| | |
|--|--|
| Krebserzeugend | Nickel (Stäube von Nickelmetall, Nickelsulfid und sulfidischen Erzen, Nickeloxide, Nickelchromat und Nickel- carbonat) und Stäube von Nickelverbindungen und Nickellegierungen; III A1 |
| Gefahr der Sensibilisierung der Haut | Nickel (Stäube von Nickelmetall, Nickelsulfid und sulfidischen Erzen, Nickeloxide, Nickelchromat und Nickel- carbonat) und Stäube von Nickelverbindungen und Nickellegierungen; Sh |
| Gefahr der Sensibilisierung der Atemwege | Nickel (Stäube von Nickelmetall, Nickelsulfid und sulfidischen Erzen, Nickeloxide, Nickelchromat und Nickel- carbonat) und Stäube von Nickelverbindungen und Nickellegierungen; Sa |

nickel monoxide

| | |
|--|---|
| Krebserzeugend | Nickelverbindungen in Form einatembare Tröpfchen; III A1 Nickelverbindungen gelten als eindeutig krebserzeugend und fruchtschädigend; III A1 |
| Fortpflanzungsgefährdend [fruchtschädigend (entwicklungsschädigend)] | Nickelverbindungen gelten als eindeutig krebserzeugend und fruchtschädigend; D |
| Gefahr der Sensibilisierung der Haut | Nickelverbindungen in Form einatembare Tröpfchen; Sh Nickelverbindungen gelten als eindeutig krebserzeugend und fruchtschädigend; Sh |
| Gefahr der Sensibilisierung der Atemwege | Nickelverbindungen in Form einatembare Tröpfchen; Sa |

antimony trioxide

| | |
|----------------|--|
| Krebserzeugend | Antimontrioxid– Herstellung von Antimon- trioxid, Herstellung von Antimontrioxid-Masterbatches und -pasten (Wiegen und Mischen von Antimontrioxid- Pulver)– im übrigen; III A2 Antimontrioxid– Herstellung von Antimon- trioxid, Herstellung von Antimontrioxid-Masterbatches und -pasten (Wiegen und Mischen von Antimontrioxid- Pulver)– im übrigen; III A2 |
|----------------|--|

National legislation United Kingdom

Cobalt Nickel cement

No data available

tricopper arsenide

| | |
|------------|---|
| Carcinogen | Arsenic and compounds except arsine (as As); Carc |
|------------|---|

cadmium sulphate

| | |
|------------|---|
| Carcinogen | Cadmium compounds except cadmium oxide fume, cadmium sulphide and cadmium sulphide pigments (as Cd); Carc |
|------------|---|

cobalt

| | |
|---------------------------|-------------|
| Skin Sensitisation | Cobalt; Sen |
| Respiratory sensitisation | Cobalt; Sen |

Reason for revision: 8, 11, 12

Publication date: 2012-02-27

Date of revision: 2023-05-05

Revision number: 0201

BIG number: 51697

54 / 56

Cobalt Nickel cement

cobalt oxide

| | |
|---------------------------|--------------------------------|
| Carcinogen | Cobalt compounds (as Co); Carc |
| Skin Sensitisation | Cobalt compounds (as Co); Sen |
| Respiratory sensitisation | Cobalt compounds (as Co); Sen |

nickel

| | |
|-----------------|------------------|
| Skin absorption | Nickel metal; Sk |
|-----------------|------------------|

nickel monoxide

| | |
|-----------------|--|
| Carcinogen | Nickel, insoluble inorganic compounds (as Ni)(except nickel tetracarbonyl); Carc |
| Skin absorption | Nickel, insoluble inorganic compounds (as Ni)(except nickel tetracarbonyl); Sk |

Other relevant data

Cobalt Nickel cement

No data available

tricopper arsenide

| | |
|------------------|--|
| TLV - Carcinogen | Arsenic and inorganic compounds, as As; A1 |
|------------------|--|

cadmium (non-pyrophoric)

| | |
|-----------------------|----------------------------------|
| IARC - classification | 1; Cadmium and cadmium compounds |
| TLV - Carcinogen | Cadmium and compounds, as Cd; A2 |
| | Cadmium and compounds, as Cd; A2 |

cadmium oxide (non-pyrophoric)

| | |
|------------------|----------------------------------|
| TLV - Carcinogen | Cadmium and compounds, as Cd; A2 |
| | Cadmium and compounds, as Cd; A2 |

cadmium sulphate

| | |
|------------------|----------------------------------|
| TLV - Carcinogen | Cadmium and compounds, as Cd; A2 |
| | Cadmium and compounds, as Cd; A2 |

cobalt

| | |
|---------------------------------|---|
| TLV - Carcinogen | Cobalt and inorganic compounds, as Co; A3 |
| TLV - Respiratory Sensitisation | Cobalt and inorganic compounds, as Co; SEN; Sensitization |
| TLV - Skin Sensitisation | Cobalt and inorganic compounds, as Co; SEN; Sensitization |
| IARC - classification | 2B; Cobalt and cobalt compounds |

cobalt oxide

| | |
|---------------------------------|---|
| IARC - classification | 2B; Cobalt and cobalt compounds |
| TLV - Respiratory Sensitisation | Cobalt and inorganic compounds, as Co; SEN; Sensitization |
| TLV - Skin Sensitisation | Cobalt and inorganic compounds, as Co; SEN; Sensitization |
| TLV - Carcinogen | Cobalt and inorganic compounds, as Co; A3 |

nickel

| | |
|-----------------------|--|
| IARC - classification | 2B; Nickel and nickel compounds |
| TLV - Carcinogen | Nickel and inorganic compounds including Nickel subsulfide, as Ni: Elemental; A5 |

nickel monoxide

| | |
|-----------------------|--|
| IARC - classification | 1; Nickel and nickel compounds |
| TLV - Carcinogen | Nickel and inorganic compounds including Nickel subsulfide, as Ni: Insoluble inorganic compounds (NOS); A1 |

lead(II)sulphate

| | |
|------------------|---|
| TLV - Carcinogen | Lead and inorganic compounds, as Pb; A3 |
|------------------|---|

antimony trioxide

| | |
|-----------------------|---|
| IARC - classification | 2B; Antimony trioxide and antimony trisulfide |
| TLV - Carcinogen | Antimony trioxide; A2 |

15.2. Chemical safety assessment

No chemical safety assessment is required; registered as an isolated intermediate.

SECTION 16: Other information

Full text of any H- and EUH-statements referred to under section 3:

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H330 Fatal if inhaled.
- H331 Toxic if inhaled.
- H332 Harmful if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H340 May cause genetic defects.
- H341 Suspected of causing genetic defects.
- H350 May cause cancer.
- H350i May cause cancer by inhalation.
- H351 Suspected of causing cancer.
- H351 Suspected of causing cancer if inhaled.
- H360Df May damage the unborn child. Suspected of damaging fertility.
- H360F May damage fertility.
- H360FD May damage fertility. May damage the unborn child.
- H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.
- H372 Causes damage to organs (lungs) through prolonged or repeated exposure if inhaled.

Reason for revision: 8, 11, 12

Publication date: 2012-02-27

Date of revision: 2023-05-05

Revision number: 0201

BIG number: 51697

55 / 56

Cobalt Nickel cement

H372 Causes damage to organs (bones, lungs, kidneys) through prolonged or repeated exposure if inhaled.
H372 Causes damage to organs through prolonged or repeated exposure.
H372 Causes damage to organs through prolonged or repeated exposure if inhaled.
H372 Causes damage to organs through prolonged or repeated exposure if swallowed.
H373 May cause damage to organs through prolonged or repeated exposure.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H413 May cause long lasting harmful effects to aquatic life.

| | |
|--------------|---|
| (*) | INTERNAL CLASSIFICATION BY BIG |
| ADI | Acceptable daily intake |
| AOEL | Acceptable operator exposure level |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration Factor |
| BEI | Biological Exposure Indices |
| CLP (EU-GHS) | Classification, labelling and packaging (Globally Harmonised System in Europe) |
| DMEL | Derived Minimal Effect Level |
| DNEL | Derived No Effect Level |
| EC10 | Effect Concentration 10 % |
| EC50 | Effect Concentration 50 % |
| ErC50 | EC50 in terms of reduction of growth rate |
| GLP | Good Laboratory Practice |
| LC0 | Lethal Concentration 0 % |
| LC50 | Lethal Concentration 50 % |
| LD50 | Lethal Dose 50 % |
| LOAEC/LOAEL | Lowest Observed Adverse Effect Concentration/Lowest Observed Adverse Effect Level |
| NOAEC/NOAEL | No Observed Adverse Effect Concentration/No Observed Adverse Effect Level |
| NOEC/NOEL | No Observed Effect Concentration/No Observed Effect Level |
| OECD | Organisation for Economic Co-operation and Development |
| PBT | Persistent, Bioaccumulative & Toxic |
| PNEC | Predicted No Effect Concentration |
| STP | Sludge Treatment Process |
| vPvB | very Persistent & very Bioaccumulative |

The information in this safety data sheet is based on data and samples provided to BIG. The sheet was written to the best of our ability and according to the state of knowledge at that time. The safety data sheet only constitutes a guideline for the safe handling, use, consumption, storage, transport and disposal of the substances/preparations/mixtures mentioned under point 1. New safety data sheets are written from time to time. Only the most recent versions may be used. Unless indicated otherwise word for word on the safety data sheet, the information does not apply to substances/preparations/mixtures in purer form, mixed with other substances or in processes. The safety data sheet offers no quality specification for the substances/preparations/mixtures in question. Compliance with the instructions in this safety data sheet does not release the user from the obligation to take all measures dictated by common sense, regulations and recommendations or which are necessary and/or useful based on the real applicable circumstances. BIG does not guarantee the accuracy or exhaustiveness of the information provided and cannot be held liable for any changes by third parties. This safety data sheet is only to be used within the European Union, Switzerland, Iceland, Norway and Liechtenstein. Any use outside of this area is at your own risk. Use of this safety data sheet is subject to the licence and liability limiting conditions as stated in your BIG licence agreement or when this is failing the general conditions of BIG. All intellectual property rights to this sheet are the property of BIG and its distribution and reproduction are limited. Consult the mentioned agreement/conditions for details.